

# The Art of Mac Malware

## The Guide to Analyzing Malicious Software

by Patrick Wardle

errata updated to print 2

Page	Error	Correction	Print corrected
29	(You can instruct Finder to show such hidden files by pressing COMMAND-SHIFT-SPACE [⌘-⇧-SPACE] or using the ls command with the -a option in the Terminal.)	(You can instruct Finder to show such hidden files by pressing COMMAND-SHIFT-PERIOD [⌘-⇧-.] or using the ls command with the -a option in the Terminal.)	Print 2
53	<pre>void sub_10000c007(...) {      auth = [Authenticator sharedAuthenticator];     sfAuth = [SFAuthorization authorization];      [sfAuth obtainWithRight:"system.preferences" flags:0x3 error:0x0];     [auth authenticateUsingAuthorizationSync:sfAuth]; }</pre>	<pre>void sub_10000c007(...) {      auth = [Authenticator sharedAuthenticator];     sfAuth = [SFAuthorization authorization];      [sfAuth obtainWithRight:"system.preferences" flags:0x3 error:0x0];     [auth authenticateUsingAuthorizationSync:sfAuth]; }</pre>	Print 2
60	<pre>file=@"@"/tmp/applist."xt" retain];</pre>	<pre>file=@"@"/tmp/applist.xt" retain];</pre>	Print 2
121	<pre>execTask('chmod -R 0700 ' + @"\\" + "\");</pre>	<pre>execTask('chmod -R 0700 ' + @"\\" + poshellMac + "\");"</pre>	Print 2