

INDEX

SYMBOLS

+ (addition operator), 20
= (assignment operator), 23
{...} (command line argument array), 138, 150
-- (comment), 38
/ (division operator), 20
" (double quote), 31
== (equal to operator), 52–53
^ (exponentiation operator), 20
> (greater than operator), 52–53
>= (greater than or equal to operator), 52–53
< (less than operator), 52–53
<= (less than or equal to operator), 52–53
% (modulus operator), 163–164
-[[]]] (multiline comment), 38
* (multiplication operator), 20
~= (not equal to operator), 52–53
> (prompt), 13, 17
' (single quote), 31
.. (string concatenation operator), 31–32
- (subtraction operator), 20

A

acacia tree, 89
addition operator (+), 20
algorithms, 61
and operator, 65–66
announce program, 159
application programming interface (API), 76
appstore program, 44
arguments, 22, 73
Artemisia, 13, 73
assignment operator (=), 23
assignment statement, 23

ATLauncher, xix, 5
downloading, 2
installing Minecraft with, 3
attack() function, 216
attackDown() function, 216
attackUp() function, 216

B

back() function, 37–39, 215
bedrock, 193
birch tree, 89
blaze rod, 15
blocks, of code, 40
block IDs. *See* name IDs
bonus activities
 cake factory, 123
 cobble together more
 cobblestone furnaces, 110
 dance move module, 83
 different-colored
 checkerboards, 171
 giant wheat fields, 186
 going down, 70
 lone turtle farmer, 96
 maze runner, 44
 mylabel program with command line arguments, 141
new dance moves, 42
plus-shaped rooms, 151
proper introductions, 33
tall tunnel, 207
turtle by any other name, 34
watchturtle, 58
Boolean data type, 49–50, 53
Boolean operators
 and operator, 65–66
 not operator, 64–65
 or operator, 66–67
bots, 9

`break` statement, 94
`brickcrafter` program, 116–117
`buildFloor()` function, 165, 210
`buildfloor` program, 166
`buildRoom()` function, 147–149, 210
`buildroom` program, 149
`buildWall()` function, 134–137, 145, 151, 210
`buildwall` program, 137–138

C

cactus, farming, 189–190
calling functions, 19
carrots, planting, 186–187
case sensitive, 25
`CC`. *See ComputerCraft (CC)*
`ceil()` function, 107–108, 211
charcoal, 15
checkerboard, 168–169
chests, 11, 118
chickens, 188
`choptree` program, 62–63
chunks, loading, 90
coal blocks, 15, 167, 171
cobblestone, 100
cobblestone generator, 100–102, 118
`cobminer` program, 102–103
command line argument array
 `{...}`, 138, 150
command line arguments, 13,
 43, 138
commands
 `delete`, 43
 `/gamemode`, 7
 `history`, 14
 `ls`, 30
 shell, 12, 13
comment `(--)`, 38
`compare()` function, 69, 215
`compareDown()` function, 69, 215
`compareTo()` function, 214
`compareUp()` function, 69, 215
comparison operators, 52–53
`ComputerCraft (CC)`, xviii
 API website, 209
 installing, 4–5
 wiki, xxi

concatenation, 31–32
conditions, 50
constants, 104
`countInventory()` function, 130, 210
cows, milking, 187–188
`craft()` function, 116, 121, 216
crafting
 bone meal, 88
 cakes, 123
 coal blocks, 167
 computers, 11
 mining turtles, 10–12
 quartz blocks, 167
 stone bricks, 121–122
 turtles, 11
creative mode, 6–7, 11
current slot (inventory), 60

D

dance program, 13
dark oak tree, 89
data types, 31
 Boolean, 49–50, 53
 `nil`, 50
 string, 31
 table, 80
`delete` command, 43
`delete()` function, 210
`detect()` function, 64, 104, 215
`detectDown()` function, 64, 215
`detectUp()` function, 64, 215
diamond
 axe, 60
 hoe, 179
 pickaxe, 12, 60
 shovel, 60
 tools, 12, 60
`dig()` function, 62, 68–69, 216
`digDown()` function, 69, 182, 202, 216
`digUntilClear()` function, 197–198,
 202, 210
`digUp()` function, 62, 69, 216
`digUpUntilClear()` function, 197–198,
 207, 210
division operator `(/)`, 20
`do` keyword, 40, 50

double quote ("), 31
down() function, 39, 42, 215
drop() function, 95, 122, 183, 214
dropDown() function, 95, 214
dropUp() function, 95, 214

E

Edit program, 28
eggs, gathering, 188
Elisabetta, 13, 34, 73
else statement, 54, 55–56
elseif statement, 54
empty string, 31
end keyword, 40, 50
equal to operator (==), 52–53
equipLeft() function, 60, 115, 214
equipRight() function, 60, 115, 214
errors, 21, 29
 Movement obstructed, 39
 Out of fuel, 39
 Unbreakable block detected, 202
error() function, 68, 93, 106, 119, 140, 184, 216
evaluating, expressions, 20
execution, 30, 40
exists() function, 91, 210
exit() function, 19, 216
exponentiation operator (^), 20
expressions, 20–21

F

false value, 18, 50, 51
farmtrees program, 87–88
farmwheat program, 177–179
fences, 174
fields, 154
find() function, 212
findBlock() function, 176, 180, 210
floor() function, 107–108, 211
flow control statements, 40
for loop statement, 40–41, 82–83
forward() function, 37–39, 215
fs.delete() function, 210
fs.exists() function, 91, 210
fuel, 14–16, 39
fuel slot, 105

functions, 19. *See also names of individual functions*
function statement, 72
passing functions to, 158–160
return statement, 74
return value, 18, 74
furnace, 101–102
 fuel slot, 105
 input slot, 105
 output slot, 105

G

/gamemode command, 7
getComputerLabel() function, 32, 211
getFuelLevel() function, 25–26, 106, 184, 205, 212
getFuelLimit() function, 25–26, 213
getItemCount() function, 79, 108–109, 120, 130, 214
getItemDetail() function, 77, 80, 81, 214
getItemSpace() function, 214
getSelectedSlot() function, 214
givecandy program, 74
glass, 11, 100, 118
global scope, 81–82
go program, 13, 16–17
graphical user interface (GUI), 12–13
gravel, 197, 202
greater than operator (>), 52–53
greater than or equal to operator (>=), 52–53
growth mindset, xx

H

hardcoding, 62, 153
hardcore mode, 7
hare.buildFloor() function, 165, 210
hare.buildRoom(), 147–149, 210
hare.buildWall() function, 134–137, 145, 151, 210
hare.countInventory() function, 130, 210
hare.digUntilClear() function, 197–198, 202, 210

`hare.digUpUntilClear()` function, 197–198, 207, 210
`hare.findBlock()` function, 176, 180, 210
`hare` program, 75, 128–130, 145–146, 160–161, 176, 197–198
`hare.selectAndPlaceDown()` function, 130–131, 155, 156, 210
`hare.selectEmptySlot()` function, 78, 211
`hare.selectItem()` function, 76, 78–79, 170, 186, 211
`hare.sweepField()` function, 161–163, 185, 211
`hello` program, 28
help, xx–xxi

I

`if` statement, 51–52
indents, 41, 55
infinite loops, 51, 57, 119
input slot, 105
`inspect()` function, 92–93, 176–177, 215, 218
`inspectDown()` function, 181–182, 216
`inspectUp()` function, 216
interpreter, Lua, xviii–xix, 30
inventory
 current slot, 60
 of player, 12
 of turtle, 12
 slots, 13, 78
 stack, 13
`io.read()` function, 33, 211
iron, 11, 100
irrigation of crops, 174
iteration, 40

J

`.jar` files, 4
jungle tree, 89

L

`label` program, 13, 32
lava, 100

lava bucket, 15
Lavinia, 13, 74
less than operator (`<`), 52–53
less than or equal to operator (`≤`), 52–53
`loadAPI()` function, 76, 211
local scope, 81–82
Logo, 9–10
loops
 `for` loop statement, 40–41, 82–83
 infinite, 51, 57, 119
 `while` loop statement, 50
`ls` command, 30
Lua, xviii
 interpreter, xviii–xix, 30
 shell, 17–19
`lua` program, 13, 17–19
`lua>` prompt, 17

M

`math.ceil()` function, 107–108, 211
`math.floor()` function, 107–108, 211
`math.random()` function, 22, 211
maze, 44
'metadata' key, 181–182
Minecraft
 buying, 2
 creating a new world, 6
 modes, 6–7
 running, 5–7
 sales, xvii
Minecraft Forge mod, 3
mods, xviii
 use on a server, 3
 vanilla Minecraft, xviii
modpacks, 3
modules, 19, 75
modulus operator (%), 163–164
Movement obstructed error, 39
multiplayer server, 3, 5
multiline comment (`--[[]]]`), 38
multiplication operator (*), 20
`mydance` program, 36–37
`mydance2` program, 47–48
`mylabel` program, 34, 141

N

name IDs, 77, 217–226
 'minecraft:cactus', 190
 'minecraft:carrot', 186
 'minecraft:chest', 176, 180, 183
 'minecraft:coal_block', 170
 'minecraft:cobblestone', 106
 'minecraft:dye', 93
 'minecraft:log', 76–77, 79, 81, 95
 'minecraft:potato', 186
 'minecraft:quartz_block', 170
 'minecraft:reeds', 190
 'minecraft:sapling', 89, 91, 93
 'minecraft:wheat', 181, 183
 'minecraft:wheat_seeds', 182, 186
nesting, 54–55, 135
Nether quartz, 167
nil data type, 50
not equal to operator ($\sim=$), 52–53
not operator, 64–65

O

oak tree, 89
obsidian, xvii, 100
operators, 20
 Boolean, 64–67
 comparison, 52–53
 math, 20–21
order of operations, 21
or operator, 66–67
os.getComputerLabel() function,
 32, 211
os.loadAPI() function, 76, 211
os.setComputerLabel() function,
 33–34, 211
os.sleep() function, 96, 105, 110,
 122, 186, 211
out of fuel error, 39
output slot, 105
overwriting variables, 24

P

parameters, 73
passing arguments, 23, 73
password, 2
pastebin, 42–43

pastebin program, 43

get 1aZ8BhNX buildwall, 138, 150
get 1zS07K3U brickcrafter, 119
get 8NgPXXxN choptree, 64
get BLCJbpQJ mydance, 43
get Epr9CndN buildfloor, 166
get iXrkjNsG appstore, 44
get PGH1WYpH stairminer, 200
get QAHOuYqS mydance2, 49
get QQK3mqk buildcheckerboard,
 168
get SfcB8b55 farmwheat, 179
get sML2CbZ3 announce, 159
get UoWVM4wg buildroom, 150
get v5h8AgGs farmtrees, 89
get wwzvaKuW hare, 76, 103,
 130, 146, 150, 161,
 176, 198, 210
get YhvSiw7e cobminer, 103
pickaxe, 10, 12, 13, 14, 60
place() function, 91–92, 212, 216
placeDown() function, 92, 183, 212
placeUp() function, 92, 212
planks, 14, 15, 218–219
planting
 carrots, 186–187
 potatoes, 186–187
 saplings, 86, 91–92
 vegetables, 186–187
 wheat seeds, 182–183
print() function, 30–31, 216
programs. *See also names of
individual programs*
 running, 29–30
 saving, 28–29
 stopping, 13, 16, 50, 180
programming language, 17
prompt (>), 13, 17
public server, 3, 5

Q

quartz blocks, 167, 171

R

random() function, 22, 211
read() function, 33, 211
redstone, 11

`refuel()` function, 205, 214
`refuel` program, 13, 15–16
Render Distance option,
 Minecraft, 90
`return` statement, 74
`return` value, 18, 74
`rom` folder, 30
room-building algorithm, 144–145
running programs, 29–30

S

sand blocks, 189, 197, 202
saplings, planting, 86, 91–92
saving programs, 28–29
`sayHello` program, 73
scope
 global, 81–82
 local, 81–82
`select()` function, 79, 116, 122, 214
`selectAndPlaceDown()` function,
 130–131, 155, 156, 210
`selectEmptySlot()` function, 78, 211
`selectItem()` function, 76, 78–79,
 170, 186, 211
`setComputerLabel()` function,
 33–34, 211
sheep, shearing, 187–188
shell
 command, 12, 13
 Lua, 17–19
`shell.run()` function, 70, 94, 212
single quote ('), 31
`sleep()` function, 96, 105, 110, 122,
 186, 211
slots (inventory), 13, 78. *See also*
 current slot
`slowPrint()` function, 33, 212
Sofonisba, 13, 29, 32
source code, 28
spruce tree, 89
stack (inventory), 13
`stairminer` program, 199–200
stair-mining algorithm, 193–197
step number, 41
sticks, 14
stone bricks, 121–122

strings
 concatenation operator (..),
 31–32
 data type, 31
 empty, 31
`string.find()` function, 212
`string.sub()` function, 212
subtraction operator (-), 20
`suck()` function, 120, 214
`suckDown()` function, 120, 188, 215
`suckUp()` function, 120, 215
sugar cane, farming, 189–190
survival mode, 6–7, 11, 127, 173
sweeping algorithm, 154–158
`sweepField()` function, 161–163,
 185, 211
`sweepFunc` parameter, 154–155

T

table data type, 80, 93
text editor, 5
 running programs in, 29–30
 saving programs in, 28–29
`textutils.slowPrint()` function,
 33, 212
then keyword, 52
toggling, 136, 163, 170
`tonumber()` function, 139, 180, 201
tools
 diamond, 12, 60
 wooden, 14
`transferTo()` function, 121, 215
tree-chopping algorithm, 61–62
tree-farming algorithm, 86
tree types, 89
true value, 18, 50, 51
`turtleappstore.com`, 44
`turtle.attack()` function, 216
`turtle.attackDown()` function, 216
`turtle.attackUp()` function, 216
`turtle.back()` function, 37–39, 215
`turtle.compare()` function, 69, 215
`turtle.compareDown()` function, 69, 215
`turtle.compareTo()` function, 214
`turtle.compareUp()` function, 69, 215
`turtle.craft()` function, 116, 121, 216

`turtle.detect()` function, 64, 104, 215
`turtle.detectDown()` function, 64, 215
`turtle.detectUp()` function, 64, 215
`turtle.dig()` function, 62, 68–69, 216
`turtle.digDown()` function, 69, 182, 202, 216
`turtle.digUp()` function, 62, 69, 216
`turtle.down()` function, 39, 42, 215
`turtle.drop()` function, 95, 122, 183, 214
`turtle.dropDown()` function, 95, 214
`turtle.dropUp()` function, 95, 214
`turtle.equipLeft()` function, 60, 115, 214
`turtle.equipRight()` function, 60, 115, 214
`turtle.forward()` function, 37–39, 215
`turtle.getFuelLevel()` function, 25–26, 106, 184, 205, 212
`turtle.getFuelLimit()` function, 25–26, 213
`turtle.getItemCount()` function, 79, 108–109, 120, 130, 214
`turtle.getItemDetail()` function, 77, 80, 81, 214
`turtle.getItemSpace()` function, 214
`turtle.getSelectedSlot()` function, 214
`turtle.inspect()` function, 92–93, 176–177, 215, 218
`turtle.inspectDown()` function, 181–182, 216
`turtle.inspectUp()` function, 216
`turtle.place()` function, 91–92, 212, 216
`turtle.placeDown()` function, 92, 183, 212
`turtle.placeUp()` function, 92, 212
`turtle.refuel()` function, 205, 214
turtles, xviii, 9
`turtle.select()` function, 79, 116, 122, 214
`turtle.suck()` function, 120, 214
`turtle.suckDown()` function, 120, 188, 215

`turtle.suckUp()` function, 120, 215
`turtle.transferTo()` function, 121, 215
`turtle.turnLeft()` function, 18–19, 38, 215
`turtle.turnRight()` function, 19, 38, 215
`turtle.up()` function, 39, 42, 215
tutorials, xx–xxi
typewriter effect, 33, 212

U

Unbreakable block detected error, 202
`up()` function, 39, 42, 215
usage messages, 139–140, 150, 166, 180, 201

V

values, 20
 `false`, 18, 50, 51
 `return`, 18, 74
 `true`, 18, 50, 51
vanilla Minecraft, xviii
variables, 23
 constant, 104
 names, 25
 overwriting of, 24
vegetables, planting, 186–187

W

wall-building algorithm, 131–134
water, 100, 174
water bucket, 174
watermelon, 127–128
wheat, 174–175
wheat-farming algorithm, 175–176
wheat seeds, planting, 182–183
while loop statement, 50
wiki, ComputerCraft, xxi
wood, 14
wood planks, 14, 15, 218–219
wooden tools, 14