

INDEX

Symbols

+ (addition operator), 125
@ (at sign), 176
\\ (backslash escape sequence), 42
` (backtick), 32
\r (carriage return escape sequence), 42
{ } (curly brackets), 250
/ (division operator), 125
\\" (double quote escape sequence), 42
= (equal comparison operator), 68, 80, 86
> (greater than comparison operator), 86, 88
>= (greater than or equal to comparison operator), 86, 88
< (less than comparison operator), 86, 88
<= (less than or equal to comparison operator), 86, 89
% (modulo operator), 125
* (multiplication operator), 125
\n (newline escape sequence), 42
<> (not equal comparison operator), 86–88
!= (not equal comparison operator), 58, 86–87
? (placeholder), 241, 245, 252

A

`abs()` function, 128
addition operator (+), 125
after delete triggers, 199, 293
after insert triggers, 196, 291

after update triggers, 200, 295
aggregate functions, 105
 `avg()`, 107
 `count()`, 105
 `max()`, 106
 `min()`, 107
 `sum()`, 107
aliasing
 columns, 60
 tables, 53
altering tables, 22, 222
`alter table` command, 22, 222
American National Standards Institute (ANSI), xxiv
and keyword, 68, 97
application programming interface (API), 275
arguments, 100
 optional, 101
 vs. parameters, 171
 specifying more than one, 101
arithmetic operators. *See* mathematical operators
arrays, PHP, 240
ascending order, 30
`asc` keyword, 30
associative tables, 68, 282
`at` keyword, 211
at sign (@) before user variable, 176
audit tables, 195, 290, 299
`auto_increment` attribute, 147, 280, 302
`avg()` function, 107

B

backslash escape sequence (\\\), 42
backticks (`), wrapping column names in, 32
Bash, 263, 269, 272–273, 276
shebang, 272

before delete triggers, 206, 289
before insert triggers, 203, 284
before update triggers, 204, 288
`begin` keyword, 170, 172
between comparison operator, 86, 91
binary data types, 43
 binary, 43
 bit, 44
 BLOB. *See* BLOB data types
 varbinary, 43
BLOB data types, 43
 blob, 43
 longblob, 43
 mediumblob, 43
 tinyblob, 43
boolean values, 46, 95
 checking, 95
 `is false`, 95
 `is true`, 95
 using `_flag` suffix with, 46, 68
browsing database objects in MySQL
 Workbench, 228
business rules, 281, 284
bytecode, Java, 254

C

calling MySQL
 from Java, 253
 from PHP, 238
 from programming languages, 237
 from Python, 250
call statements, 166
carriage return escape sequence (`\r`), 42
Cartesian product, 56
case operator, 139
case sensitivity, 30
case statements, 180
`cast()` function, 135
`ceiling()` function, 129
characteristics in functions, 171
 contains sql, 172
 deterministic, 171
 modifies sql data, 172
 no sql, 172
 not deterministic, 171
 reads sql data, 172
character sets, 30
check constraint, 20, 268, 281, 299
checking current database, 221
client/server architecture, 4
`coalesce()` function, 136
Codd, E.F., xxi
collations, 30
column-level permissions, 310
columns
 aliasing, 60
 creating, 12
 defining data types for, 12, 37
 inserting null values into, 144
 inserting sequences of numbers, 147
 naming, 32
 omitting names, 145, 147
 updating multiple, 153
combining functions, 116
command line interface, 6
command prompt, 6
comma-separated values (CSV) file, 233, 261, 265, 267, 270, 273, 275
commenting SQL, 33–34
Common Table Expressions (CTEs), 75
 vs. derived tables, 78
 recursive, 76
comparing values, 85
comparison operators, 58, 85
 between, 86, 91
 data types and, 87
 `= (equal)`, 86
 `exists`, 94
 `> (greater than)`, 86, 88
 `>= (greater than or equal to)`, 86, 88
 `in`, 86, 90
 `is not null`, 86, 89
 `is null`, 86, 89
 `< (less than)`, 86, 88
 `<= (less than or equal to)`, 86, 89
 `like`, 86, 91
 `not between`, 86, 91
 `<> (not equal)`, 86–88
 `!= (not equal)`, 86–87
 `not in`, 86, 90
 `not like`, 86, 93
composite keys, 14
`concat()` function, 112
condition handlers, 188
 `continue` keyword, 188
 `exit` keyword, 188

configuring MySQL for loading data to
and from files, 234
connections, MySQL Workbench, 306
console, 6
constraints, 13, 268, 277
 check, 20, 268, 281, 299
 composite keys, 14
 data integrity and, 13
 default, 20
 foreign keys, 15, 280
 not null, 18, 268, 280
 primary keys, 13, 153, 268, 280
 unique, 19, 280
contains sql characteristic, 172
continue keyword, 188
controlling permissions, 303, 310
correlated subqueries, 81
`cos()` function, 134
`count()` function, 105
`create database` command, 11
`create event` command, 211
`create function` syntax, 168
`create table as` syntax, 151
`create table` command, 12
`create temporary table` syntax, 72
`create view` syntax, 159
creating columns, 12
creating databases, 11
creating events with an end date, 212
creating events with no end date, 210
creating procedures, 173
creating tables, 12, 278, 282
creating views, 159, 303
credentials, database, 230, 243, 252
cron, 262
 cron jobs, 262
 `crontab`, 262, 274
cross joins, 54, 56
CSV file, 233, 261, 265, 267, 270, 273, 275
CTEs. *See* Common Table Expressions
`curdate()` function, 120
curly brackets `{}`, 250
cursors, 186, 251
`curtime()` function, 120
customizing the path for MySQL
 tools, 230

D

`data_add()` function, 121
database administrator (DBA), xxiv
database credentials, 230, 243, 252
`database()` function, 138
database objects. *See also* events;
 functions; procedures;
 triggers; views
browsing, 228
cursors, 186
 naming conventions, 157
databases
 checking current, 221
 creating, 11
 dropping, 11
 naming connections, 223
 terminology, 11
Data Definition Language (DDL), 27
data integrity, 13, 17, 282, 299
 vs. referential integrity, 17
Data Manipulation Language (DML), 27
data types, 37, 267. *See also* binary data
 types; date and time data
 types; decimal data types;
 numeric data types; spatial
 data types
comparison operators and, 87
declaring variables with, 172
defining, 12
 for parameters, 170
 for variables, 176
`json`, 48
`numeric`, 44
 boolean values, 46
 integer. *See* integer data types
date and time data types, 48, 120
 `date`, 38, 48
 `datetime`, 48, 267
 `time`, 38, 48, 268
 `timestamp`, 48
 `year`, 48
date and time functions
 `curdate()`, 120
 `curtime()`, 120
 `data_add()`, 121
 `data_sub()`, 121
 `datediff()`, 123

date and time functions (*continued*)
 date_format(), 123
 extract(), 122
 now(), 120
 str_to_date(), 124, 270
 time_format(), 125
 units of time and, 121
datediff() function, 101, 123
date_format() function, 123
date_sub() function, 121
DBA (database administrator), xxiv
DDL (Data Definition Language), 27
decimal data types, 47
 decimal, 47, 267
 double, 47
 float, 47
declare keyword, 172, 176
default constraint, 20
defining data types, 12
degree() function, 130
delete statement, 154
deleting data from tables, 154
delimiter keyword, 168
delimiters
 common, 169
 redefining, 168, 173
derived tables, 78
descending order, 30
desc keyword, 30
deterministic characteristic, 171
development environment vs.
 production environment, 222
displaying procedure results with
 select, 184
distinct() function, 137
division operator (/), 125
DML (Data Manipulation Language), 27
do command, 211
double quote escape sequence ("\"), 42
drop database command, 11
drop event command, 211
drop function statement, 168
dropping databases, 11
dropping tables, 22, 156
drop table command, 22, 156
drop view command, 163

E

elseif keyword, 179
end keyword, 170, 172
endless loops, 182
ends keyword, 212
entity relationship diagrams (ERDs), 279
environment, production vs.
 development, 222
equal comparison operator (=), 80, 86
error checking in the event
 scheduler, 213
escape sequences
 \\ (backslash), 42
 \r (carriage return), 42
 \" (double quote), 42
 \n (newline), 42
 \t (tab), 42
events
 at command, 211
 checking for errors in the event
 scheduler, 213
 create event command, 211
 creating with end date, 212
 creating with no end date, 210
 do command, 211
 drop event command, 211
 dropping, 211
 ends keyword, 212
 naming convention, 211
 on schedule keyword, 211
 scheduling, 210
 show events command, 211
event scheduler, 210
 checking for errors in, 213
 disabled, 210
exceptions, Java, 255
exclusive, defined, 91
exists comparison operator, 94
exit keyword, 188
exp() function, 131
extensions, PHP, 239, 243, 246
 choosing between MySQLi
 and PDO, 247
extract() function, 122

F

File Transfer Protocol (FTP), 261
_flag suffix, 46, 68
floor() function, 130
foreign keys, 15, 280
for loops, 251
format() function, 113
formatting SQL code, 31, 147
 backticks, 32
 commenting, 33–34
 uppercase vs. lowercase, 32
 whitespace, 34
formatting strings, 41
from keyword, 28
FTP (File Transfer Protocol), 261
fully qualifying table names, 221
functions. *See also* aggregate functions;
 mathematical functions;
 string functions
calling from different parts of a
 query, 104
calling within other functions, 103
characteristics, 171
combining, 116
creating custom, 167
defined, 100
defining the function body, 172
dropping, 168
listing all stored in a database, 192
MySQL built-in, 99
naming conventions, 166
parameters, 170
passing arguments to, 100
vs. procedures, 165
redefining delimiter in function
 definition, 168
value returned from, 166
writing custom, 165

G

grant command, 303
greater than comparison operator (>),
 86, 88
greater than or equal to comparison
operator (>=), 86, 88

H

help statement, 102
hiding column values with views, 161
host server, 198, 230

I

if exists syntax, 168
if() function, 138
if statements, 178
if...then syntax, 179
ignore keyword, 233
import-table utility, 236
inclusive, defined, 91
in comparison operator, 86, 90
indexes, 14, 21, 153, 164
 show indexes command, 22
infile keyword, 232
in keyword, 80
inner joins, 54
input parameters, 190
inserting data into tables, 143, 149
insert statement, 143
installing and upgrading MySQL, 4–5
integer data types
 bigint, 12, 45
 boolean values, 46
 int, 12, 45, 267
 mediumint, 45
 smallint, 45
 tinyint, 45
is false syntax, 95
is not null comparison operator, 35,
 86, 89
is null comparison operator, 35, 86, 89
is true syntax, 95

J

Java, 253
 bytecode, 254
calling a stored procedure, 256
calling MySQL from, 253
exceptions, 255
inserting a row into a table, 255
installing, 254
java.sql package, 255
MySQL Connector/J, 254

J

Java (*continued*)
 prepared statements, 256
 selecting from a table, 254
JavaScript Object Notation (JSON), 48
`java.sql` package, 255
Java Virtual Machine (JVM), 254
joining tables, 51
 in different databases, 61
joins, 54
 complex, 63
 cross, 56
 inner, 54
 of many tables, 66
 natural, 56
 outer, 55
 queries with more than one type, 63
 self, 57
 syntax, 54
 inner join alternative, 60
 parentheses, 59
JSON (JavaScript Object Notation), 48
`json` data type, 48
JVM (Java Virtual Machine), 254

L

LAMP stack, 238
`left()` function, 114
less than comparison operator (`<`), 86, 88
less than or equal to comparison
 operator (`<=`), 86, 89
lightning bolt icons in MySQL
 Workbench, 225
`like` comparison operator, 86, 91
`limit` keyword, 70
listing functions and procedures stored
 in a database, 192
`load data` command, 232, 270
loading data
 from a file, 232
 to a file, 234, 269
local variables, 176
`log()` function, 131
loops, 181
 `for`, 251
 nested, 189
 `repeat`, 183
 `repeat...until` syntax, 183
 `until` statements and, 184
 `while` loops, 184
`lower()` function, 115
`ltrim()` function, 119

M

`man` command, 262, 276
many-to-many relationships, 69
mathematical functions, 125, 128
 `abs()`, 128
 `ceiling()`, 129
 `cos()`, 134
 `degree()`, 130
 `exp()`, 131
 `floor()`, 130
 `log()`, 131
 `mod()`, 132
 `pi()`, 100, 103, 130
 `pow()`, 132
 `power()`, 132
 `radians()`, 130
 `round()`, 101, 103, 132
 `sin()`, 133
 `sqrt()`, 134
 `std()`, 135
 `stddev()`, 135
 `stddev_pop()`, 134
 `stddev_samp()`, 135
 `tan()`, 135
 `truncate()`, 133, 155
mathematical operators, 126
 `+` (addition), 125
 `/` (division), 125
 `%` (modulo), 125
 `*` (multiplication), 125
 operator precedence, 97, 127
 `-` (subtraction), 125
`max()` function, 106
methods, 238
Microsoft SQL Server, xxiv
`min()` function, 107
mistakes in MySQL, 219
 leaving `where` clauses
 incomplete, 223
 running partial SQL
 statements, 225

- using the wrong server, 222
- using transactions to avoid, 226
- working in the wrong database, 220
- modes, PHP, 240
- `mod()` function, 132
- `modifies sql` data characteristic, 172
- `mod` operator, 126
- modulo, 125–126, 132
 - vs. modulus, 127
 - operator (%), 125
- multiplication operator (*), 125
- MySQL. *See also* mistakes in MySQL
 - calling from programming languages, 237
 - command line client, 6, 230
 - configuring for loading data to and from files, 234
 - documentation, xxv, 4
 - help statement, 102
 - installing, 4
 - query optimizer, 35
 - reference manual, xxv, 99
 - stored program language, xxiv
 - supporting existing system, 228
 - tips and tricks, 219
- MySQL Community Server, xxii, 3
- MySQL Connector/J, 254
- MySQL Connector/Python, 251
- MySQLi (MySQL Improved), 238
 - object-oriented, 243
 - calling a stored procedure, 245
 - inserting a row into a table, 244
 - selecting from a table, 243
 - procedural, 246
 - calling a stored procedure, 249
 - inserting a row into a table, 248
 - selecting from a table, 247
- MySQL Shell (`mysqlsh`), 235
 - parallel table import, 236
- MySQL Workbench
 - browsing database objects in, 228
 - creating connections, 306
 - creating databases with, 11
 - creating tables with, 12
 - documentation for, xxv
 - installing, 6
 - lightning bolt icons, 225
 - Navigator panel, 11
- reference manual, 6
- Result Grid panel, 10
- viewing databases with, 9

N

- naming conventions for database objects, 157
- naming database connections, 223
- naming databases, 11
- natural joins, 54, 56
- nested loops, 189
- `new` keyword, 197
- newline escape sequence (\n), 42
- `no sql` characteristic, 172
- `not between` comparison operator, 86, 91
- `not deterministic` characteristic, 171
- not equal comparison operator (<> or !=), 86–87
- `not in` comparison operator, 86, 90
- `not like` comparison operator, 86, 93
- `not null` constraint, 18, 268, 280
- `not null` keyword, 145
- `now()` function, 120
- null values, 18, 35
 - inserting into columns, 144
- numeric data types, 44. *See also* integer data types
 - boolean values, 46

O

- object-oriented MySQLi, 243
- object-oriented programming (OOP), 238
- object-relational mapping (ORM), 257
- `old` keyword, 200
- old-school inner joins, 60
- `on` keyword, 53, 68
- online resources, xxiv, 230
 - GitHub, xxiv
 - MySQL command line client, xxv
 - MySQL reference manual, xxv, 99, 230
 - MySQL Workbench, xxv
 - PHP, 240
- `on schedule` keyword, 211
- OOP (object-oriented programming), 238
- operator precedence, 97, 127

optimizer hints, 34
optional arguments, 101
optionally enclosed by keyword, 234
Oracle, xxiv
order by clause, 29
ordering rows, 29
 alphabetically, 30
 in ascending order, 30
 in descending order, 30
order of operations, 97, 127
or keyword, 95
ORM (object-relational mapping), 257
outer joins, 54–55
output parameters, 190

P

paamayim nekudotayim, 240
parallel table import, 236
parameters
 adding, 170
 vs. arguments, 171
 defining data types for, 170
 in, 174
 inout, 174
 input, 190
 naming convention, 170
 out, 174
 output, 190
parentheses
 join syntax and, 59
 specifying string length within,
 39, 43
 using to group conditions, 96
path, customizing for MySQL tools, 230
PDO object, 239
permissions, controlling, 303, 310
PHP, 238
 arrays, 240
 calling MySQL from, 238
 extensions, 238, 243, 246
 choosing between MySQLi
 and PDO, 247
 installing, 238
 modes, 240
 online manual, 240
 opening and closing tags, 239
PHP Data Objects (PDO), 238
 calling a stored procedure, 242

inserting a row into a table, 240
selecting from a table, 239
pi() function, 100, 103, 130
placeholders, 238, 241. *See also*
 prepared statements
 ?, 241, 245, 252
 %*s*, 252
 named, 241, 245
 PDO vs. MySQLi, 245
 Python, 252
PL/pgSQL, xxiv
PL/SQL, xxiv
populating tables, 143
population standard deviation, 134
PostgreSQL, xxiv
power() function, 132
pow() function, 132
prepared statements, 237, 241. *See also*
 placeholders
 Java, 256
 Python, 252
 using as security measure, 241
primary keys, 13, 153, 268, 280
privileges, revoking, 304
procedural extensions of SQL, xxiv
procedural MySQLi, 246
procedural programming, 246
procedures
 calling other procedures, 191
 call statements in, 166
 condition handlers and, 188
 creating, 173
 displaying results with select, 184
 vs. functions, 165
 if statements, 178
 Java, calling with, 256
 listing all stored in a database, 192
 naming conventions, 167
 object-oriented MySQLi, calling
 with, 245
 PDO, calling with, 242
 procedural MySQLi, calling
 with, 249
 Python, calling with, 253
 select...into syntax, 175
 select statements and, 175
 specifying parameters for, 174
 using cursors with, 186

- using logic in, 178
 - case statements, 180
 - elseif keyword, 179
 - if statements, 178
 - loops, 181
 - values returned from, 166
 - production environment vs.
 - development environment, 222
 - programming
 - object-oriented, 238, 243
 - procedural, 246
 - Python, 250
 - calling a stored procedure, 253
 - calling MySQL from, 250
 - importance of indentation, 250
 - inserting a row into a table, 252
 - installing, 250
 - MySQL Connector/Python, 251
 - prepared statements, 252
 - selecting from a table, 251
- Q**
- queries
 - calling functions from, 104
 - with more than one join type, 64
 - nested, 78
 - optimizing, 34, 172
 - using to create and populate a new table, 151
 - using to insert table data, 149
- R**
- radians() function, 130
 - RDBMS (relational database management system), xxi, 11
 - readability of code, 31
 - reads sql data characteristic, 172
 - recursion, 76
 - recursive CTEs, 76
 - recursive keyword, 77
 - referential integrity, 17
 - relational database management system (RDBMS), xxi, 11
 - repeat loops, 183
 - repeat...until syntax, 183
 - resources. *See* online resources
 - returns statement, 170
 - vs. return statement, 173
- revoke command, 304
 - revoking privileges, 304
 - right() function, 115
 - root superuser account, 304, 306
 - round() function, 101, 103, 132
 - rows
 - deleting, 154
 - excluding, 36
 - inserting into table, 144
 - inserting multiple, 146
 - Java, inserting with, 255
 - limiting which are displayed, 70
 - modifying using a view, 163
 - object-oriented MySQLi, inserting with, 244
 - ordering, 29
 - PDO, inserting with, 240
 - procedural MySQLi, inserting with, 248
 - Python, inserting with, 252
 - updating, 152, 153
 - rtrim() function, 119
- S**
- scope resolution operator (::), 240
 - script files, 231
 - security
 - hardcoding credentials, 243
 - using prepared statements for, 241
 - select command, 28
 - selecting data from multiple tables, 51
 - select...into outfile syntax, 234
 - select...into syntax, 175
 - select list, 111
 - select statements, 28, 53, 173
 - combining multiple, 70
 - displaying procedure results with, 184
 - in procedures, 175
 - self joins, 57
 - sequential numbers, inserting into
 - column with auto_increment, 147
 - server
 - host, 198, 230
 - production vs. development, 222
 - Shotts, William (*The Linux Command Line*), 263

show databases command, 9
show events command, 211
show indexes command, 22
show schemas command, 11
silent mode, 273
sin() function, 133
spatial data types, 49
 geometry, 49
 geometrycollection, 49
 linestring, 49
 multilinestring, 49
 multipoint, 49
 multipolygon, 49
 point, 49
 polygon, 49
specifiers for date and time
 functions, 123
SQL, xxii, 27. *See also* formatting
 SQL code
 comments in, 33–34
 delimiters in SQL statements, 168
 injection attacks, 241
 partial statements as pitfall, 225
 placeholders, 238, 241, 245
 prepared statements, 237
 procedural extensions of, xxiv
 pronunciation, 27
 queries, 28
 script files, 263, 269–273
 wildcard character, 29, 92, 160
sqlstate code, 206
sqrt() function, 134
start transaction command, 226
std() function, 135
stddev() function, 135
stddev_pop() function, 134
stddev_samp() function, 135
stored programs, 165
stored routines, 165
string data types, 38
 char, 38, 267
 enum, 40
 set, 40
 varchar, 12, 39, 267
string functions
 concat(), 112
 format(), 113
 left(), 114
 lower(), 115
 ltrim(), 119
 right(), 115
 rtrim(), 119
 substring(), 116
 trim(), 118
 upper(), 115
strings
 of character vs. bytes, 44
 converting to date, 124
 defined, 38
 escape sequences, 42
 fixed length, 38
 formatting, 41
 special characters in, 42
 variable length, 39
str_to_date() function, 124, 270
Structured Query Language. *See* SQL
subqueries, 78
 correlated, 81
 returning more than one row, 79
substr() function, 118
substring() function, 116
subtraction operator (-), 125
sum() function, 107
supporting an existing MySQL
 system, 228

T

tab escape sequence (\t), 42
tables
 aliasing, 53
 altering, 22, 222
 associative, 68, 282
 Common Table Expressions (CTEs), 75
 creating, 12, 151, 278, 282
 deleting data from, 154
 derived, 78
 dropping, 22, 156
 fully qualifying names, 221
 inserting data into, 143
 omitting column names, 147
 using a query, 149
 inserting multiple rows at once, 146

J

- Java
 - inserting rows, 255
 - selecting from a table, 254
- joining, 51, 66
 - in different databases, 61
- object-oriented MySQLi
 - inserting rows, 244
 - selecting from a table, 243
- PDO
 - inserting rows, 240
 - selecting from a table, 239
- populating columns with
 - sequential numbers, 147
- procedural MySQLi
 - inserting rows, 248
 - selecting from a table, 247
- Python, inserting rows, 252
- querying data from, 28
- selecting data from multiple, 51
- temporary, 72
- truncating, 155
- updating, 152–153

tan() function, 135

temporary tables, 72. *See also* Common Table Expressions (CTEs)

terminal, 6

text data types, 40

- longtext**, 40
- mediumtext**, 40
- text**, 40
- tinytext**, 40

time_format() function, 125

tracking changes with triggers, 195

transactions, 226

- committing, 226
- rolling back, 226
- start transaction** command, 226

Transact-SQL (T-SQL), xxiv

triggers, 195

- after delete, 199, 293
- after insert, 196
- after update, 200, 295
- before delete, 206, 289
- before insert, 203, 284
- before update, 204, 288

improving data quality with, 202, 284

naming convention, 197

new keyword and, 197

old keyword and, 200

vs. privileges, 299

tracking changes with, 195, 290

trim() function, 118

truncate() function, 133

truncate table command, 155

truncating tables, 155

try...catch blocks, 255

U

- union all** keyword, 71
- union** keyword, 70
- unique constraint**, 19, 280
- units of time**, 121
- unsigned** keyword, 46
- until** statements, 184
- update statement**, 152, 163, 298
- updating tables, 152–153
- upper()** function, 100, 104, 115
- use command**, 12, 61
- user variables, 176–177
- using** keyword, 53
- using logic in procedures, 178
 - case** statements, 180
 - elseif** keyword, 179
 - loops, 181

V

- variables**, 172
 - declaring, 176, 288
 - defining data types for, 172
 - local, 176
 - math trick with user variables, 177
 - naming convention for, 172
 - scope, 176
 - user, 176
- version()** function, 140
- viewing databases**
 - with MySQL Workbench, 9
 - show databases** command, 10
- views**, 159
 - creating, 159, 303
 - dropping, 163
 - hiding column values with, 161

- views (*continued*)
 querying, 160
 selecting from, 160, 162
 updating, 163
- W**
- where clause
 defined, 28
 incomplete, 223
- while loop, 184
- whitespace, 34
- wildcard characters
 _, 92
 *, 29, 160
 %, 92
- Windows Subsystem for Linux
 (WSL), 262
- Y**
- year() function, 104