

# INDEX

## Symbols and Numbers

- ::testing::, 328
- =0 (pure virtual methods), 138
- 2001: A Space Odyssey*, li, 353
- The 300*, 685
- 42six, 500
- <algorithm>, 576–628
- <any>, 378–379
- <array>, 408
- <atomic>, 653
- /bin/sh* (and `std::system`), 697
- <bitset>, 432–433
- <boost/algorithm/
  - searching/boyer\_moore.hpp>, 713
  - string/case\_conv.hpp>, 515
  - string/classification.hpp>, 512, 513
  - string/find.hpp>, 519
  - string/finder.hpp>, 514
  - string/join.hpp>, 517
  - string/predicate.hpp>, 511
  - string/replace.hpp>, 515
  - string/split.hpp>, 517
  - string/trim.hpp>, 515
- <boost/any.hpp>, 378
- <boost/array.hpp>, 408
- <boost/asio.hpp>, 664
- <boost/bimap.hpp>, 453
- <boost/chrono.hpp>, 387
- <boost/circular\_buffer.hpp>, 434
- <boost/container/
  - deque.hpp>, 424
  - flat\_map.hpp>, 453
  - flat\_set.hpp>, 453
  - list.hpp>, 425
  - set.hpp>, 435
  - slist.hpp>, 434
  - small\_vector.hpp>, 434
  - stable\_vector.hpp>, 434
  - static\_vector.hpp>, 434
- <boost/date\_time/
  - posix\_time/posix\_time.hpp>, 386
  - time\_zone\_base.hpp>, 386
- <boost/graph/
  - adjacency\_list.hpp>, 455
  - adjacency\_matrix.hpp>, 455
  - edge\_list.hpp>, 455
- <boost/heap/\*.hpp>, 453
- <boost/intrusive/\*.hpp>
  - associative containers, 453
  - sequential containers, 434
- <boost/lexical\_cast.hpp>, 500
- <boost/logic/tribool.hpp>, 370
- <boost/math/constants/constants.hpp>, 394
- <boost/multi\_array.hpp>, 434
- <boost/multi\_index\_container.hpp>, 453
- <boost/numeric/conversion/converter
  - .hpp>, 401
- <boost/optional.hpp>, 372
- <boost/pair.hpp>, 374
- <boost/program\_options.hpp>, 700
- <boost/property\_tree/
  - json\_parser.hpp>, 456
  - ptree.hpp>, 456
- <boost/ptr\_container/\*.hpp>
  - associative containers, 453
  - sequential containers, 434
- <boost/smart\_ptr/
  - intrusive\_ptr.hpp>, 363
  - shared\_array.hpp>, 356
  - shared\_ptr.hpp>, 356
- <boost/test/included/unit\_test.hpp>, 318
- <boost/timer/timer.hpp>, 390
- <boost/tuple/tuple.hpp>, 376
- <boost/unordered\_map.hpp>, 453
- <boost/unordered\_set.hpp>
  - multiset, 446
  - set, 442
- <boost/variant.hpp>, 379
- [[carries\_dependency]], 224
- <chrono>,
  - Chrono library, 387
  - literals, 197
- <cmath>, 393
- <complex>, 393
- <condition\_variable>, 656

- `__cplusplus`, xlv
- `<csignal>`, 699
- `<cstdarg>`, 250
- `<cstdlib>`
  - `size_t`, 41
  - `std::byte`, 40
- `<cstdint>`, 32
- `<cstdio>`
  - Hello, world!, 4
  - `printf` pedagogy, 19
- `<stdlib>`
  - environment variables, 698
  - program termination, 693
- `<cstring>`, 109
- `<wchar>`, 46
- [[deprecated]], 224
- `<deque>`, 424
- `#else`, 709
- `<errno.h>`, 353
- `<execution>`, 575
- [[fallthrough]], 224
- `<filesystem>`, 552
- `<fstream>`, 542
- `<functional>`, 269
- `<future>`, 640
- `#ifndef`, 709
- `#include`
  - double inclusion, 710
  - explanation of, 5
- `<initializer_list>`, 457
- `<iomanip>`, 554
- `<iostream>`, 524
- `<istream>`, 524
- `<iterator>`
  - auxiliary functions, 472
  - insert iterators, 464
  - iterator adapters, 476
  - reverse iterator adapters, 477
  - `std::size`, 45
- `<limits>`, 188
- `<list>`, 425
- `<locale>`, 521
- `<map>`
  - maps, 446
  - multimaps, 452
- [[maybe\_unused]], 224
- `<memory>`
  - memory operations, 636
  - shared pointer, 356
  - unique pointer, 349
- `<mutex>`, 649
- `<new>`
  - allocators, 365
  - overloading `new`, 189
- [[nodiscard]], 224
- [[noreturn]], 224, 244
- `<numeric>`, 629, 636
- `<optional>`, 372
- `<ostream>`, 524
- `#pragma once`, 710
- `<queue>`, 429–430
- `<random>`, 396–398
- `<ratio>`, 403
- `<regex>`, 503
- `<set>`
  - multiset, 441
  - set, 435
- `<shared_mutex>`, 649
- `<stack>`, 427
- `<stdexcept>`
  - runtime error, 98
  - standard exception classes, 101
- `<system_error>`, 102
- `<thread>`
  - low-level concurrency, 658
  - waiting, 389
- `<tuple>`, 376
- `<type_traits>`
  - example using, 227
  - explanation of, 164
- `<unordered_set>`
  - unordered multiset, 446
  - unordered set, 442
- `<utility>`, 374
- `<variant>`, 379
- `<vector>`, 415

**A**

- A, 328
- `abs`, 392, 394
- absolute path, 552
- absolute value, 28
- acceptance test, 282
- access controls, 56
- access violation, 76
- `acos`, 392, 394
- `acosh`, 393
- action, 324
- addition `+`, 183
- addition assignment, 184
- address-of `&` operator, 185

address space layout randomization (ASLR), 69  
 adjacent difference (operation), 633  
 Advanced Package Tool (APT), 10  
 After (HippoMocks), 333  
 Alexandrescu, Andrei, 178  
 algorithm, xviii, 407, 573  
     complexity, 574  
 allocation  
     object lifecycle, 90  
     dynamic storage, 95  
     smart pointers, 341  
 AlphaHistogram, 275  
 ALT-J, 526  
 American Standard Code for Information Interchange.  
     *See* ASCII  
 An, 328  
 Anathem (Stephenson), 84  
 AND operator  
     Boolean &, 182  
     logical &&, 182  
 The Answer to the Ultimate Question of Life, the Universe, and Everything, 251  
 AnyNumber, 328  
 Apple, 8, 32. *See* macOS  
 Approx, 307  
 APT (Advanced Package Tool), 10  
 Aqua Teen Hunger Force, 514  
 arg (std::complex), 394  
 argc and argv  
     Boost ProgramOptions, 704  
     main, 272  
 arguments (to a function), 16  
 arithmetic operators, 182  
 array  
     decay to a pointer, 72–74  
     description, 42–43  
     dynamic, 96  
     initialization of, 61  
     new/delete expressions, 96  
     reference, 175  
     size of, 45  
     std::array, 408  
*The Art of Assembly Language*, 2nd Edition (Hyde), xxxix  
 ASCII (American Standard Code for Information Interchange)  
     table, 47  
     example histogram, 274  
     string comparisons, 488  
     asin, 392, 394  
     asinh, 393  
     Asimov, Isaac, 273–274  
     ASLR (address space layout randomization), 69  
 ASSERT\_  
     ANY\_THROW, 312  
     DOUBLE\_EQ, 312  
     EQ, 312  
     FALSE, 312  
     FLOAT\_EQ, 312  
     GE, 312  
     GT, 312  
     HRESULT\_FAILED, 312  
     HRESULT\_SUCCEEDED, 312  
     LE, 312  
     LT, 312  
     NE, 312  
     NO\_THROW, 312  
     STRCASEEQ, 312  
     STRCASENE, 312  
     STREQ, 312  
     STRNE, 312  
     THROW, 312  
     TRUE, 312  
 assertions  
     with Boost Test, 319  
     with Catch, 305  
     description of, 288  
     with Google Test, 312  
 assert\_that, 288  
 assigned numbers (IANA), 667  
 assignment operator, 184  
 associative  
     arrays, 446  
     containers, 434  
 asterisk (the many uses of), 70  
 asynchronous  
     operations, 664  
     procedure call, 651  
     task, 640  
 atan, 392, 394  
 atanh, 393  
 atomic, 653  
 AtLeast, 328  
 AtMost, 328  
 attribute, 223  
 Aumasson, Jean-Philippe, 396  
*Austin Powers: International Man of Mystery*, 515

- auto, xlii
  - code refactoring, 85
  - initialization, 84
  - modifiers, 85
  - type deduction, 84–86
- automatic object, 90
- automatic storage duration, 90
- autonomous vehicle, 283
- auto type deduction, 248
- auxiliary iterator function, 472
- Averageable (concept), 168
- Avogadro’s number, 36

**B**

- Bachmann-Landau notation, 574
- Back to the Future*, 641
- badbit, 530
- bad\_file\_descriptor (std::errc), 102
- Bank, 134
- Batman: The Dark Knight*, 534
- Battlestar Galactica*, 110
- begin (iterators), 467
- benzodiazepine receptor agonist, 202–203
- Between, 328
- bgp, 667
- bidirectional range, 511
- The Big Lebowski*, 534
- Big O notation, 574
- binary arithmetic operators, 183
- binary integers, 33
- binary mode (file), 542
- binary search, 617
- Bindels, Peter, xxv, 332
- bitset, 432
- bitwise logical operators, 182
- Bladerunner*, 121
- blocks, 212
- block scope, 212
- Book of Revelation, 153
- Boolean/integer conversion, 38
- Boolean literal, 38
- bool, 38
- boost::
  - add\_edge, 455
  - add\_vertex, 455
  - adjacency\_list, 455
  - adjacency\_matrix, 455
  - adjacent\_vertices, 455
  - algorithm, 510–520, 637
  - any, 378, 705
  - array, 408
  - asio, 663–689
  - bimap, 453
  - char\_separator, 520
  - circular\_buffer, 434
  - compressed\_pair, 374
  - container, 415–453
  - converter, 401
  - edge\_list, 455
  - get, 376
  - gregorian, 383, 384, 385
  - heap, 453
  - intrusive, 434, 453
  - intrusive\_ptr, 363
  - lexical\_cast, 500
  - logic, 370
  - math, 394
  - multi\_array, 434
  - multi\_index\_container, 453
  - num\_edges, 455
  - num\_vertices, 455
  - numeric, 402
  - numeric\_cast, 403
  - optional, 372
  - program\_options, 701–704
  - property\_tree, 456
  - ptr\_list, 434
  - ptr\_map, 453
  - ptr\_set, 453
  - ptr\_unordered\_map, 453
  - ptr\_unordered\_set, 453
  - ptr\_vector, 434
  - scoped\_array, 348
  - scoped\_ptr, 342
  - shared\_array, 356
  - system, 664
  - timer, 390
  - tokenizer, 520
  - tuple, 376
  - unordered\_map, 453
  - unordered\_multimap, 453
  - unordered\_multiset, 446
  - unordered\_set, 442
  - variant, 379
  - weak\_ptr, 361
- Boost
  - Beast, 689
  - Libraries, 317
  - Container, 433
  - DateTime, 383
  - Graph Library, 455
  - IOStream, 549

- Math, 392
- ProgramOptions, 700
- Python, 712
- String Algorithms, 510
- Test, 317–322
- Tokenizer, 520
- BOOST\_
  - AUTO\_TEST\_CASE, 317–322
  - FIXTURE\_TEST\_CASE, 317–322
  - TEST, 317–322
  - TEST\_MODULE, 317–322
- Boston Corbett, 245
- Boyer-Moore, 713
- braced initialization, 59, 83, 417
- braces, 15
- BrakeCommand, 283
- break
  - keyword, 50
  - statement, 238
- Bucket (class), 190
- buckets
  - for memory allocation, 190
  - for unordered sets, 442
- buffer, 671
- buffering, 532
- buffer overflow, 74–75
- BugblatterBeast, 379
- built-in types, 31
- byte pointer, 76
- bytes, 40

**C**

- C, xxv, xxxvii, 34
- C++ 20, 163
- The C++ Programming Language*,
  - 4th Edition (Stroustrup),
    - xxxii, 137, 159, 198, 415
- The C++ Standard Library*, 2nd Edition
  - (Josuttis), 164, 415, 444, 535
- C++ Templates: The Complete Guide*
  - (Vandevoorde et al.), 178
- CADRe, liii, 108
- Caesar cipher, 418
- calculator program, 528
- callable type, 255
- callback, 664
- call stack, 105
  - exception unwinding, 111
- canonical path, 552
- capture list (lambda), 262
- carbon\_thaw, 152
- CarDetected, 283
- case, 50, 229
- casting, 201
- Catch, 304, 344
- CATCH\_CONFIG\_MAIN, 304, 344
- cbegin (iterators), 467
- cbrt, 392
- ceil, 393
- cend (iterators), 467
- char, 36
- character literals, 37
- CharCategory, 613
- Charles VII, 598
- CHECK, 304, 344
  - CHECK\_NOTHROW, 304, 344
  - CHECK\_THROWS\_AS, 304, 344
- CheckedInteger, 187
- Clang, 9
- class
  - constructor, 58
  - fully featured, 54
  - hierarchy, 138
  - initialization, 59
  - initializing PODs, 60
  - invariant, li, 58
    - as keyword, 56
  - methods, 55
  - plain-old-data, 52
    - as template parameter, 150
  - vs. struct, 57
- client, 666
- Clock of the Long Now, 55
- closed range, 413
- cmd.exe*, 697
- C++Now, 29
- code instrumentation, 282
- code reuse, 149
- Color, 205
- command line parameters, 272
- comments, 21
- comparator object, 430, 435
- comparison operators, 15, 185, 611
- compiler, 4
  - definition of, 5
  - tool chain, 5
- Compiler Explorer, 6
- compiler-generated methods, 129
- compiler optimization, 710
- compile-time
  - control structures, 178
  - recursion, 252
- complement ~, 182

- completion condition (Boost Asio), 675
- complexity, 574
- complex number, 393
- compound statements, 15, 212
- concepts, 163
- concrete class/type, 150
- concurrency, 640
  - hint, 664
- conditional compilation, 709
- conditional expression, 43, 232
- condition variable, 656
- conj (std::complex), 394
- console
  - application, 3
  - printing to, 4
- ConsoleLogger, 134
- const
  - argument, 81
  - external, 287
  - member variable, 83
  - method, 82
- constant expression, 204
- const\_cast, 152
- constexpr, xxvii, xxxviii, 204
  - function, 244
  - if statement, 227
- constructor, li, 58
- constructor acquires, destructor
  - releases (CADRe), liii, 108
- constructor injection, 145
- const/volatile qualification, 246
- consumer, 56, 137
- container, xlviii, 407
  - adapters, 427
- continue statement, 239
- control block, 356
- control code characters, 48
- copy
  - assignment, 160
  - assignment operator, 119
  - command line, 272
  - construction, 117, 160
  - guidelines, 122
  - semantics, 115
- cos, 392, 394
- cosh, 393
- CountIf, 257
- cout vs. printf, 19
- cp (command line), 272
- CppCast, 29
- CppCon, 29
- Cryptonomicon* (Stephenson), 536

- C-style
  - APIs, 74
  - cast, 202
  - strings, 45
- cumulative sum, 537
- cursor (stream), 548

**D**

- data buffer, 671
- data execution prevention, 69
- data structure, 370
- date period, 385
- daytime, 667
- DeadMenOfDunharrow, 343
- dead store, 208
- deallocation, 90
- Debian, 10
- debugging, 6, 21
- decimal integers, 33
- declaration statements, 213
- decomposition methods (path), 553
- decorating, xlv
- decrement operator, 185
- deep copy, 117
- default
  - case (switch), 50
  - capture (lambda), 264
  - copy, 121
  - keyword, 129, 160
- delete
  - example of, 129, 160
  - usage, 95
- dependency injection, 323
- deque, 424
- destructor, li, 64, 90
- Diablo, 424
- Dick, Philip K., 549
- Dirk Gently's Holistic Detective Agency* (Adams), 140
- directory, 552
- div, 392
- division /, 183
- domain, 667
- dot operator (.), 54
- dot product, 632
- double, 35
- double free, 116, 160
- double-inclusion problem, 708
- double precision, 35
- do-while loop, 231
- DoubleEq, 328

- Dr. Seuss, 577
- Dragon Ball Z*, 228, 328
- Drozdek, Adam, 439
- duck typing, 163
- duration (time), 387
- Dwarves of Middle Earth, 86
- dynamic
  - allocation, 161
  - arrays, 96
  - memory, 342
  - object, 95
  - ports, 684
  - storage duration, 95

## E

- EACCES, 104, 352
- EBCDIC encoding, 488
- echo, 667
- echo server, 683
- ECMAScript, 504
- Edges (graph), 454
- Effective Modern C++* (Meyer), xxxii, 50,  
105, 159, 177, 416, 420
- Electronic Freedom Foundation, 582
- Elvis operator (:?), 186
- The Empire Strikes Back*, 152, 240
- encapsulation, 54, 93
- end (iterator), 467
- ENOENT, 352
- entry point, 4, 272
- EndWith, 328
- enum class, 49
- enumeration type, 49
- environment variables, 698
- EOF, 531
- eofbit, 530
- epoch, 387
- erf, 392
- errno, 352
- error
  - codes, 102
  - handling, 113
- EscapeCapsule, 378
- escape sequences, 37
- Euler's number, 54
- evaluation order, 196
- event, 283
- Exactly, 328
- exception, lii, 98
  - alternatives to, 114
  - and the object life cycle, 89
  - performance of, 113

- rethrowing, 103
  - user-defined, 104
- execution order, 211
- execution policy, 575, 658
- exit code, 4
- exp, 392
- exp2, 392
- expectation, 325
- EXPECT\_CALL, 326
- explicit, 204
- explicit type conversion, 201
- exploit, 69
- expression statement, 43, 211
- extended precision, 35
- extern, xlv, 91, 92, 699, 711
- external linkage, 92
- extractor, 527
- extreme-value algorithms, 626

## F

- factorization, 643
- Fahller, Björn, 337
- FAIL, 308
- failbit, 530
- FailIt, 337
- fclose, 352
- FibonacciRange, 235
- file, 552
- FILE, 353
- file stream classes, 541
- filesystem library, 551
- fill constructor, 416
- final, 245
- finder (string), 514
- finfisher, 445
- Firefly*, 594
- Flintstone, Fred, 34
- float, 35
- FloatEq, 328
- floating-point
  - literals, 35
  - promotion rules, 183
  - types, 35
- floor, 393
- flushing, 532
- fma, 392
- fmod, 392
- fold
  - expression, 253
  - operation, 630
- fopen, 352

- for loop
    - a nickel tour of, 43
    - description of, 232
    - range-based, xlvii, 44, 234
  - format specifiers, 18
    - Boolean, 38
    - character, 38
    - floating point, 36
    - integer, 32
    - pointer, 68
    - size\_t, 41
  - format strings, 18
  - formatted stream operations, 525
  - forward-linked list, 78
  - forward range, 511
  - Foundation* (Asimov), liv
  - fprintf, 352
  - free functions, 214
  - free store, 189, 365
  - ftp (file transfer protocol), 667
  - function
    - absolute value, 28
    - anonymous, xlix
    - call operator, 255
    - declaration, 213, 244
    - declaration vs. definition, 63
    - definition, 214
    - free, 214
    - inlining, 245
    - invocation, 18
    - main, 4
    - modifier, 244
    - namespace scope, 214
    - non-member, 214
    - object, 255
    - overloading, xxxix, 249
    - parameter pack, 252
    - pointer declaration, 254
    - prefix modifier, 244
    - specifier, 244
    - step, 17
    - suffix modifier, 244
    - sum, 29
    - templates, 248
  - functional programming, 254
  - fundamental types, 31
- G**
- Galaxy Quest*, 539
  - garbage collector, 90
  - GCC, 9–13
    - gcd, 392
    - gdb, 25
    - Ge, 328
    - generator (string), 512
    - generic lambda, 261
    - generic programming, l, 156, 248
    - get, 175
    - get\_copy, 172
    - getter, 56, 82, 287
    - Gettysburg Address, 69
    - global
      - namespace, 217
      - scope, 91
      - stream objects, 525
    - glvalue, 124
    - Gt, 328
    - gmock\_gen.py, 325
    - GNU, 9
      - Compiler Collection (GCC), 13
      - debugger, 25
      - GnuPG, 11
      - Netcat, 685
    - goat grass, 612
    - Godbolt, Matt, 6
    - The Golden Ratio, 540
    - Goldmember*, 64
    - goodbit, 530
    - Google Mock, 324–332
      - matchers, 327–329
    - Google Test, 310
      - assertions, 312
    - goto statement, 239–240
    - graph, 454
    - group (regex), 505
    - GTEST\_FLAG, 310
    - gtest\_main, 310
    - Guardians of the Galaxy*, 539
    - Gunteroth, Kurt, 113
- H**
- half-open range, 413
  - Hall, Sir Robert Bryson II, 102
  - handle, 353
  - hard link, 552
  - Harry Potter and the Sorcerer's Stone* (Rowling), 534
  - hashes, 442
  - HasSubstr, 328
  - header-only library, 304
  - heap, 189–190
    - data structure, 430
    - memory region, 365



HeapAlloc, 189–190  
hexadecimal integers, 33  
*Highlander*, 121, 173  
HippoMocks, 332–336  
*The Hitchhiker’s Guide to the Galaxy*  
(Adams), liv, 64, 118, 217,  
229, 378, 452, 543  
hours, 388  
HTTP, 667, 676  
hue-saturation-value (HSV)  
    representation, 205  
hypot, 392

**I**

IANA (Internet Assigned Numbers  
    Authority), 667  
ICMP (Internet Control Message  
    Protocol), 666  
IDE (interactive development  
    environment), 3, 6  
identifiers, 246  
if statement, 15, 225  
*Illustrative Shorthand* (Bronson), 276  
imag, 394  
imaginary number, 393  
imap, 667  
implementation vs. interface, 297  
implicit-type conversion, 198  
include guard, 710  
increment operator (++), 185  
indirection operator (\*), 186  
inheritance, 100  
    vs. implementation, 137  
init capture (lambda), 267  
InitGoogleMock, 324–325  
initialization, 14, 59  
    expression, 232  
    list, 416, 447  
    statement, 226  
init statements (for loop), 43  
inline, 244  
inner product, 632  
input operator, 527  
input string streams, 539  
input validation, 56  
insert, 464  
instrumentation, 282  
int, 14. *See also* integer  
integer, 14  
    Boolean conversion, 38  
    description of, 32

    factorization, 643  
    literal, 33–34  
integration test, 282  
interactive development environment  
    (IDE), 3, 6  
interfaces, 137, 143–144, 297  
internal linkage, 92  
Internet Assigned Numbers Authority  
    (IANA), 667  
Internet Control Message Protocol  
    (ICMP), 666  
internet protocol (IP), 666  
    the internet’s first transmission, 708  
intrusive container, 434  
invocable type, 255  
invoke (a function), 18  
Iomega Zip 100, 508  
iostream, xlix  
    vs. printf, 19  
IP (internet protocol), 666  
irc, 667  
IServiceBus, 297  
isfinite, 393  
IsNull, 328  
isinf, 393  
isqrt, xxxviii  
iterator, xlviii, 407, 412, 463  
    bidirectional, 468  
    categories, 471  
    contiguous, 471  
    expression, 232  
    forward, 467  
    input stream buffer, 547  
    input, 466  
    insert, 464  
    range expression, 235  
    statement, 43, 230  
    variables, 44  
itoa, xxxix

## **J**

Jabberwocky, xliii  
Javascript object notation, 457  
*Jay and Silent Bob Strike Back*, 240  
Josuttis, Nicolai, 164, 415, 444, 535  
jump statement, 238  
junit, 310

## **K**

keyboard interrupt, 699  
knuckleball, 224

## L

- label, 239
- Labyris Books, 641
- lambda, xlix, 258
  - constexpr, 268
  - initializer expression, 266
  - this capture, 267
- LambdaFactory, 267
- language linkage, xlv, 711
- language support errors, 102
- launch policy, 640
- lazy evaluation, 640
- lcm, 392
- leaking memory, 342
- leap years, 383
- le, 328
- left shift operator <<, 182
- lexicographical comparison, 488
- library, 5
- Life of Brian*, 672
- linear congruential generator, 214
- linkage, 92
- linker, 5
- Linux, 9
  - development environment, 9
  - integer size on, 32
- list, 425
- listdir, 566
- literals, 33, 197
  - string, 46
- LLDB (low level debugger), 25
- load factor, 445
- locale, 521
- local
  - static variable, 92
  - variable, 91
- lock-free concurrent programming, 653
- log, 392
- log2, 392
- log10, 392
- logger, 138
- LoggerType, 136
- logical operators, 182
- long double, 35
- long int, 32
- long long int, 32
- The Lord of the Rings* (Tolkien), 343, 345
- lt, 328
- Low Level Debugger (LLDB), 25
- ltoa, xxxix
- lvalue, 124

## M

- macOS
  - development environment, 8
  - integer size on, 32
- macro, 708
- magic values, 205
- main, 272
- make\_simple\_unique, 177
- malloc, 189
- manipulators, 533
- Marx, Groucho, 99
- match condition (Boost Asio), 675
- matchers (Google Mock), 327–329
- match (regex), 506
- The Matrix*, 601
- max, 392
- max heap, 635
- maximum load factor, 445
- mean (genericizing), 155–158
- member, 52
  - access operator, 185
  - destruction order, 111
  - inheritance, 139–140
  - initialization, 57
  - initialization order, 111
  - initializer lists, 83
  - static, 93
- member-of-object operator, 185
- member-of-pointer operator, 185
- memory fragmentation, 189
- memory leaks, 96
- memory management, 90, 189
- Mercer, Leigh, 520, 595
- merging (algorithm), 625
- Mersenne Twister, 398
- metaprogramming, 178
- methods, 55
- Meyers, Scott, xxxii, 50, 105, 159, 177, 416, 661–662
- mgrep, 707
- microseconds, 388
- Microsoft Visual C++ Compiler (MSVC), 6
- Microsoft Windows, 6
- milliseconds, 388
- min, 392
- minutes, 388
- mock, 297
- MOCK\_CONST\_METHOD, 325
- Mock, 332–336
- mocking, 323
- MOCK\_METHOD, 325

- MockRepository, 332–336
- Modern C++ Design: Generic Programming and Design Patterns Applied* (Alexandrescu), 178
- Modest Mouse, 153
- modifier methods (path), 554
- modulo %, 183
- The Moon is a Harsh Mistress* (Heinlein), xl
- most vexing parse, 63
- move
  - construction, 160
  - iterator adaptor, 476
  - semantics, lv, 122
- MoveDetector, 596
- multicore processor, 640
- multiplication (\*), 183
- mutable
  - iterator, 471
  - lambda, 265
- mutex (mutual exclusion algorithm), 649
- MyTemplateClass, 150
- my\_template\_function, 151

## N

- naggy mock, 326
- name binding, 178
- named capture (lambda), 264
- named conversion, 151
- named element, 178
- namespace, xliii, 216
  - block, 217
  - global, 217
  - scope, 91
  - using directive, 218
- nanoseconds, 388
- narrow\_cast, 154
- NarrowCast, 222
- NarrowCaster, 221
- narrowing, 154, 222
  - conversion, 63, 198
- ncat, 685
- nested initializer lists, 447
- netcat, 685
- Neuromancer* (Gibson), 53
- new, 95
- new expression, 95
- nice mock, 326
- Nmap, 689
- noexcept, 104

- non-member functions, 214
- non-type template parameters, 174
- norm, 394
- NotNull, 328
- NOT (!), 182
- ntp, 667
- null pointer, 76
- nullptr, xli, 76, 160
- null-terminated strings, 45
- nunit, 310

## O

- object, 13, 89
  - allocation, 90
  - automatic storage duration, 90
  - composition, 137
  - deallocation, 90
  - dynamic, 95
  - initialization, 59
  - life cycle, li, 89
  - lifetime, 90
  - scope, 90
  - static, 91
  - storage duration, 89
  - swap, 346
- object-oriented programming, 13
- octal integers, 33
- one-definition rule, 710
- The One True Morty, 212
- operands, 39, 182
- operator, 39, 182
  - AND, 40
  - associativity, 194
  - address of (&), 68
  - bracket, 75
  - comparison, 15, 39
  - dereference (\*), 68, 70
  - dot (.), 54
  - logical, 40
  - member of pointer (arrow operator ->), 71
  - OR, 40
  - overloading, 187
  - precedence, 194
  - unary/binary/tertiary, 40
  - unary negation, 40
- operator(), 255
- operator\*, 463
- operator++, 463
- operator<, 611
- operator<<, 525

- operator», 525
- operator delete, 189, 365
- operator delete[], 189
- operator new, 189, 365
- operator new[], 189
- optimization, 710
- optional, 372
- OR (|), 182
- OR (||), 182
- Ordered (concept), 171
- order of execution, 211
- output
  - file streams, 542
  - iterator, 464
  - operator, 526
  - stream buffer iterators, 546
  - string stream, 538
- overflow, 231
- overload resolution, 249
- override 138
- ownership, 342
  - transferring, 122
- Oxford comma, 518
- Oxford's best colleges, 73

**P**

- page (memory), 190
- pair, 374
- pangram, 276
- parallel algorithms, 575
- parameter pack type, 177
- parameters, 16
- partial application, 221, 258
- partitioned sequence, 620
- partition point, 620
- passing an array to a function, 73
- path, 552
- path variable, 698
- PDP-8, 34
- Pe'er, Eran, 337
- performance test, 282
- permission\_denied, 102
- Pig Latin, 485
- ping, 666
- plain-old-data classes, 52
- pointer/array conversion, 72–74
- pointers, 67–76
  - arithmetic, 74, 75
  - Boolean conversion, 76
  - null, 76
  - vs. references, 77

- this, 80
  - void, 76
- polar, 394
- polymorphism, 149
  - compile time, 149
  - runtime, 133
- pop3, 667
- port (TCP/UDP), 666
- positional arguments, 703
- position (stream), 548
- POSIX time, 387
- pow, 392
- pragma, 712
- Pratchett, Terry, 412, 447–448
- precision, 35
- predicate, 164
- prefix modifier, 244
- preprocessor, 5, 708
- PrimeNumberRange, 241
- primitive types, 31
- printf, 525
  - format specifiers, 18
  - format strings, 18
  - vs. iostream, 19
- priority queue, 430
- private (access control), 56
- private ports, 684
- Professional Assembly Language* (Blum), xxxix
- program
  - options, 700
  - support, 692
- proj (std::complex), 394
- promotion rules, 198
  - floating-point, 183
- property injection, 146
- property tree, 454
- prototype, 213
- prvalue, 124
- pseudo-random number engines, 396
- public (access control), 56
- Pulp Fiction*, 540
- pure-virtual
  - classes, 142
  - method/interfaces, 138
- Python, 163

**Q**

- quantifier (regex), 504
- queue, 428

## R

- race condition, 647
- RAII (resource acquisition is initialization), liii, 108
  - and goto, 241
  - example, unique pointer, 159
- random-access iterator, 469
- random-access range, 511
- randomize, 214
- random number
  - distribution, 397
  - engine, 396
  - generator, 214
- RandomNumberGenerator, 215
- range, 413, 510
  - ranged-based for loop, 44, 234
  - declaration, 234
  - expressions, 234, 235, 466, 637
- Rat Thing, 90
- raw string literals, 506
- ReadOnlyInt, 203
- read-only methods, 82
- real (std::complex), 394
- REAMDE, 223, 227
- red, green, refactor, 286
- redundant load, 208
- Ref, 328
- references, xl, 77–86
- register (on a CPU), 69
- regular expression (regex), 503
- rehashing, 445
- reinterpret\_cast, 152, 153
- relative path, 552
- relative velocity, 294
- remainder, 392
- replace (regex), 509
- Replicant, 121
- REQUIRE, 305
  - REQUIRE\_NO\_THROW, 307
  - REQUIRE\_THROWS, 307
  - REQUIRE\_THROWS\_AS, 307
- requirements, 166
- requires expression, 166
  - ad hoc, 172–173
- reseating references, 77
- reserved characters, 37
- resource acquisition is initialization.
  - See* RAII
- resource leakage, 160
- resource management, 241
- rethrowing an exception, 103

- return-oriented programs, 69
- return statements, 17
- reverse half-open range, 478
- reverse iterator adaptor, 477
- right shift >>, 182
- Ripley, Brian D., 396
- Roland TR-808, 350
- root name, 552
- round, 393
- rule of five, 129
- rule of zero, 130
- runtime polymorphism, 133
- rvalue, 124

## S

- sandbox, 697
- scheduler (of threads), 640
- Schrödinger, Erwin, 371
- scope, 90
  - global, 91
  - namespace, 91
- scoped enums, 50
- ScopedOathbreakers, 350
- scoped pointer, 342
- search
  - algorithm, 590
  - regex, 509
  - std::string, 494
- seconds, 388
- SECTION, 308
- security vulnerability, 76
- selection statement, 225
- sequence container, 408
- sequence operation
  - mutating, 592
  - non-modifying, 576
- server, 666
- service, 283
- service bus architecture, 283
- setter, 56, 287
- SetUp, 314
- Seveneves* (Stephenson), 50
- Shaltanac, 218
- shared pointer, 355
- shared state, 641
- Shift5, 525
- Short Circuit*, 42
- short int, 32
- SIGABRT, 699
- SIGFPE, 699
- SIGILL, 699

- SIGINT, 699
- signature, 213
- signed char, 37
- sign function, 226
- SIGSEGV, 699
- SIGTERM, 699
- SimpleString class, 107
  - with custom move and copy, 128
- SimpleUniquePointer, 159
- sin, 392, 394
- single-pass range, 511
- single precision, 35
- sinh, 393
- sizeof, 41, 45
- sizeof..., 252
- size\_t, 41
- skeleton class, 286
- Skynet, 75
- Slaughterhouse-Five* (Vonnegut), 599, 605
- small string optimization, 485
- smart pointers, liv, 341
- sntp, 667
- Snow Crash* (Stephenson), 90
- socket, 666
- sorting operation, 611
- The Sound of Music*, 599
- source files, 4
- SpeedUpdate, 283
- spin lock, 651
- sqrt, 392
- square, 162
- SquareMatrix, 458
- ssh, 667
- stable sort, 611
- stack, 427
  - call, 105
  - container, 105
- stack frame, 106
- standard
  - exception classes, 101
  - stream operators, 525
  - template library, 407
- Star Trek*, 593
- StartsWith, 328
- StrCaseEq, 328
- StrCaseNe, 328
- StrEq, 328
- StrNeq, 328
- statement, 211
  - automatic storage duration, 212
  - break, 238
  - constexpr if, 227
  - compound, 15
  - conditional, 15
  - continue, 239
  - goto, 239, 240
  - if, 15, 225
  - initialization, 226
  - iteration, 230
  - jump, 238
  - label, 239
  - return, 17
  - selection, 225
  - switch, 229
- static, 91, 92
  - function, 244
  - members, 93
  - object, 91
  - storage duration, 91
  - variables, 91
- static\_assert, 173
- static\_cast, 152, 222
- std::
  - abort, 696
  - accumulate, 630
  - adjacent\_difference, 633
  - adjacent\_find, 585
  - advance, 472
  - all\_of, 576
  - allocate, 366
  - any, 378
  - array, 408, 470
  - async, 256, 640
  - atexit, 693
  - atomic, 208, 653
  - atomic\_bool, 653
  - atomic\_char, 653
  - atomic\_char16\_t, 653
  - atomic\_char32\_t, 653
  - atomic\_int, 653
  - atomic\_llong, 653
  - atomic\_long, 653
  - atomic\_short, 653
  - atomic\_uchar, 653
  - atomic\_uint, 653
  - atomic\_ullong, 653
  - atomic\_ulong, 653
  - atomic\_ushort, 653
  - atomic\_wchar\_t, 653
  - back\_insert\_iterator, 464
  - back\_inserter, 464
  - bad\_alloc, 102, 191
  - bad\_any\_cast, 378
  - bad\_function\_call, 269

- basic\_istream, 524
- basic\_istream, 524
- basic\_istream, 539
- basic\_ofstream, 542
- basic\_ostream, 524
- basic\_regex, 506
- basic\_string, 482
- basic\_string\_view, 500
- bernoulli\_distribution, 400
- binary\_search, 620
- binomial\_distribution, 400
- bitset, 432
- boolalpha, 535
- byte, 40
- cauchy\_distribution, 399
- cerr, 525
- char\_traits, 482
- chi\_squared\_distribution, 399
- chrono, 387, 388, 389, 664
- chrono\_duration, 664
- cin, 525
- clamp, 628
- clog, 525
- complex, 393
- condition\_variable, 656
- copy, 592
- copy\_backward, 594
- count, 586
- cout, 525
- csub\_match, 508
- dec, 535
- declaring, 269
- deque, 424, 465, 470, 471
- destroy, 636
- destroy\_at, 636
- destroy\_n, 636
- distance, 475
- divides, 629
- domain\_error, 101
- enable\_shared\_from\_this, 685
- endl, xlix, 533
- ends, 533
- equal, 588
- equal\_range, 619
- errc, 102
- exception, 101
- exclusive\_scan, 636
- execution, 575, 658
- exit, 695
- exponential\_distribution, 400
- extreme\_value\_distribution, 400
- filesystem, 552, 557-564
- fill, 601
- find, 581
- find\_end, 582
- find\_first\_of, 584
- find\_if, 581
- find\_if\_not, 581
- fisher\_f\_distribution, 399
- fixed, 535
- flush, 533
- for\_each, 579
- for\_each\_n, 580
- forward, 177
- forward\_list, 467
- front\_insert\_iterator, 464
- front\_inserter, 464
- function, 269, 297
- future, 641
- future\_status, 642
- gamma\_distribution, 400
- generate, 602
- geometric\_distribution, 400
- get, 376
- get\_if, 380
- getenv, 698
- hash, 443
- hex, 535
- imag, 393
- includes, 636
- inclusive\_scan, 636
- initializer\_list, 457
- inner\_product, 632
- insert\_iterator, 464
- inserter, 464
- invalid\_argument, 101, 499
- ios\_base, 542, 548
- iota, 630
- is\_heap, 635
- is\_heap\_until, 635
- is\_partitioned, 621
- is\_permutation, 589
- is\_sorted, 615
- istream, 528
- istreamstream, 539
- iter\_swap, 475
- launch, 640, 688
- length\_error, 101
- less, 430
- list, 425, 469
- literals, 388, 389
- locale, 521
- lock\_guard, 651
- logic\_error, 101

std:: (continued)  
   lognormal\_distribution, 399  
   lower\_bound, 617  
   make\_heap, 635  
   make\_move\_iterator, 476  
   make\_reverse\_iterator, 478  
   make\_shared, 356  
   make\_unique, 350  
   map, 446  
   match\_results, 507  
   max, 626  
   max\_element, 627  
   merge, 625  
   min, 626  
   min\_element, 627  
   minmax, 626  
   minus, 629  
   mismatch, 587  
   modulus, 629  
   move, 125, 161  
   mtt19937\_64, 396  
   multimap, 452  
   multiplies, 629  
   multiset, 441  
   mutex, 649  
   next, 473  
   noboolalpha, 535  
   none\_of, 578  
   normal\_distribution, 399  
   nth\_element, 616  
   nullopt, 372  
   numeric\_limits, 188, 401  
   oct, 535  
   optional, 372  
   ostream, 529  
   ostringstream, 538  
   out\_of\_range, 101, 448, 499  
   overflow\_error, 102  
   pair, 374, 455, 627  
   partial\_sort, 614  
   partial\_sum, 634  
   partition, 622  
   partition\_copy, 622  
   plus, 629  
   poisson\_distribution, 400  
   pop\_heap, 635  
   prev, 473  
   priority\_queue, 430  
   push\_heap, 635  
   queue, 429  
   quick\_exit, 696  
   quoted, 554  
   random\_device, 396  
   ratio, 403  
   ratio\_multiply, 403  
   real, 393  
   recursive\_mutex, 649  
   recursive\_timed\_mutex, 649  
   reduce, 631  
   regex, 506  
   regex\_replace, 509  
   remove, 603  
   replace, 600  
   reverse, 606  
   runtime\_error, 98, 102  
   rvalue, 126  
   sample, 607  
   scientific, 535  
   scoped\_lock, 651  
   search, 590  
   search\_n, 591  
   set, 435  
   set\_difference, 636  
   set\_intersection, 636  
   set\_symmetric\_difference, 636  
   set\_union, 636  
   setprecision, 533, 535  
   setw, 535  
   shared\_lock, 651  
   shared\_mutex, 649  
   shared\_ptr, 356  
   shared\_timed\_mutex, 649  
   shuffle, 609  
   signal, 699  
   size, 45  
   sort, xlix, 611, 659–660  
   sort\_heap, 635  
   stable\_partition, 624  
   stable\_sort, 612  
   stack, 427  
   string, 482, 511  
   string\_literals, 484  
   strncpy, 109  
   student\_t\_distribution, 399  
   sub\_match, 508  
   swap\_ranges, 597  
   system, 697  
   system\_error, 102  
   terminate, 105, 694  
   this\_thread, 389, 664, 658  
   thread, 658  
   timed\_mutex, 649  
   transform, 598, 660  
   transform\_exclusive\_scan, 636



- transform\_inclusive\_scan, 636
- transform\_reduce, 636
- tuple, 376
- type\_traits, 188
- u16string, 482
- u16string\_view, 500
- u32string, 482
- u32string\_view, 500
- underflow\_error, 102
- uniform\_int\_distribution, 398
- uniform\_real\_distribution, 399
- uninitialized\_copy, 636
- uninitialized\_copy\_n, 636
- uninitialized\_default\_construct, 636
- uninitialized\_default\_construct\_n, 636
- uninitialized\_fill, 636
- uninitialized\_fill\_n, 636
- uninitialized\_move, 636
- uninitialized\_move\_n, 636
- uninitialized\_value\_construct, 636
- uninitialized\_value\_construct\_n, 636
- unique, 605
- unique\_lock, 651
- unique\_ptr, liv, 349
- unordered\_map, 453
- unordered\_multimap, 453
- unordered\_multiset, 446
- unordered\_set, 442
- upper\_bound, 618
- variant, 379
- vector, xlix, 415, 470
- wait\_for, 642
- wait\_until, 642
- wcerr, 525
- wcin, 525
- wclog, 525
- wcout, 525
- wcsub\_match, 508
- weak\_ptr, 361
- weibull\_distribution, 400
- wistream, 539
- wostream, 538
- wregex, 506
- ws, 533
- wssub\_match, 508
- wstring, 482
- wstring\_view, 500
- stderr, 525
- stdin, 525
- stdlib, i, xlviii, xxxii, xlviii–xlix
- stdout, 525
- step function, 17
- Stopwatch, 479, 643
- storage duration, li, 89–98
- storage type (any), 378
- stormtroopers, 79
- stream, 523
  - buffer classes, 546
  - state, 530
- strict mock, 326
- string, 45
  - as array, 46
  - conversion, 498
  - literal, 46
  - SimpleString class, 107
  - stream classes, 538
  - view, 500
- strlen, 109
- Stroustrup, Bjarne, xxv, xxxii xxxvii, 137, 159, 198, 415
- struct, 52
  - vs. class, 57
- structured binding, 222
  - declaration, 114
- structured exception handling, lii
- stub, 289
- submatch (regex), 507
- subscribe, 283
- subscript operator [], 185
- subtraction -, 183
- suffix modifier, 244
- sum, 29
- Super C, xxxix
- Sutton, Andrew, 170
- switch statement, 50, 229
- symbolic link, 552
- synchronization primitive, 649
- syntactic requirements, 166
- system ports, 684

## T

- The Taming of the Shrew* (Shakespeare), 82
- tan, 392, 394
- tanh, 393
- Taxonomist, 62
- TCP (Transmission Control Protocol), 666
- TearDown, 314
- tebibyte, 498
- telnet, 667

- template, 1, 149
  - declaring, 150
  - function, 151
  - instantiating, 151
  - instantiation, 150
  - metaprogramming, 178
  - parameter pack, 251
  - partial parameter application, 221
  - specialization, 178
  - type alias, 221
  - type checking, 161
  - type deduction, 158
  - variadic, 177
- tequila, 247
- The Terminator*, 75, 106
- ternary conditional operator, 186
- ternary operator, liii
- Tesla, Nikola, 72
- test
  - acceptance, 282
  - integration, 282
  - performance, 282
  - unit, 282
- TEST, 311
- test-driven development, 285
- TEST\_F, 314
- test fixture classes, 314
- test harness, 289
- text editor, 13
- this pointer, 80
- thread, 94
- thread of execution, 94, 640
- thread-safe code, 94
- throw, 98
- throwable objects, 98
- timed\_out, 102
- TimerClass class, 131
- Times, 329
- toa, xl
- tokenizer, 520
- Tommy Tutone, 330
- Top Gun*, 642
- Tracer, 96, 161, 212, 693
- traceroute, 666
- Trainor, Meghan, 139
- Tralfamadore, 599
- transferring ownership, 350
- transitive, 611
- Transmission Control Protocol (TCP), 666
- traversal category, 511
- treedir, 568
- tribool, 370
- Trompeloeil, 337
- try-catch block, lii, 99
- tuple, 376
- type, 14, 31
  - alias, 220, 225
  - built-in, 31
  - character, 36
  - conversion, 198
  - erasure, 76
  - function, 178
  - fundamental, 31
  - integer, 32
  - narrowing, 222
  - parameters, 178
  - primitive, 31
  - reference, 67
  - support library, 164
  - typename, 150
- template parameter, 174
- traits, 164
- typedef, xliii

## U

- Ubuntu, 10
- UDP (User Datagram Protocol), 666
- ultoa, xxxix
- unary minus -, 183
- unary plus +, 183
- undefined behavior, 75
- unformatted stream operations, 525
- Unicode, 38, 46
- uniform initialization, 64
- union, 53, 379
- unique pointer, 159, 349
- United States Army Cyber Command, 678
- United States Cyber Command Seal, 473
- United States Naval Observatory, 383
- unit test, 282
- unit-test program, 289
- universal character names, 38
- Unix Epoch, 387
- unscoped enums, 50
- unsigned char, 37
- User Datagram Protocol (UDP), 666

- user-defined
  - conversion, 203
  - exceptions, 104
  - literal, 197
  - type, *li*, 49
- user ports, 684
- using directive, 218

## V

- va\_arg*, 250
- va\_copy*, 250
- va\_end*, 250
- va\_list*, 250
- value category, 124
- value\_of*, 228
- value parameters, 178
- Vandevoorde, David, 178
- variable, 14, 89
  - declaring, 14
  - local, 91
  - local static, 92
  - static, 91
  - signed/unsigned, 32
- variadic
  - arguments, 250
  - functions, 250
  - templates, 177, 251
- variant, 379
- va\_start*, 250
- vectorized algorithm, 575
- virtual, 138, 140, 245
- VirtualAllocEx*, 190
- virtual destructor, 138
- virtual methods, 140–142
- Visual Studio, 6–8
  - debugger, 21
- void*, 42
- void pointer, 76
- volatile, 207, 246

## W

- wait state, 651
- wall clock, 387
- Wandbox, 6
- wchar\_t*, 37
- weak pointer, 360
- while loop, 230
- White House phone number, 504
- wide character, 37
- Windows, 6
  - binaries, 38
  - carriage return, 13
  - Component Object Model, 363
  - development environment, 6
  - integer size on, 32
- Windows epoch, 387
- Wodehouse, P.G., 374
- word boundaries, 53
- wprintf*, 46

## X

- Xcode, 8
  - debugger, 23
- XOR  $\wedge$ , 182
- xUnit*, 310
- xvalue*, 124

## Y

- Yoda, 240, 531, 601

## Z

- Zalewski, Michel, 677
- Zbikowski, Mark, 38
- Zero Wing, 139
- zero-overhead principle, xxxvii
- ZIP codes, 34
- Zork I*, 34