

INDEX

Numbers

- 2D, 9, 18, 203, 204. *See also specific objects*
- 3D, scene as, 9. *See also specific objects*
- 3D plane, equation for, 138
- 565 format, 8
- 888 format, 8

A

- acceleration, hardware, 202
- acceleration structures, 202
- additive color model, 6, 6–7
- algebra, linear
 - matrix operations, 210–213
 - points, 203–204, 205–210
 - vectors, 204–210
- algorithms. *See also*
 - raytracer/raytracing
 - attribute-mapping, 153, 178
 - back face culling, 159
 - basic rays, 27
 - Bresenham’s Algorithm, 90
 - camera, 67
 - clipping, 144, 145–147
 - depth, 153, 170
 - diffuse, 39
 - embarrassingly parallelizable, 67
 - GPUs and, xix
 - gradient, 102
 - illumination at a point, 164
 - instances, 119
 - level-of-detail, 201
 - lines and, 85–89
 - overview of, 15
 - painter’s, 150
 - perspective, 110
 - recursive, 58
 - reflections, 62

- scene, 117, 118
- shading, 171, 174
- shadows, 57
- sorting, 151
- specular, 48
- textures, 180
- transforms, 120–121, 131
- triangles, 96, 114, 116
- ambient light, 32, 32, 38, 194, 198
- angle(s), 33, 34, 41
- ApplyTransform function, 122
- assumptions, basic, 16–17
- atmospheric effects, 202
- attribute-mapping algorithm, 153, 178

B

- back face culling, 157–161, 159
- back faces, 158, 198
- Bézier curve, 202
- bilinear filtering, 181–183, 183
- bounding sphere, 69–70, 139
- brain, color and light within, 3
- Bresenham’s Algorithm*, 90
- buffering, depth, 151–157, 152

C

- caching, 68, 68
- camera
 - algorithm, 67
 - coordinate system of, 124
 - defining, 105
 - illustration of, 67, 198
 - mipmap level and, 187
 - online demonstration of, 67
 - orientation, 16, 17
 - point of view of, 18, 58, 106
 - position, 16, 17, 65–67, 130
 - rotation matrix of, 66

- camera (*continued*)
 - space, 124, 125
 - transformation of, 122–124, 125, 131, 132
- canonical representation, 126
- canvas
 - as 2D, 9
 - coordinate system of, 2–3, 9
 - defined, 1
 - overview of, 1–3
 - scene *versus*, 9
 - size of, 130
 - to viewport, 17–18, 24, 66, 108, 129
- CanvasToViewport function, 24, 66
- Carmack, John, 199
- Carmack’s Reverse, 199
- Cartesian coordinates, 126–127
- caustics, 202
- center, 19
- checkerboard texture, mipmapping of, 183–186
- clamping, 9
- ClipInstanceAgainstPlane function, 145–146
- ClipInstance function, 145
- clipping
 - as 3D operation, 147
 - algorithm, 144, 145–147
 - objects, whole, 139–141
 - online demonstration of, 147
 - overview of, 134
 - pseudocode for, 145–147
 - scene against plane, 135–137
 - triangles, 142–144
- clipping plane, 134, 138–139, 144
- clipping volume, 134, 134–135, 139
- ClipScene function, 145
- ClipTriangle function, 146
- ClipTrianglesAgainstPlane function, 146
- closed objects, 159
- ClosestIntersection code, 54–55
- CMYK color model, 5
- code, main method of, 24
- color
 - additive model of, 6–7
 - channel, 8
 - CMYK model of, 5
 - defined, 3
 - depth, 7–8, 8
 - light and, 3
 - manipulation of, 8–9
 - models of, 3–7
 - pixel assignment of, 2, 151–152
 - primary, 4
 - reflection of, 192
 - representation of, 7–8
 - RGB model of, 6
 - subtractive model of, 4–5
- composite, 194
- computational photography, 202
- ComputeLighting function, 46, 47, 55–56, 61
- computer graphics, introduction to, xvii, xx
- computer screens, light and, 6
- constructive solid geometry, 71–73
- coordinate, 126–129, 203
- coordinate systems
 - 3D scenes and, 9
 - camera and, 124
 - illustration of, 2
 - model space, 119
 - origin within, 2, 16, 19
 - overview of, 2–3
 - tangent space, 191
 - transformations and, 122–124
 - world space, 119
- crate, rendering of, 175–181
- crayons, 4–5
- cross product operation, 160–161, 209–210
- cube
 - camera transformation and, 122–124
 - illustration of, 114, 131
 - mapping, 192, 192–193
 - open *versus* closed, 159

- projecting of, 109–110
- representing, 113–117
- transformation of, 119–122
- triangles and, 114–115, 116–117

CullBackFaces function, 159

D

Death Star, rendering of, 71–72

dependent variable, 87

depth, color and, 7–8

depth buffering, 151–157, 152, 198

diffuse reflection, 33, 33–39

dimension, 203

direction, vector, 205

directional lights, 31, 31, 38, 52–54, 199–200

division, perspective projection and, 128–129

Doom 3, 199

dot product, 21, 208, 208–209

DrawFilledTriangle function, 94–95, 149–150

drawing

- lines, 81–86
- triangles, filled, 92–96
- triangles, shaded, 97–103
- triangles, wireframe, 91–92, 96

DrawLine function

- Interpolate function and, 88–89
- use of, 81–82, 83, 86–87, 109–110
- wireframe triangles, 91–92

DrawShadedTriangle function, 101–102, 165–166

DrawWireframeTriangle function, 91–92, 150

dynamic objects, 193

E

Earth, Sun and, 31, 32

edge shading, 98–100

edges, determination of, 195

effects, atmospheric, 202

Einstein, Albert, xviii

energy, light rays and, 33–34

environment mapping, 192–193

equation

- 3D plane, 138
- clipping plane, 144
- diffuse reflection, 36
- illumination, 45, 164, 169–170
- parametric, 19, 144
- perspective projection, 107–109, 133, 156
- projection, 107–109, 125, 138, 147
- quadratic, 22
- ray, 19, 23
- sphere, 19–20

F

field of view (FOV), 16

filled triangles, 91–96

filtering, 181–183, 183, 187

first light, illustration of, 194

fixed camera orientation, 16

fixed viewing position, 16

flat shading, 164–165, 165, 169, 174

font rendering, 202

FOV (field of view), 16

frame, dimensions of, 16

frequency, wavelength and, 4

front faces, 158, 198

functions

- ApplyTransform function, 122
- CanvasToViewport function, 24, 66
- ClipInstanceAgainstPlane function, 145–146
- ClipInstance function, 145
- ClipScene function, 145
- ClipTriangle function, 146
- ClipTrianglesAgainstPlane function, 146
- ComputeLighting function, 46, 47, 55–56, 61
- CullBackFaces function, 159
- DrawFilledTriangle function, 94–95, 149–150

functions (*continued*)

DrawLine function, 81–82, 83, 86–87, 88–89, 91–92, 109–110
DrawShadedTriangle function, 101–102, 165–166
DrawWireframeTriangle function, 91–92, 150
GetTexel function, 183
Interpolate function, 87–90, 99
IntersectRaySphere function, 25, 68
linear, 80–81, 87–90, 98–99, 155–156, 157
ProjectVertex function, 109–110
PutPixel function, 3, 10, 80, 199
RenderInstance function, 118, 121
RenderModel function, 130
RenderObject function, 116
RenderScene function, 118, 130–131
RenderTriangle function, 116
SignedDistance function, 146–147
ViewportToCanvas function, 109–110

G

gamma correction, 202
GetTexel function, 183
global illumination, 201
Gouraud, Henri, 166
Gouraud shading, 165–169, 174
GPUs, xix
gradient, 97–103

H

half-spaces, 135
hard shadows, 193
hardware acceleration, 202
high dynamic range, 202
homogeneous coordinates, 126, 126–129
horizontal segments, filled triangles and, 92–96

I

illumination. *See also* light

defined, 163
equation, 45, 164, 169–170
global, 201
shading *versus*, 163–164
image-based lighting, 202
image compression, 202
image processing, 202
image segmentation, 202
independent variable, 87
infinite hall effect, 58
infrared wavelengths, 4
inner product, 208
instance, 117, 117–119
intensity (i), 30
IntersectRaySphere function, 25, 68
interior shading, 100–102
Interpolate function, 87–90, 99
interpolation, linear
function, 87–90
illustration of, 179, 180
texels and, 178
use of, 155, 182–183
intersection, 135, 144

K

knowledge, benefits of, xix

L

lens, rendering of, 71–72
level-of-detail algorithms, 201
light. *See also* illumination
ambient, 32, 32, 38, 194, 198
angle of, 33, 34
assumptions of, 29–30
color and, 3
composite, 194
diffuse reflection of, 33–39
directional, 31, 31, 38, 52–54, 199–200
discontinuity of, 165–166

- first, 194
- image-based, 202
- intensity of, 34
- introduction of, 29
- mirror reflection of, 40, 57–60
- omnidirectional, 30
- point, 30, 38
- reflection of, 40
- refraction of, 74
- scattered, 32
- second, 194
- single point illumination of, 32–33
- sources of, 18, 30–32, 38
- surface reflection of, 39–40
- white, 5
- light bulb, 30
- light vector, 30, 31, 34
- linear algebra
 - matrix operations, 210–213
 - points, 203–204, 205–210
 - vectors, 204–210
- linear function, 80–81, 87–90, 98–99, 155–156, 157
- linear interpolation
 - function, 87–90
 - illustration of, 179, 180
 - texels and, 178
 - use of, 155, 182–183
- lines, 80–89, 108–109

M

- magnitude, 205
- mapping, 189–193
- matrices
 - adding, 211
 - defined, 210
 - multiplying, 211–212
 - operations of, 210–213
 - projection, 128–129
 - rotation, 66, 127
 - scale, 127
 - transform, 124–125, 129–131
 - translation, 127–128
 - vector multiplication and, 212
 - viewpoint-to-canvas, 129

- matte objects, 33–39, 40
- mipmapping, 183–186, 186
- mirrors, reflections and, 40, 57–60
- models, 117, 117–122, 124–125, 202
- model space, 119, 124–125
- model transform, 120
- Moon, Sun and, 32

N

- nearest neighbor filtering, 181
- normal mapping, 189–192, 190
- normals, 36–37, 167–168, 189
- normal vector, 34, 210

O

- objects. *See also specific objects*
 - clipping, 139–141
 - closed, 159
 - constructive solid geometry and, 71–73
 - crate, 175–181
 - dynamic, 193
 - illustration of, 136, 137, 139
 - matte, 33–39, 40
 - open, 159
 - projection plane and, 134
 - questions related to, 79
 - reflecting, 192
 - shiny, 33, 39–48
 - solid, 149–150
 - static, 193
- omnidirectional light, 30
- orientation, camera, 16, 17
- origin, 2, 16, 19
- orthographic projection, 199, 199–200

P

- P' , finding, 106–107
- painter's algorithm, 150, 150–151
- parameter space, 23
- parametric equation, 19, 144
- particle systems, 202
- pass, 193–194
- percentage closer filtering, 200

- performance optimizations, 67–70
- perspective projection
 - camera and, 125
 - division and, 128–129
 - equation of, 107–109, 133, 156
 - illustration of, 106, 107
 - limitations of, 147
 - online demonstration of, 110
 - overview of, 105–111
- Phong, Bui Tuong, 171
- Phong shading, 169–173, 171, 174
- photography, computational, 202
- photon mapping, 18
- photon tracing, 18
- physically based rendering, 201
- pixel(s)
 - back face culling and, 157
 - canvas coordinates of, 2, 9, 17, 82
 - color assignment to, 2, 80, 151–152
 - control over, 94
 - depth buffering and, 151–152
 - illustration of, 18
 - mipmapping of, 183–186
 - normal mapping and, 190
 - points to, 108
 - ray from, 58
 - shading, 191
 - shadows and, 193–195
 - stencil buffering of, 199
 - subsampling of, 70
 - supersampling of, 75
 - texels as, 177, 181
- plane, projection, 18, 134, 135–137, 138
- point lights, 30, 38
- points, 203, 203–204, 205–210
- position, camera, 16, 17
- position, point lights and, 30
- PQR triangle, 34–35
- precomputing, 186
- primary colors, 4, 6
- projection. *See also* perspective projection
 - of a cube, 109–110
 - equation of, 107–109, 125, 138, 147
 - of lines, 108–109
 - matrix, 128–129
 - orthographic, 199, 199–200
 - plane, 18, 23, 66, 134, 135–137, 138
 - of vertices, 115–116
- ProjectVertex function, 109–110
- pseudocode
 - back face culling, 159
 - clipping, 145–147
 - diffuse reflection rendering, 37–39
 - DrawShadedTriangle, 101–102
 - interpolated color, 183
 - reflections, 61
 - scene language of, 26
 - scene rendering, 130–131
 - shadow rendering, 54–56
 - use of, 24
- PutPixel function, 3, 10, 80, 199

Q

- quadratic equation, 22

R

- R5G6B5 format, 8
- R8G8B8 format, 8
- radius, 19
- ranges, PutPixel and, 3
- rasterizer. *See also* PutPixel function
 - characteristics of, 173
 - extensions to, 189–200
 - reference scene by, 172
 - simple scene by, xviii
 - textures by, xix
- rays. *See also* light
 - camera position and, 66
 - energy from, 33–34
 - equation of, 19, 23
 - intersections of, 196–198
 - mirror reflection of, 57–60
 - origin of, 25
 - reflection of, 40
 - refraction of, 74
 - shadows and, 52–54
 - shadow volume and, 196–198

- sphere and, 20–22
 - tracing, 18–22
- raytracer/raytracing
 - algorithm of, 17
 - challenges of, 79
 - recursive, xix, 58
 - scene of, xviii, 27
 - speed increase of, 67–68
 - spheres and, 19–20
- RGB color model, 6
- real-world units, 9
- recursion_depth, 61
- recursion limit, 58
- recursive raytracing, 58
- reflections
 - angles and, 41
 - illustration of, 58, 59
 - mirrors and, 57–60
 - online demonstration of, 62
 - rasterizer and, 192
 - recursive, xix
 - rendering with, 60–62
 - vectors and, 41
- reflective property, 60–61
- ReflectRay formula, 60–61
- refraction, 74–75
- refraction index, 74
- rendering
 - curve, 202
 - font, 202
 - objects, solid, 149–150
 - physically based, 201
 - shadows, 193–200
 - of Swiss landscape, 13–15
 - terrain, 202
 - voxel, 201
- RenderInstance function, 118, 121
- RenderModel function, 130
- RenderObject function, 116
- RenderScene function, 118, 130–131
- RenderTriangle function, 116
- representation, of color, 7–8
- resolution, shadow maps and, 200
- rotation, applying, 120–121
- rotation matrix, 66, 127

S

- scale matrix, 127
- scene
 - as 3D, 9
 - algorithm, 117, 118
 - clipping against plane, 135–137
 - coordinate systems for, 9
 - defined, 9
 - illustration of, 26, 136, 137
 - light rendering of, 194
 - object level of, 136
 - online demonstration of, 117
 - overview of, 9–10
 - raytraced, 27
 - rendering process of, 15, 118, 130–131
 - triangle level of, 137
 - vertex level of, 137
- second light, illustration of, 194
- segment-plane intersection, 144
- segments, horizontal, filled triangles
 - and, 92–96
- shaded triangles, 97–103, 98
- shaders, xix, xix
- shading
 - algorithm, 171, 174
 - defined, 163
 - edge, 98–100
 - flat, 164–165, 169, 174
 - Gouraud, 165–169, 174
 - illumination *versus*, 163–164
 - interior, 100–102
 - online demonstration of, 171
 - Phong, 169–173, 171, 174
- shadow coherence, 68, 69
- shadow mapping, 199–200
- shadows
 - algorithm, 57
 - ambient light and, 198
 - defined, 51
 - hard, 193
 - illustration of, 52, 56
 - online demonstration of, 57
 - optimizations of, 68–69

- shadows (*continued*)
 - overview of, 193–200
 - rendering with, 54–57
 - soft, 199
 - stencil, 193–199
 - understanding, 51–54
 - volumes of, 195–196
- shadow volumes, 195, 196–198
- shiny objects, 33, 39–48
- signed distance, 138
- SignedDistance function, 146–147
- single point, illumination of, 32–33
- slope, 82, 82–87
- Snell’s Law, 74
- soft shadows, 199
- software, shaders as, xix
- solid objects, rendering of, 149–150
- sorting algorithm, 151
- spatial structures, 69–70
- specular exponent, 43
- specular highlight, 172
- specular reflection, 39–48, 40
- sphere
 - bounding, 69–70, 139
 - defined, 19
 - equation for, 19–20
 - illustration of, 20, 172, 173
 - intersection of, 73
 - light discontinuity of, 165–169
 - normals of, 36–37
 - as primitive, 70
 - ray and, 20–22
 - rendering of, 22–27
 - shadows and, 52–54
 - subtraction of, 73
 - union of, 73
- splines, 202
- static objects, 193
- stencil buffer, 195, 198–199
- stencil shadows, 193–199
- structures, acceleration, 202
- subsampling, 70, 70
- subtractive color model, 4, 4–5, 6
- Sun, approximation of, 31
- supersampling, 75, 75
- Swiss landscape, rendering of, 13–15

T

- tangent space, 191
- terrain rendering, 202
- texels, 177, 181–183
- texture mapping, 189
- textures
 - bilinear filtering and, 181–183
 - checkerboard, 183–186
 - crate painting, 175–181
 - cube map, 192
 - defined, 176
 - illustration of, 178, 182
 - mapping of, 189
 - mipmapping and, 183–186
 - online demonstration of, 180
 - precomputing of, 186
 - procedural generation of, 202
 - rasterized, xix
 - trilinear filtering of, 187
- TraceRay method
 - computing requirements of, 71
 - mirror reflection and, 57–60
 - recursion limit to, 61
 - shadow rendering and, 54–55
 - specular reflection and, 47
 - transparency and, 73
 - triangles and, 71
 - use of, 24–25
- transform, online demonstration of, 131
- transform matrix, 124–125, 129–131
- translation, applying, 120–121
- translation matrix, 127–128
- transparency, 73–75
- triangles
 - algorithm, 96, 114, 116
 - back face culling of, 157–161
 - back faces of, 158, 198
 - classifying, 159–161
 - clipping and, 136–137, 142–144
 - cubes and, 114–115, 116–117

- filled, 91–96
- front faces of, 158, 198
- illustration of, 137, 142, 143
- normal map to, 190
- online demonstration of, 96
- as primitive, 71
- shaded, 97–103
- shading of, 163–173
- solid objects rendering and, 150–151
- wireframe, 91–92, 96

Triangles list, 115

trilinear filtering, 187

U

ultraviolet wavelengths, 4

V

values, caching, 68

vectors

- adding, 206–207
- colors as, 8
- cross product, 160–161, 209–210
- defined, 204
- direction of, 205
- dot product of, 21, 208–209
- illustration of, 34
- length of, 20
- light, 31
- magnitude of, 205
- manipulation of, 126
- matrix multiplying and, 212
- multiplying by number, 207–208
- normal, 34, 36–37, 210
- normal mapping and, 190
- operations of, 205–210
- reflection, 41
- representing, 204–205

Vertex list, 115

verticies. *See also* cube; triangles

- clipping and, 142–144
- projection of, 115–116
- sorting of, 93, 102
- sphere normals for, 167–168

- transformation of, 119

video games, rendering process within, 147

viewport. *See also* CanvasToViewport function

- canvas to, 17–18
- coordinates of, 125
- defined, 16
- defining, 105–106
- illustration of, 18
- rays through, 18, 23, 70
- size of, 130
- visibility within, 134–135

viewport-to-canvas, 108, 129

ViewportToCanvas function, 109–110

visible range, 4

voxel rendering, 201

W

wavelength, frequency and, 4

w-coordinate, 127–128. *See also* coordinate systems

websites

- camera position demo, 67
- clipping demo, 147
- depth buffering demo, 153
- diffuse demo, 39
- gradient demo, 102
- instances demo, 119
- lines demo, 89
- perspective demo, 110
- raytraced scene demo, 27
- reflection demo, 62
- scene demo, 117
- shading demo, 171
- shadow rendering demo, 57
- specular reflection demo, 48
- texture demo, 180
- transform demo, 131
- triangle demo, 96

white light, 5

wireframe, 91

wireframe triangles, 91–92, 96

wooden texture, 175–183

world space, 119, 124–125

X

x-coordinate, 2, 3, 81. *See also*
coordinate systems

Y

y-coordinate, 2, 3, 81. *See also*
coordinate systems

Z

z-coordinate, 128, 152. *See also*
coordinate systems