

INDEX

A

AC adapters, 53
accessories, collecting of, 193-199
adhesive. *See* LOCA (liquid optically clear adhesive)

B

baby powder, 34, 83, 85
backlights, 14
 colored backlight installation, 137
 Game Boy Advance (GBA) mod, 158-173
 Game Boy Color (GBC) mod, 116-117
 Game Boy DMG mod
 backlight preparation, 82-84
 bivert (hex inversion) module installation, 78-81
 case removal, 72-73
 polarizer, removal of, 74-77
 reassembling the case, 86-88
 screen removal, 73
 Game Boy Pocket mod, 146-156
 light panels, 101
 Newton rings, 85
 Pokemon Mini mod, 214-225
 soldering resistors, 38
 tools for, 70
 troubleshooting, 89, 155, 172, 225
Bandai, 25
Barcode Boy, 195
batteries
 AC adapters, 53

 contacts, replacement of, 50
 corrosion, silicon pads and, 44
 corrosion in battery compartment, 49
 5V boost, 156
 Game Pak repairs, 53-55
 long time storage, 49
 Pokemon Mini, 223
 power LED, changing of, 134-136
battery doors, 123
Beam Gun, 20
bivert module, 78-81, 137
 Game Boy Pocket, 151-152
blade (boxcutter), 32
 foil and polarizer removal, 75-76
bootleg game cartridges, 190-192
box art, 188, 200-211
boxcutter (blade), 32, 75-76
bricks, 61
brightness, 156
buttons
 cleaning sticky buttons, 43
 customization, 122
 Game Boy Advance (GBA), 170, 171
 Pokemon Mini, 221, 222
 troubleshooting, 115

C

Camera, Game Boy, 196
capacitor, 84, 86, 223
cartridges. *See* game cartridges (carts)
case. *See* shells
circuit board
 bivert module installation, 151-153

(continues)

- circuit board (*continued*)
 - buttons, cleaning of, 43
 - 5V boost installation, 156
 - Game Boy Advance (GBA), 162, 169, 171
 - Game Boy Color (GBC), 102-103, 110
 - Game Boy Pocket, 146-147
 - game cartridges, 191
 - Pokemon Mini, 217, 222-223
 - removing from case, 72-73
- cleaning techniques, 40
 - battery compartment corrosion, 49
 - buttons, sticky, 43
 - corrosion, 47-49
 - game cartridges, 192
 - screen, glue removal, 76-77
 - screens, 51, 52
 - shells, 42
 - silicon pads, 43-44
 - speakers, 45
 - yellowing, 51, 224
- cleaning tools, 33
- clear carts, 186
- cold solder, 37
- collectibles
 - accessories, 193-199
 - box and label art, 188
 - cleaning cartridges, 192
 - Game Boy publications, 182-183
 - games, types and
 - recommendations, 186-187
 - shopping for in Japan, 206-211
 - spotting fakes, 190-192
 - storage of, 189
 - terminology, 184
 - tips for, 185
 - variants and box art, 200-211
- color carts, 186
- color code key, Game Boy Color (GBC), 98
- colors, light panels, 100-101
- compressed air, 34
- contacts, batteries, 50
- contrast knob, 89, 155

- corrosion
 - cleaning techniques, 34, 47-49, 61
 - headphone jack, 115
 - silicon pads, 44
- cotton swabs, 33
- custom consoles, 121-137
 - battery doors, 123
 - buttons, 122
 - colored backlights, 137
 - power LED, color change, 134-136
 - product labels, 126
 - screen lens, 124-125
 - shells, 123
 - shells, painting of, 127-133

D

- dead consoles, 61
- display quality, troubleshooting, 89, 115, 155, 172, 225. *See also* screens
- Displex, 42, 224
- DMG. *See* Game Boy
- Donkey Kong, 19-20
- D-pad, 19-20
- Duran, Sean, 174-177

E

- electrical tape, 31, 38
- emulators, 15

F

- Famicom, 20
- fanny pack, 199
- 5V boost, 156
- flickering, 156
- flush cutter, 32
- flux pen (flux), 31
 - soldering, basic technique, 36

- foil, reflective, 74
- frontlight panels, 100
- Game Boy Pocket, 148-149
- Pokemon Mini, 218-219
- removal of, 74-76
- Frankenstein Game Boys, 15
- Frontlights, 14
 - Game Boy Advance (GBA), 26
 - Game Boy Color (GBC) mod
 - LCD screen, 99
 - light panels, front and back, 100-101
 - LOCA, application to LCD, 104-109
 - shell, closing of, 111-112
 - spidering, 113-114
 - tools for, 96
 - troubleshooting, 115
 - wiring the screen, 110
 - light panels, 100
 - soldering resistors, 38
 - spidering, 113-114
- Funny Playing, IPS screen mod, 173

G

- Game Boy
 - costs for, 61
 - DMG-02 and DMG-03, 15
 - buttons, 122
 - power LED, changing of, 134-136
 - Frankenstein Game Boy, 15
 - history of, 16-28
 - mods for
 - basic types of mods, 14-15
 - market for sales, 11-12
 - new options and resources, 228-232
 - sources for materials, 13, 228-232
 - tools for, 30-35
 - use of this book, 12-15

- original box art, 200-201
- original specs (1989), 71
- sales and software data, 22
- Game Boy Advance (GBA), 26, 160
 - backlight mod
 - aftermarket backlit LCD, 162-163
 - LCD screen installation, 168-170
 - reassembly, 171
 - shell, opening of, 163-165
 - shell, trimming of, 166-167
 - tools for, 158
 - troubleshooting, 172
 - game cartridges, 186
 - IPS screen mod, 173
 - original box, 204
 - original box art, 205
 - original specs, 159
- Game Boy Advance (GBA) SP, 205
- Game Boy Camera, 196
- Game Boy Cases, 198
- Game Boy Color (GBC), 24
 - backlight mods, 116-117
 - cartridges and color code key, 98
 - frontlight mod
 - infrared panel, seating of, 111
 - LCD screen, 99
 - light panels, front and back, 100-101
 - LOCA, application to LCD, 104-109
 - power switch, seating of, 111
 - shell, closing of, 111-112
 - shell, opening of, 102-103
 - spidering, 113-114
 - tools for, 96
 - troubleshooting, 115
 - wiring the screen, 110
 - games for, 186
 - original box, 203
 - original specs, 97
- Game Boy graveyards, 64
- Game Boy Light, 24
- Game Boy Micro, 160

Game Boy Perfect Catalogue, 182-183
Game Boy Pocket, 23
 backlight mod
 backlight preparation, 150
 bivert board installation, 151-152
 5V boost, 156
 LCD preparation, 148-149
 light panel soldering, 153
 shell, closing of, 154
 shell, opening of, 146-147
 tools for, 144
 troubleshooting, 155
 original box, 202
 original specs, 145
Game Boy Pocket Sonar, 195
Game Boy Printer, 197
Game Boy World, 182-183
game cartridges (carts)
 batteries, save and clock
 functions, 54-55
 cleaning of, 192
 early product design ideas, 17-18, 21
 Game Boy Advance (GBA), 162, 169
 Game Boy Camera, 196
 Game Boy Color (GBC), 98
 Pokemon Mini, 206, 214, 222, 224
 spotting fakes, 190-192
 storage of, 189
 types of, 186
The Game Console, 183
Game Pak
 repair of, 54-55
 types of, 186
Game & Watch, 19, 20, 22
GameCube, 195
gaming publications, 182-183
glass screen lens, 124-125
glue. See LOCA (liquid optically
 clear adhesive)
gray carts, 186
ground wire
 bivert chip, 87
 5V boost installation, 156

GND (ground) pad, LED backlight, 81
LED backlight mod, 81
light panels, front and back,
 100-101, 106
Pokemon Mini, 223
troubleshooting, 89, 115, 155, 225

H

haptic features, 186
headphone jack
 cleaning of, 48
 troubleshooting, 115
headphones, 194
hex inversion module, installation of, 78-81
horizontal screen lines, 60
hydrogen peroxide, 51

I

infrared panel, *Game Boy Color* (GBC), 111
IPS screen mod, 173
isopropyl (rubbing) alcohol, 33, 42
Iwata, Satoru, 27

J

Japan, hunt for *Pokemon Mini*, 206-211

K

Kid Icarus, 20
KOTO, 23, 25

L

label art, 188

Lateral Thinking with Withered
Technology, 18, 214

LCDs

cracked LCDs, 63
Game Boy Advance (GBA), 158-173
Game Boy Color (GBC), 99
Game Boy Pocket, 23, 148-156
LOCA, application of, 104-109
Pokemon Mini, 218-225
reflective background, 74
screen burn, 62
screen cancer, 62
screen repairs, horizontal lines, 60
screen repairs, vertical lines, 56-59
screen replacement mods, 14

LED filter, 170

LEDs. *See also* backlights; frontlights
factory reflective screens, 70
front and back light panels, 100-101
positive and negative poles, 135-136
power LED, changing color, 134-136
resistors, power flow and shorts, 38

light panels, 100-101, 150. *See also*
backlights; frontlights
soldering of, 153
spidering, 113-114

link cable, headphones, 194

LOCA (liquid optically clear adhesive), 35
application of frontlight panel to
LCD, 106-109
curing time, 109
sources and tips for use, 104-106

M

magnetic screw dish, 35

Mario series, 20

Meet a Modder

Jaqueline Ruther, 90-93
Owen Liza Winter, 138-141
Sean Duran, 174-177

Metroid, 20

microfiber cloth, 33

Microvision, 17, 21

Miyamoto, Shigeru, 17, 20

N

needle-nose pliers, 32

NES consoles, 20, 122, 187, 205

Newton rings, 85

Nintendo, history of Game Boy, 16-28

Nintendo 64, 195

Nintendo D-pad, 19-20

Nintendo DS, 27

O

OEM (Original Equipment Manufacturer)

Game Boy, original specs, 71

Game Boy Advance (GBA),
original specs, 159

Game Boy Color (GBC), original
specs, 97

Game Boy Pocket, original specs, 145

Pokemon Mini, original specs, 215

screen lens, 124

shells, 42, 123

Okada, Satoru, 17-18, 20, 21, 22, 24, 26

P

painted shells, 127-133

parts

Game Boy graveyards, 64

sources for, 40, 228-232

PCB (printed circuit board)

bivert module installation, 151-153

buttons, cleaning of, 43

5V boost installation, 156

Game Boy Advance (GBA), 162, 169, 171

(continues)

PCB (printed circuit board) (*continued*)
Game Boy Color (GBC), 102-103, 110
Game Boy Pocket, 146-147
game cartridges, 191
Pokemon Mini, 217, 222-223
removing from case, 72-73
Phillips-head screwdriver, 32
picture quality, troubleshooting, 89,
115, 155, 172, 225. *See also* screens
pins
bivert (hex inversion) module
installation, 79-81
Game Boy Advance (GBA), DA1, 169
Game Boy Advance (GBA),
ribbon cable adapter versions,
162, 164, 172
Game Boy Pocket, light panel
mod, 153
soldering and short circuits, 80
plastic screen lens, 124-125
pliers, needle-nose, 32
Pokemon Mini, 206-211, 214
backlight screen mod
preparing the backlight, 220-221
preparing the screen, 219
shell, opening of, 216-218
soldering the backlight, 222-223
tools for, 214
troubleshooting, 225
original specs, 215
polarizer
bivert (hex inversion) module
installation, 78-81
Game Boy Pocket, 148-149, 150
Newton rings, 85
Pokemon Mini, 220
removal of, 74-77
replacement of, 83-84
screen burn, 62
troubleshooting, 89, 155, 225
power supply. *See also* batteries
AC adapters, 53
5V boost, 156

Game Pak repairs, 53-55
Pokemon Mini, 223-224
power switch, Game Boy Color (GBC), 111
Printer, Game Boy, 197
product label, 126
publications for gaming, 182-183

R

Raspberry Pi mods, 15
reflector, Game Boy Pocket, 144, 148-149
repairs
dead consoles, 61
Game Pak, 54-55
LCD, cracked, 63
salvaged parts, 64
screen burn, 62
screen cancer, 62
screens, scratches, 52
screens, vertical lines, 56-59
resistors, soldering of, 38
RetroBright, 51, 224
ribbon cable, 72, 73, 74, 87
Game Boy Advance (GBA), 162,
164, 168
Game Boy Color (GBC), 103
Game Boy Pocket, 144, 146-147,
148-149
Pokemon Mini, 217, 219, 222-223
torn cable, 89
troubleshooting, 115, 155, 172, 225
rubbing (isopropyl) alcohol, 33, 42
rumble features, 186
Ruther, Jaqueline, 90-93

S

safety
knife or blade use, 75, 77
soldering irons, 31
salvaged parts, 64

- screens. *See also* backlights; frontlights
 - basic mods, 14
 - cleaning screens, 52
 - Game Boy Advance (GBA), 158
 - lens, adhering to screen, 52, 88
 - lens, custom, 124-125
 - removal from shell, 103
 - repairs
 - cracked LCDs, 63
 - horizontal lines, 60
 - screen burn, 62
 - screen cancer, 62
 - vertical screen lines, 56-59, 89
 - replacement mods, 14
 - scratches, 52, 224
 - spidering, frontlight panels, 113-114
- screwdriver
 - Phillips-head, 32
 - security screwdriver, Game Pak repairs, 54-55
 - Y-tip security, 32
- screws
 - Game Boy Advance (GBA), 163-164
 - Game Boy Color (GBC), 102
 - Game Boy DMG, 72-73
 - Game Boy Pocket, 146-147
 - Pokemon Mini, 216
 - tightening of, 86
- shells
 - cleaning of, 42
 - collectibles, 198
 - Game Boy Advance (GBA), 163-165
 - Game Boy Color (GBC), 102-103
 - Game Boy DMG, 72-73, 86-88
 - Game Boy Pocket, 145, 146-147
 - painting of, 127-133
 - Pokemon Mini, 216-218
 - product label, 126
 - replacement shells, 42, 123
 - yellowing of, 51, 224
- silicon pads, 43-44, 115, 122, 170
- solder, 31, 80
- solder sucker, 31, 37, 80

- soldering iron, 31, 33
 - chisel tip, 80
 - cleaning of, 37
 - as heat source, screen repairs, 57-59
 - tinning the iron, 36
- soldering techniques
 - basic technique, 36-37
 - bivert module installation, 151-153
 - cold solder, 37
 - 5V boost installation, 156
 - Game Boy Advance (GBA), 169
 - Game Pak repairs, 54-55
 - LED backlight mod, 79-81, 89, 150
 - light panel soldering, 153
 - Pokemon Mini, backlight, 222-223
 - resistors, 38
 - solder bridge, 37
 - speakers, changing of, 46
 - troubleshooting, 172, 225
 - volume knob, 48
- speakers
 - cleaning of, 43, 45
 - removal from case, 73
 - replacing, 46
 - troubleshooting, 89, 115, 155, 172, 225
- spidering, frontlight panels, 113-114
- steel wool, 33
- storage systems for games, 189
- Super Game Boy adapter, 195

T

- Team Shikamaru, 20
- terminology, collectibles, 184
- tools for modding
 - baby powder, 34
 - blade/boxcutter, 32
 - cleaning tools, 33
 - compressed air, 34
 - cotton swabs, 33
 - electrical tape, 31

(continues)

tools for modding (continued)

flush cutter, 32

flux pen (flux), 31

LOCA (liquid optically clear adhesive), 35

magnetic screw dish, 35

needle-nose pliers, 32

screwdriver, Phillips-head, 32

screwdriver, Y-tip security, 32

solder and soldering iron, 31

solder sucker, 31

sources, 30

steel wool, 33

UV lamp, 35

vinegar, 34

WD-40, 34

troubleshooting

Game Boy Advance (GBA), 172

Game Boy Color (GBC), 115

Game Boy DMG, 89

Game Boy Pocket, 155

Pokemon Mini, 225

screen flickering or brightness, 156

U

Ultra Hand, 16

UV lamp, 35

V

VCC, backlight mod, 79-81

vertical screen lines, repair of, 56-59

vinegar, 34, 48, 49

Virtual Boy, 23

volume knob, cleaning of, 48

W

WD-40, 34, 48

Winter, Owen Liza, 138-141

WonderSwan, 25

Y

Yamauchi, Hiroshi, 16

Yokoi, Gunpei, 16-28

Y-tip security screwdriver, 32

Z

Zapper, 20