

INDEX

Symbols

Lukasiewicz, Jan, 117

A

alleles, 85, 93
Apple II, 212
atmospheric noise, 17
Audacity, 12

B

backpropagation, 182
Bacon, Sir Francis, 40
Barnsley, Michael, 224
Bayes' theorem, 328
 components, 328
Bayes, Thomas, 327
Bayesian inference, 328
Bertrand's paradox, 101
Bertrand, Joseph, 100
big O notation, 301
Biles, Al, 253
block randomization, 276
Bourke, Paul, 229
box plot, 79
Box, George, 74

C

calculus
 integration, 324
Cantor, Georg, 325
central limit theorem, 4
Cohen's d , 275
color table, 215
combinatorial explosion, 298
compressed sensing, 255
 aliasing, 263
discrete cosine transformation, 258
inverse problem, 257
Lasso optimization, 258
norm, 258

Euclidean, 258

Manhattan, 258

Nyquist-Shannon sampling, 256

sparsity, 257

underdetermined system, 257

uniform sampling, 256

confusion matrix, 188, 191

Coppersmith-Winograd algorithm,
 305

Cramer's rule, 236

cryptographically secure, 27

cryptography, 39

cumulative distribution function
 (CDF), 325

curse of dimensionality, 349

curve fitting, 106

D

Darwin, Charles, 85
data augmentation, 175, 179
dataset
 breast cancer, 174
 irises, 198
 MNIST, 178
 MNIST small, 208
decision tree, 198
 interpreting, 200
Devroye, Luc, 282
dinosaurs, 93
discrete cosine transformation, 258
divide-and-conquer algorithm, 315
duck typing, 111

E

Eberhart, Russell, 115
ent, 6
entropy, 7
Euclidean distance, 86, 196
evolution
 crossover, 85, 86
 extinction, 101

- fitness, 86
 founder effect, 93
 genetic drift, 85
 genotype, 95
 mutation, 85, 86
 natural selection, 85
 population bottleneck, 93
 evolutionary algorithms, 103
 algorithms
 differential evolution, 105, 115
 genetic, 105, 114
 organisms, 104
 experimental design, 271
 block randomization, 276
 control group, 275
 covariates, 277
 double-blind study, 278
 effect size, 275
 power analysis, 291
 random noise, 271
 sample bias, 272
 simple randomization, 275
 stratified randomization, 277
 treatment group, 275
 explainable AI (XAI), 198
 extreme learning machine, 173, 189
- F**
- Farmer, J. Doyne, 12
 - Fermat, Pierre, 311
 - fractals
 - attractor, 227, 228
 - chaos game, 225
 - Hausdorff dimension, 226
 - iterated function system, 227
 - contraction mapping, 228, 232
 - creating maps, 234
 - map, 228, 229
 - self-similar, 224
 - Sierpinski triangle, 225
 - Freivalds' algorithm, 302
- G**
- galactic algorithm, 305
 - generative AI, 253
 - gradient descent, 182
 - Great Dying, The, 93
 - grid warping
- functions, 221
 rotation, 223
 Gundersen, Gregory, 353
- H**
- Haahr, Mads, 17
 - Halton sequence, 24
 - Hamming distance, 251
 - Hartl, Daniel, 73
 - Herodotus, 40
 - histogram, 5
 - HotBits, 20
 - hypothesis testing
 - Mann-Whitney U, 186
 - t-test, 186
- I**
- image formats, 62
 - grayscale, 62
 - RGB, 62
 - inverse problem, 257
 - iterated function system, 227
 - attractor, 228
 - contraction mapping, 228, 232
 - creating maps, 234
 - map, 228, 229
- K**
- Kennedy, James, 115
 - Kilroy was here, 67
 - Kneusel, Paul (composer), 56
- L**
- Las Vegas algorithm, 296
 - Lasso optimization, 258
 - linear congruential generator, 21
- M**
- machine learning
 - data augmentation, 175, 179
 - decision tree, 198
 - interpreting, 200
 - extreme learning machine, 173
 - overfitting, 200
 - random forest, 173, 198
 - bagging, 201
 - bootstrapping, 201

ensembling, 203
random feature selection, 205
magnetic resonance imaging, 267
Mann-Whitney U, 186
mark and recapture
 Chapman estimate, 306
 Lincoln-Petersen estimate, 306
mark and recapture algorithm, 306
Markov chain, 349
 stationary distribution, 349
 transition probability, 349
Markov, Andrey, 349
matrix, 299
 column vector, 299
 square, 299
Mersenne primes, 310
Mersenne Twister (MT19937), 23
metaheuristics, 103
 curve fitting, 106, 109
 generic algorithm, 104
 genetic programming, 116
 grocery store, 159
 image enhancement, 150
 nature-inspired, 133, 134
 objective function, 107
 packing circles, 137
 placing cell towers, 142
Miller-Rabin test, 311
MINSTD generator, 22
modular arithmetic, 311
moiré pattern, 212
Monte Carlo algorithm, 296
Moore-Penrose pseudoinverse, 190

N

neural network
 activation function, 193
 anatomy, 180
 architecture, 187
 backpropagation, 182
 confusion matrix, 188, 191
 extreme learning machine, 173, 189
 generative adversarial network, 253
 gradient descent, 182
 initialization, 183, 185
 rectified linear unit (ReLU), 181
 training, 182
 variational autoencoder, 253
Nyquist-Shannon sampling, 255

O

optimization, 103

P

Packard, Norman, 12
PCG64, 23
permutation, 296
permutation sort (bogosort), 296
polynomial-time algorithm, 27
population genetics, 88
postfix notation, 117
Price, Kenneth, 115
primality testing, 310
 Fermat test, 311
Miller-Rabin, 311
 nonwitness number, 313
Miller-Rabin test
 witness number, 312
principal component analysis, 175
probability
 Bayes' theorem, 328
 Bayesian inference, 328
 conditional, 328
 cumulative distribution function,
 325
distribution, 1
 beta, 87
 binomial, 282, 324
 Box-Muller, 184
 continuous, 2
 discrete, 2
 exponential, 340
 Gaussian, 3
 KumaraSwamy, 342
 normal, 3, 114, 184
 uniform, 3
evidence, 328
histogram, 5
joint, 328
likelihood, 328
normal distribution PDF, 326
normalization, 328
posterior probability, 328
prior probability, 328
probability density function, 324
probability mass function, 324
random variable, 1
probability density function (PDF), 324
probability distribution, 1

- probability mass function (PMF), 324
- pseudorandom generator
- /dev/urandom, 26
 - cryptographically secure, 27
 - linear congruential generator, 21
 - Mersenne Twister (MT19937), 23
 - MINSTD, 22
 - PCG64, 23
 - period, 22
 - RDRAND instruction, 26
 - seed, 21
- pseudorandom process, 1, 21
- Q**
- quasirandom generator, 24
- Halton sequence, 24
- quasirandom process, 1, 21
- Quicksort, 315
- R**
- radioactive decay, 20
- random forest, 173, 198
- bagging, 201
 - ensembling, 203
 - random feature selection, 205
- random process
- atmospheric noise, 17
 - coin flipping, 8
 - de-biasing, 10
 - dice rolls, 11
 - hybrid, 26
 - physical, 16
 - pseudorandom, 1, 21
 - quasirandom, 1, 21
 - radioactive decay, 20
 - roulette wheel, 12
 - testing, 6
 - truly random, 8
- random variable, 1
- random walk, 215
- randomforest
- bootstrapping, 201
- randomized algorithm, 295
- Las Vegas algorithm, 296
 - Monte Carlo algorithm, 296
- randomness engine (RE), 29
- Regan, Kenneth W., 305
- Riddle, Larry, 237
- S**
- sampling
- Fast Loaded Dice Roller, 331
 - inverse transform, 340
 - Markov chain, 349
 - stationary distribution, 349
 - transition probability, 349
- Markov Chain Monte Carlo (MCMC), 349
- Metropolis-Hastings, 352
- algorithm, 353
 - burn-in, 354
 - trace plots, 357
- rejection, 344
- algorithm, 345
 - proposal function, 344
- sequential search inversion, 329
- scientific method, 271
- Shannon, Claude, 12
- Sierpinski, Waclaw, 225
- simple randomization, 275
- simulation
- birthday paradox, 80
 - estimating π , 74
 - evolution
 - catastrophic, 93
 - genetic drift, 93
 - static, 89 - model (definition), 73
 - sanity check, 91
- software
- Audacity, 12, 240
 - ent, 6
 - GenJam, 253
 - IFS Construction Kit, 237
 - lame, 249
 - mplayer, 240
 - MuseScore, 245
 - Pillow (PIL), 63
 - WildMidi, 245
- sound
- adding sine waves, 242
 - C major scale, 244
 - MIDI, 245
 - musical modes, 246
 - sampling, 240
 - sine wave, 241, 243
 - WAV file, 239
- source code

40000cointosses.py, 10
DE.py, 115
F.py, 159
GA.py, 115
GWO.py, 133
MiCRO.py, 133
PSO.py, 124
Quicksort.py, 316
RE.py, 29
RO.py, 134
algorithms.py, 249
bad_sample.py, 276
bagging.py, 203
birthday.py, 81
bootstrap.py, 201
brute_primes.py, 314
build_bc_data.py, 175
build_mnist_dataset.py, 178
cdf.py, 326
cell.py, 142
circles.py, 138
cohen_d_test.py, 290
count.py, 319
cs_image.py, 263
cs_signal.py, 260
curfit_example.py, 106
curves.py, 106
darwin_catastrophic.py, 93
darwin_drift.py, 93
darwin_slow.py, 91
darwin_static.py, 89
design.py, 278
discrete_2d.py, 338
discrete_ravel.py, 336
discrete_test.py, 332
drift.py, 96
elm.py, 190
elm_brute.py, 196
elm_swarm.py, 195
elm_test.py, 193
elm_test_results.py, 194
enhance.py, 152
evolve.py, 248
fldr.py, 331
forest.py, 205
forest_mnist.py, 206
freiwalds.py, 303
freiwalds_plots.py, 304
gaussian.py, 133
gp.py, 119
gpgen.py, 126
ifs.py, 229
ifs_maps.py, 233
init_test.py, 185
inverse.py, 342
inverse_cauchy.py, 359
iris_tree.py, 199
make_random.py, 49
make_results_plot.py, 149
make_towers_plot.py, 149
mark_recapture.py, 307
mark_recapture_range.py, 309
markov_chain.py, 351
mcmc.py, 355
mcmc_movie.py, 358
melody_maker.py, 245
merge_images.py, 158
miller_rabin.py, 313
mnist_test.py, 180
moire.py, 212
note_walker.py, 244
nselect.py, 327
permutation_sort.py, 296
permutation_sort_plot.py, 298
plot_gbest_giter.py, 133
plot_results.py, 141
polygon.py, 227
power_analysis.py, 291
prime_tests.py, 314
process_images.py, 158
process_results.py, 166
process_rgb_images.py, 169
process_vgr_data.py, 18
product_order.py, 167
quicksort_tests.py, 317
random_sounds.py, 240
rejection.py, 345
rf_vs_mlp.py, 208
rf_vs_mlp_results.py, 208
sierpinski.py, 225
silence.py, 14
sim_pi.py, 76
sim_pi_quasi.py, 78
sim_pi_test.py, 78
sine_walker.py, 242
songs.py, 250
spheres.py, 169
steg_audio.py, 55

- steg_audio_test.py*, 58
steg_image.py, 65
steg_image_test.py, 66
steg_random.py, 49
steg_random_test.py, 50
steg_simple.py, 41
steg_text.py, 44
store.py, 159
test_mmult.py, 319
walker.py, 216
warp.py, 222
warp_factor_9.py, 224
 spirograph, 212
 stack, 117
 statistics
 χ^2 test, 7, 9
 central limit theorem, 4
 Mann-Whitney U, 186
 null hypothesis, 9
 p-value, 9
 quantile, 201
 statistically significant, 9
 t-test, 9, 186
 steganography, 39
 audio data, 55
 Bacon cipher, 40
 embedding in random data, 47
 fixed offset, 41
 history, 40
 image files, 62
 pool text, 41
 random offset, 44
 secret key, 44
 steganalysis, 39
 Storn, Rainer, 115
 Strassen's algorithm, 304
 stratified randomization, 277
 swarm intelligence, 103
 algorithms
 bare-bones PSO, 114
 Grey Wolf Optimizer, 133
 Jaya, 105, 113
 MiCRO, 133
 particle swarm optimization, 105,
 113
 random optimization, 105, 113
 particles, 104

V

- von Neumann, John, 10, 21
 Voyager spacecraft, 18

T