

INDEX

SYMBOLS

- + (addition operator), 20
- / (division operator), 20
- == (equal to operator), 38
- ** (exponentiation operator), 20
- > (greater than operator), 38
- < (less than operator), 38
- % (modulo operator), 40, 266
- * (multiplication operator), 20
- (subtraction operator), 20

A

- algebraic equations, 53–75
 - first-degree equations, 54–56
 - graphing with Processing, 63
 - quadratic equations, 58–59
 - solving with `equation()`, 56
 - solving with `plug()`, 54, 60–61
 - solving with `quad()`, 59–60
- Antonsen, Roger, 93, 94, 101
- `append()` function in Python, 26, 113, 184
- average of a list, 34–35
- `average()` function, 21

B

- `beginShape()` function, 107, 108
- Booleans, 24–26, 38, 190
- bouncing ball program, 177–185

C

- cellular automata (CAs), 225 – 246
- `checkNeighbors()` method, 232–233
- `choice()` function, 195, 239, 249, 251, 252, 258, 269, 271

- class (Python data type)
 - bouncing ball, 177–186
 - Cell, 228
 - City, 255
 - creating objects using, 182–183
 - definition, 175
 - Dog, 175–176
 - Route, 258–259, 263
- Coastline Paradox, 202–203
- coefficient, 55–59, 167, 169
- `colorMode()` function, 91, 92, 139
- complex numbers, 127–143
 - coordinate system, 128
 - multiplying, 130–131
- conditional statements, 37, 38
 - in number guessing game, 43–50
 - in wandering turtle program, 41–42
 - to find factors, 39–41
- continue, 233–234, 251
- Conway, John, 238
- coordinates
 - Cartesian, 41, 128
 - complex, 128
- cosine, 102, 104–108, 110, 116, 117, 120, 126, 160
- cubic equation, 60–61

D

- data types
 - Booleans, 24–26, 38, 190
 - checking, 25
 - integers, 22–23
 - strings, 23–24
- dragon curve, 220–224
- `draw()` function, 62, 64, 90, 121, 187, 205, 214, 220

E

- elif statements, 39, 45, 46, 49, 50, 74
- else statements, 38, 45, 50
- endShape() function, 107, 108
- enumerate() function, 29, 114, 170
- equations, xviii, xix, xxi, xxii, 11, 14, 50, 54–61, 63, 68–69, 73–75, 121, 145, 162, 166–172
- errors
 - IndexError, 122, 233, 234, 239
 - RuntimeError 206
 - SyntaxError, 38
 - TypeError, 12, 13, 23, 24, 27, 249, 250
 - UnboundLocalError, 86, 111
 - ValueError, 31, 59, 178
- evolution, 186, 198–199, 248
- exception handling with try-except, 233–234

F

- factorial, 203
- factorial() function, 203–204
- factors program, 39–41
- False, 24, 31, 38
- Farrell, Aidan, 19
- Farris, Frank, 128
- fill() (built-in Processing function), 67, 70, 71, 92, 111, 112, 115, 118, 119, 121, 137, 139, 140, 142, 185, 188–190, 192, 195, 197, 214–216, 228, 241, 255, 262
- float() (built-in Processing function), 22, 23, 137
- fractals, 201–224
 - fractal tree, 204–209
- functions
 - definition, 4
 - creating your own, 9–10

G

- Game of Life
 - background and rules, 238

- creating in Processing, 238–241
- Gardner, Martin, 238
- Gaussian elimination, 167–172
- genetic algorithms, 247–271
- geometry, xviii, xxi, 13, 48, 77–102, 106, 202
- grazing sheep program, 186–200
- grid() function, 68–69
- guess and check
 - with conditionals, 37, 42–50, 54, 55, 73–75, 247, 248, 250–254, 264–265

H

- harmonograph, 120–125
- Hedberg, Mitch, 103
- HSB color mode, 91, 92, 139

I

- i* (imaginary number), 127
- if statements, see *conditional statements*
- installation of software
 - Python, xxii
 - Processing, xxiv
- indices
 - list, 28–31, 114–115, 129, 149, 169, 170, 193, 194, 229, 233, 235, 244, 251, 261, 269, 270
 - string, 31
- input, 44, 45
- int() (built-in Processing function), 22, 23, 45–47, 193, 207, 208, 212, 213, 219
- iterator, 7, 28, 29, 115

J

- join() function, 250
- Julia set, 141–142

K

- keyPressed() function, 223
- Koch, Helge von, 209
- Koch snowflake, 209–214

L

Leibniz, Gottfried, 127
len() (built-in Python function), 34
lists, xix, 17, 19, 25–30, 34, 35, 234
 adding to, 26
 for objects, 257, 268, 269
 operating on, 26, 27
 removing items from, 27
loops, 3,
 for loop, 7–9
 while loop, 251

M

Mandelbrot, Benoit, xx
Mandelbrot set, xx, 132–140
map() (built-in Processing function),
 160, 162–164, 207,
 212–213, 219, 222
matrices, 145–172
 adding, 146
 multiplying, 147
 rotation, 160–162
 solving systems of equations
 with, 166–172
 transformations, 154
 transposing, 156
Mindstorms, 4
modulo operator (%), 40, 193, 266
mouseX keyword, 91, 162, 207, 212

N

Nasrudin, 77, 92, 102
New Kind of Science, 231, 242
noFill() function, 98, 255
noStroke(), 121, 125, 137, 139, 192,
 216, 237, 244
number-guessing game, 37, 43–50

O

objects
 defining using classes, 182
 instantiating, 182, 195
 updating, 182

operators
 mathematical in Python, 20
 using, 21
 using with parentheses, 22
origin, 62

P

Papert, Seymour, vi, 4
phrase-guessing program, 248–254
plug() function, 54–55, 60–61
popMatrix() function, 88, 89, 98, 218,
 222, 223
print() function, xix, 7, 8, 28, 32,
 39, 40, 44–47, 49, 54, 61,
 171, 176, 250–253
 instead of return, 57
println() function, 136, 137, 261,
 263, 264, 267, 270
Processing
 drawing a grid, 64–66
 drawing axes, 66–67
 installing, xxiv
 plotting points, 69–70
 setting graph dimensions, 63–64
pushMatrix() function, 88, 98, 218,
 222, 223

Q

quadratic equations, 59–60

R

randint() function, 42, 42, 45–47
random module, 42–47, 181–185, 188,
 189, 191, 193–195, 251
random.seed() function, 251
range() (built-in Python function),
 7–9, 28, 29, 32, 33, 66
rectMode(), 89, 92, 93, 96, 98
recursion, see *recursion*
 concept, 203
RGB color mode, 65, 91, 139, 185,
 190, 215, 216
Richardson, Lewis, 202
roots of an equation, 73, 75

rotate() (built-in Processing function), 83–89, 93, 94, 96–100, 107–109, 111, 205, 206, 208, 209, 211, 215, 221, 222, 223

running sum, 32

Russell, Bertrand, 53

S

scale factor, 137

school math, xviii

Scientific American, 238

setup() function, 62, 64, 82, 90, 121, 137, 182, 187, 205, 214, 220, 255

Shah, Idries, 37, 77

Sierpinski Triangle, 214–216

sine, 102, 104–108, 110–112, 114–117, 120, 126, 160

size() function, 82, 214

special right triangle, 94, 95

spiral of squares, 16

Spirograph program, 116–120

squareRoot() function, 49–50

strings, 23, 26, 31, 249

stroke() (built-in Processing function)
in a grid, 65–68, 71, 72, 119, 152–153, 159–160
of a curve, 72, 116, 119, 122–125
of a shape, 101, 111, 154, 157–158, 163–165, 185, 222, 223, 258, 263

strokeWeight() function
drawing a grid, 66, 68, 71, 152
setting the thickness of lines, 64–65, 153, 163, 164, 220, 222, 223, 258, 263

sum() (built-in Python function), 34
summation, 32

T

text() function, 256

translate(), (built-in Processing function), 64, 68, 89, 96, 98

along a line, 205, 215, 210, 211, 220

and rotate, 83, 84, 98, 136

centering the origin, 65, 82, 83, 85, 92, 93, 96, 111, 116, 164

moving the grid, 82, 111, 112, 115, 205, 214, 216, 219

shapes, 80, 81, 93

Traveling Salesperson Problem (TSP), 254–271

triangles

rotating triangles sketch, 93–101
with turtles, 13

trigonometry, xxi, 103–126, 258

True, 24, 31, 38

try-except, exception handling with, 233–234

turtle module

drawing with, 4–17, 41–43

history, 4

importing, 4

methods, 17

V

variables

assigning value to, 207

definition, 11

use in functions, 11–12

vertex() function, 106, 107, 108, 126

W

while loop, 251

Wolfram, Stephen, 231, 242

Wright, Steven, 201, 225