

# INDEX

*NOTE: Italicized page numbers refer to tables and illustrations.* 202

## Symbols

| (pipe character), 508, 539  
! (duplicates symbol), 146  
"" (literal text symbol), 146  
""" (text constant operator), 200  
\* (zero or more characters symbol), 146  
\* (multiply operator), 200  
\* (asterisk character), 693  
+ (plus operator), 200  
- character, 566  
- (dashes), 691, 693  
/ (divide operator), 200  
; (apostrophe character), 712  
< (less than symbol), 145  
< (Less Than operator), 200  
<= \_ (Less Than or Equals operator), 200  
<> ≠ (not equal operator), 200  
= (equal to symbol), 145  
= (exact match symbol), 145  
= (equals operator), 200  
== (field content match symbol), 146  
> (greater than symbol), 145  
> (greater than operator), 200  
>= \_ (Greater Than or Equals operator), 200  
? (invalid date symbol), 146  
@ (one character symbol), 146  
\ (backslash character), 685  
^ (power operator), 200  
& " | " & characters, 539  
& (concatenate operator), 200  
- (minus operator), 200  
¶ (paragraph constant operator), 200,

## Numbers

-1 to -6 error codes, 263–64  
4D database environment, 576  
24U, 5  
    plug-in template from, 553  
    Preferences+Globals plug-in, 531–32  
24uFMPostLinker file, 540  
360 Works's WooF plug-in, 664  
100 error code, 264  
101 error code, 264  
5003 TCP port, 361

## A

A. E. Wood & Erickson, 5  
abbreviations  
    in relationship names, 563  
    in requirements document, 574  
abort, 383  
About FileMaker Mobile option, 424  
About script, 612  
About Template.doc file, 596  
Abs(number) function, 219  
Absolute Accounting,, 473  
absolute value of number, 219  
Abstrakt plug-ins, 499–500  
Access 2002, 576  
Access button, 365  
access groups, 381  
Access Log file, 647  
access privileges, 252–53  
    and script operation, 295  
    setting up, 370–71  
Access Privileges dialog, 365, 646, 647  
Access the Entire File button, 365  
AccountEdge, 477–78

accounting software, 475–80  
 accounting solutions, FileMaker-based, 470–75  
 Acibuk Museum of Modern Art, 627–31  
 Acrobat, 495  
 Acrobat PDFWriter, 532  
 acronyms, in requirements document, 574  
 Activate( ) method, 716, 717  
 Active pointer, 713, 715, 717  
 Active property, 716, 717  
 Active Server Pages (ASP), 448  
 ActiveX automation, 463, 705–23
 

- and FileMaker Pro Document Object, 715–22
  - methods, 716–22
  - overview, 715
  - properties, 715–16
- and FileMaker Pro Documents Object, 713–15
- FileMaker Pro objects exposed to external programs via, 708–13
- methods, 708
- objects, 707
- overview, 705–6
- properties, 707–8
- resources for, 722–23
- what it is, 706–7

“Add Accounting to Your FileMaker Pro Database,” 477–78  
 Add button, on User DSN (Data Source Name) tab, 452  
 Add new records option, 153, 601  
 add-ons, security, 384–85  
 Add remaining records option, 154  
 Add to Chart option, 411  
 adding
 

- comments to scripts, 286
- defined fields, 23
- fields, 105, 115
- FileMaker Pro extension, 616
- layout parts, 79
- objects, 117
- operators, 198
- records, 130

Address Book, in handheld computers, 418, 425  
 ADMIN - DDR Report Data, 293  
 administering Web Server Connector, 656–57  
 Administration tab, 403–4  
 administrative password, 575  
 Adobe Acrobat, 495  
 advanced portal techniques, 177–83
 

- many to many relationship, 177
- one-to-many relationship, 178
- setting up a join database, 178–81

Advanced tab, 453  
 advice from experts, 383–84  
 agent database, 425–26  
 aggregate functions, 228–31  
 Aladdin Systems’ StuffIt Deluxe, 619  
 Align option, 126  
 aligning field labels, 425  
 All button, 423  
 All Fields layouts, 97–98, 460  
 Allow deletion of portal records checkbox, 173  
 Allow Entry into Field property, 420  
 Allow FileMaker Pro guests to download updates automatically option, 402, 512  
 Allow FileMaker Server to host Single User files option, 402  
 Allow Toolbars script, 346  
 Allow User Abort script, 291–92, 301  
 AlQuemy
 

- Bulk Mailer plug-in, 485
- Email Address Extractor plug-in, 485
- MonkEmail plug-in, 485
- PDF Autopilot, 495–96

ALT-F4/OPTION-COMMAND-ESC key sequence, 614  
 ALT key, 250  
 ALT-TAB/COMMAND-TAB key sequence, 615  
 Alternate background with checkbox, 173  
 Always Append field, 28  
 Analyzer, The, 293–94  
 And operator, 201, 202, 203  
 angles
 

- cosine of, 235
- sin of, 237
- tangent of, 237–38

Apache Web Server software, 656  
 API plug-in. *See* External Function Plug-in (EFP) Application Programming Interface (API)  
 apostrophe character (’), 712  
 Apple Event timed out error message, 692–93

- Apple Events Reference database, 668, 671
- Apple Events, sending, 351–52
- Apple System Profile Report, 699–700
- AppleScript, 463, 519, 667–703
  - attaching AppleScript scripts to FileMaker Pro, 683–87
  - controlling FileMaker Pro with, 687
  - courses, 669
  - database publishing with QuarkXPress and InDesign, 678–82
  - extending ScriptMaker scripts with AppleScript commands, 689–701
    - ASCII functions, 697
    - controlling Finder from FileMaker Pro, 698–701
    - overview, 689–90
    - parsing repeating fields, 693–94
    - pasting styled text from one field to another, 696
    - performing find within find, 692–93
    - repositioning FileMaker Pro Window, 695–96
    - resizing FileMaker Pro Window, 694–95
    - Show Message vs. Display Dialog, 690–92
    - sorting while staying on same record, 692
    - string comparison with considering and ignoring, 693
    - tiling multiple windows, 694–95
  - FileMaker Pro's support for, 669–78
    - commands, 675–78
    - default containment, 675
    - object model, 671–75
    - objects, 670–71
    - overview, 669–70
  - and FileMaker Server, 701–3
  - overview, 667–69
  - scheduling AppleScript scripts, 687–89
  - Script Editor, 670
  - sending commands to Mac application, 352–53
- AppleScript for the Internet*, 669
- AppleScript in a Nutshell*, 669
- AppleScript Language Guide*, 669
- AppleWorks, 578
- application-menu-driven interface, 582
- Application pointer, 709, 711, 713, 715, 717
- Application Preferences, 20–22
  - dialing option, 26–29
  - general option, 20–22
  - layout option, 22–23
  - memory option, 23–25
  - modem option, 25–26
  - plug-in settings, 509
  - plug-ins option, 28
- Application Preferences dialog, 342
- application servers, 414
- application window, 16–17
- Application\_Demo.exe, 711
- applications
  - hiding, 700
  - opening, script for, 355
  - revealing, 700–701
- Applications Using Threads option, 453
- arc tangent, 235
- Archive Log Entries script, 464
- arrange menu, 75, 125–27
- Ascending option, 456
- Ascending order field, 172
- Ascending Technologies's Calendar Monster, 490
- ASCII characters 32–126, 559, 562
- ASCII functions, 697
- ASP (Active Server Pages), 448
- asterisk (\*) character, 693
- Atan(number) function, 235
- attachable, defined, 668
- audit log, 362
- audit trails, 270–76, 575
- AuthenticationType field, 529, 530
- Authorize.Net, 496
- auto capitalization, 420
- Auto-Enter option tab, 49
- auto-entry, 134
- auto-sleep, 398
- Auto Update plug-in, 262, 374, 511–14
  - enabling on each copy of FileMaker Pro, 402
  - version of, 262–63
- automatic file compression, 399
- automating
  - backing up, 413
  - ODBC import, 463
  - scheduling automatic tasks, 412–13
  - synchronization/replication process,

- 436
  - AutoScript.fm Pro, 294–95
  - Available Fields window, 420
  - Available Menu Commands, 367
  - average of values, 60
  - Average (field . . . ) function, 229
- B**
- back button, universal, 596
  - background databases, 380
  - backing up, 362, 392, 413, 617
  - backslash (\), 685
  - Backup at HotSync option, 424
  - Backup DBs folder, 392
  - BAdd1 field, 175–76
  - Balena, Francesco, 722
  - balloon help, 34
  - Bar Code Generator, 501
  - bar coding software, 500–501
  - Barcodet, 501
  - BeatleBase, 503
  - Beep script, 291, 347
  - Beezwax's FMP-to-XML Generator, 661
  - Behavior area, 108
  - beta testing, 618
  - bi-directional synchronization, 432
  - binding runtime, 617
  - BinHex format, 513
  - Biz Basics, 472
  - Blank layouts, 99
  - blank space, 121
  - Blue World Communications, 606
    - FileMaker-CGI mailing list, 649
    - Lasso Professional, 448, 665
  - BoardRoom, 485
  - Body field, 529
  - body layout part, 80
  - boilerplate quote text, 276–77
  - book, 19
  - bookmark, 19
  - Boolean values, 46, 199, 202
  - borders, field, 107–8
  - bowels.txt file, 547
  - break fields, 81
  - breakpoints, 290
  - Bring Forward option, 126
  - Brio Reports, 449
  - broken scripts, 292
  - Browse mode, 80, 89, 129–30, 284, 309
    - creating new record in, 326–27
    - deleting record in, 327
  - Browse Records button, 365
  - Brushfire tool, 294
  - “Build a Professional Accounting System in FileMaker Pro,” 477–78
  - Bulk Mailer plug-in, 485
  - Business Cards.fp5, 718
  - button area, 63–64
  - buttons, 115–17, 409–10
  - By field value option, 305, 307
  - By Number option, 305, 307
  - By population checkbox, 60
- C**
- C/C++, programming plug-ins with, 534
  - cache
    - flushing to disk, 355–56
    - number of times FileMaker Server received data from, 410
    - percentage currently unsaved, 410
    - RAM for, 402
    - specifying size of, 393
  - Cache Hit % statistics, 410
  - Cache Unsavd % statistics, 410
  - Calculate Total Sales script, 525
  - calculated key fields, prefixes for, 560
  - calculated validation, 46
  - calculated value checkbox, 51
  - calculation dialog box, 196–98
  - calculation fields, 56–57, 560
  - calculation functions, 321–22, 536
  - calculation of values, 59–61
  - calculation results, nonzero, 298
  - calculations, 195–277
    - aggregate functions, 228–31
    - calculation dialog box, 196–98
    - constants, 198–202
    - creating audit trail, 270–76
    - date functions, 225–27
    - debugging, 267–70
    - design functions, 257–62
      - DatabaseNames, 258
      - FieldBounds(dbname, layout-name, fieldname), 258
      - FieldIDs(dbname, layoutname), 258–59
      - FieldNames(dbname, layout-name), 259
      - FieldRepetitions(dbname, layoutname, fieldname), 259
      - FieldStyle(dbname, layoutname, fieldname), 259

- FieldType(dbname, fieldname), 260
- GetNextSerialValue(dbname, fieldname), 260
- LayoutIDs(dbname), 260
- LayoutNames(dbname), 260
- RelationIDs(dbname), 260
- RelationInfo(dbname, relation-name), 261
- RelationNames(dbname), 261
- ScriptIDs(dbname), 261
- ScriptNames(dbname), 261
- ValueListIDs(dbname), 261
- ValueListItems(dbname, value list), 261
- ValueListNames(dbname), 262
- explanation of, 196–98
- external functions, 262–66
- field references, 203
- financial functions, 233–35
- functions (in general), 204–7
- holding users accountable, 270–76
- logical functions, 238–42
- number functions, 219–25
  - Abs(number), 219
  - Exp(number), 219–20
  - Int(number), 220
  - Mod(number, divisor), 220
  - NumToText(number), 221
  - Random, 221–22
  - Round(number, precision), 222–24
  - Sign(number), 224
  - Sqrt(number), 224
  - Truncate(number, precision), 224–25
- repeating functions, 232–33
- resolution of, 206–7
- simple calculations, 203–4
- status functions, 242–57
  - Status(CurrentAppVersion), 243–44
  - Status(CurrentDate), 244
  - Status(CurrentError), 244–45
  - Status(CurrentFieldContents), 245
  - Status(CurrentFieldName), 245
  - Status(CurrentFileName), 245
  - Status(CurrentFilePath), 245–46
  - Status(CurrentFileSize), 246
  - Status(CurrentFoundCount), 246
  - Status(CurrentGroups), 246
  - Status(CurrentHighContrast), 247
  - Status(CurrentHighContrast-Color), 247
  - Status(CurrentHostName), 247
  - Status(CurrentLanguage), 247
  - Status(CurrentLayoutAccess), 247
  - Status(CurrentLayoutCount), 248
  - Status(CurrentLayoutName), 248
  - Status(CurrentLayoutNumber), 248–49
  - Status(CurrentMessageChoice), 249
  - Status(CurrentMode), 249
  - Status(CurrentModifierKeys), 250
  - Status(CurrentMultiUserStatus), 250–51
  - Status(CurrentNetworkChoice), 251
  - Status(CurrentODBCError), 251
  - Status(CurrentPageNumber), 251
  - Status(CurrentPlatform), 251–52
  - Status(CurrentPortalRow), 252
  - Status(CurrentPrinterName), 252
  - Status(CurrentRecordAccess), 252–53
  - Status(CurrentRecordCount), 253
  - Status(CurrentRecordID), 253
  - Status(CurrentRecordModificationCount), 253–54
  - Status(CurrentRecordNumber), 254
  - Status(CurrentRepetitionNumber), 254
  - Status(CurrentRequestCount), 254–55
  - Status(CurrentScreenDepth), 255
  - Status(CurrentScreenHeight), 255
  - Status(CurrentScreenWidth), 255

- Status(CurrentScriptName), 256
- Status(CurrentSortStatus), 256
- Status(CurrentStatusArea), 256
- Status(CurrentSystemVersion), 256
- Status(CurrentTime), 256
- Status(CurrentUserCount), 256–57
- Status(CurrentUserName), 257
- Status(CurrentView), 257
- Status(CurrentWebSharing), 257
- storage options, 266–67
- summary functions, 231–32
- text functions, 207–19
  - Exact(original text, comparison text), Exact(original container field, comparison container field), 207
  - Left(text, number), 208–9
  - LeftWords(text, number of words), 209
  - Length(text), 209
  - Lower(text), 209
  - Middle(text, start, size), 210
  - MiddleWords(text, starting word, number of words), 210
  - PatternCount(text, search string), 210–11
  - Position(text, search string, start, occurrence), 212–13
  - Proper(text), 213–14
  - Replace(text, start, size, replacement text), 214–15
  - Right(text, number), 215
  - RightWords(text, number of words), 215
  - Substitute(text, search string, replace string), 216–17
  - TextToDate( text ), 217
  - TextToNum( text ), 218
  - TextToTime( text ), 218
  - Trim( text ), 218
  - Upper(text), 218
  - WordCount(text), 219
- time functions, 227–28
- track changes to data, 270–76
- trigonometric functions, 235–38
- using to create boilerplate quote text, 276–77
- what they are, 195–96
- Calendar Monster, 490
- Calendar Popup plug-in, 490–91
- calendar/scheduling software, 487–91
- Cancel button, 283
- capitalization, proper name, 213–14
- CAPS LOCK key, 250
- Caption property, 709, 711
- Carbon Support folder, 541
- CarbonLib Software Development Kit, 541
- Casahl's ecKnowledge, 466
- case sensitivity, 146, 560
- case studies, 372–81
  - Acibuk Museum of Modern Art, 627–31
    - data entry areas, 378
    - database building, 40–41
    - FileMaker Server setup, 372
    - initial scripts, 375
    - launcher databases, 373
    - Logon scripts, 374–75
    - main menu, 376
    - opening sequence, 374
    - password encryption, 375
    - record verification process, 378–79
    - SecureFM plug-in, 375
    - Security Administration button, 377–78
    - security features, 380–81
    - setup, 372
    - System Administration button, 377
    - testing other data entry areas, 379–80
    - unlocking records, 379
- Case(test1, result1 [, test2, result2, default result] . . . ) function, 238–40
- cash registers, 500
- CC Calendar, 490
- CC Gantt, 492
- CC Help, 604
- CC Vbar, 492
- cCategories, 187
- cConstant field, 57
- CD-ROM
  - duping records with related portal records intact, 184
  - hidden portal techniques, 185
  - highlighting records in a list view portal, 187
  - list view that is a portal, 186
  - multikey portal to add to related database, 187

- portal techniques, 177
- rotating a portal, 192
- selecting a portal row to data-enter a line item, 191
- sorting a portal, 185
- stacking portal fields, 184
- CDML tags, 643–44, 645–46
- CDW.com, 619
- CE Software's QuicKeys, 585, 687, 688
- cells, 674–75
- central node, 431
- CGI (common gateway interface), 652
- Change button, 365
- Change Password button, 367, 528
- Change Password dialog box, 528
- Change Password script, 339
- Change Printer plug-in, 532–33
- change reconciliation challenges, 426
- Chaparral Software
  - Brushfire tool, 294
  - EZxslt, 483, 661
- Chapell, David, 707
- Character Set drop-down menu, 159
- characters
  - converting to upper case, 218
  - cross-platform design issues, 593–94
  - in database names, 565
  - in field names, 560
  - in layout names, 562
  - number of in a field, 47
  - number of in text, 209
  - in relationship names, 564
  - in script names, 566
  - in value list names, 562
- Chart Data button, 527
- ChartMaker Pro, 491
- Charts plug-in, 523–27
- Check All command, 151
- Check for Troi Coding Plug-in (Download If Needed) script, 402
- Check Found Set script, 341
- Check Record command, 151
- Check Record script, 341
- Check Selection command, 151
- Check Selection script, 341
- checkboxes, 109
- Choose(test, result0 [, result1, result2] . . .) function, 240
- Citrix MetaFrame software, 414
- clairvoyance, 148
- classes. *See* objects
- Clear All button, 68, 283
- Clear button, 283
- Clear script, 318–19
- Cleveland Consulting
  - CC Calendar, 490
  - CC Gantt, 492
  - CC Help, 604
  - CC Vbar, 492
- ClickCheck, 475
- ClickHelp, 604
- ClickQuery tool, 466
- client interviews, 570–73
- cLinePrice field, 169
- clone option, 70
- clones, 585
- Close File button, 409
- Close( ) method, 714, 715, 716, 717
- Close script, 339
- closing
  - databases, 339, 356, 409
  - scripts for, 356, 383
- .cmd (command) file, 413
- code, reusing, 287–88
- CodeWarrior, 534
- CodeWarrior IDE, 554
- CodeWarrior Plugins folder, 540
- ColdFusion, 448, 665
- Collect and update Usage Statistics every field, 405
- collecting payment, 620
- color palette, 23, 594
- column headers, 94
- Columnar List/Report radio button, 83
- columnar report, 83, 85. *See also* list view
- columns, 423, 424
- COM (Component Object Model), 706
- Comm-Unity Networking Systems
  - FTPit, 500
  - SMPit plug-in, 484, 485, 528–30
- comma-separated text format, 133
- COMMAND 0-9 key sequences, 280
- command (.cmd) file, 413
- COMMAND-I key sequence, 393
- COMMAND key, 250
- COMMAND-. (period), 301
- COMMAND-SHIFT-R key sequence, 701
- commands, 25–26, 676–78. *See also* AppleScript; ScriptMaker
- Comment scripts, 355, 567
- comments, 355, 691, 693
  - adding to scripts, 286

- in Visual Basic (VB), 712
- Comments field, 293
- common gateway interface (CGI), 652
- common logarithms, 236
- Companion Sharing box, 388
- company information, 571
- comparing
  - container fields, 207
  - text expressions, 207
- Comparison operators, 199–201
- complex expressions, 198–99
- Component Object Model (COM), 706
- components. *See* objects
- compressed copy option, 70
- compressing files, 399, 619
- concatenate operator, 200
- conditional value list, 111–12
- configure button, 29
- Configure by Host option, 657
- Configure/More Fonts, 139
- Configure option, 421
- configuring
  - FileMaker Server, 399–406
    - on Mac, 400
    - overview, 399
    - on Red Hat Linux, 400
    - server preferences, 400–406
    - on Windows, 399–400
  - plug-ins, 28, 509–10
  - RAIC computers, 657
  - Web Companion plug-in, 631–36
  - Web Server Connector, 656–57
- conflict detection, 433, 438
- conflict resolution, 433, 438
- Connect button, 454, 718
- Connecting Data, 5
- connection
  - output, 26
  - speed of, 26
- considering controlling statement, 693
- consistency
  - in interface design, 583
  - using development standards, 558
- constant field, 231
- constant fields, 231, 561
- constant relationship, 57
- constants, 198–202
- Constrain Found Set command, 148
- Constrain to page width box, 83–84
- contact information, 571
- Contact Tracker folder, 610, 611
- ContactID field, 436, 518
- Container fields, 55–56
- container fields, 207, 536
- containers, 675
- Contains function, 210–11
- Contents option, 36
- Contents tab, 36
- contextual menu, 134
- CONTROL 0-9 key sequences, 280
- CONTROL key, 250
- Control script steps, 295–304
  - Allow User Abort script, 301
  - Else script, 299
  - End If script, 299
  - End Loop script, 300
  - Exit Loop If script, 300
  - Exit script, 297
  - Halt script, 297–98
  - If script, 298–99
  - Loop script, 299–300
  - Pause/Resume script, 296–97
  - Perform script, 296
  - Set Error Capture script, 301–4
- conventions, development. *See* development conventions
- conversions imports, 158
- converting
  - characters to upper case, 218
  - radians to degrees, 236
  - text into number data type, 218
- cookies, 658
- copies of FileMaker databases, 392
- Copy command, 696
- copy next higher value option, 176
- copy next lower value option, 176
- Copy of Current File option, 70
- copy/paste, 135
- Copy script, 318
- copying
  - databases, 340
  - databases into FileMaker Server
    - folder, 406–8
  - layouts, 585
  - records, 328–29
- copying preview, 162
- CoreSolutions Development's Organizer Pro, 579–80
- Correct Word command, 151
- Correct Word script, 342
- cosine of angles, 235
- Cos(number) function, 235

- costs
    - of data-sharing requirements, 433
    - Web Server Connector, 655–56
  - count command, 671–72
  - count of values, 60
  - Count property, 713, 715
  - counter field, 531
  - Count(field . . . ) function, 229
  - counts, 19
  - courses
    - AppleScript, 669
    - Custom Web Publishing, 649
    - “FileMaker Professional Training Foundation Series” 648
    - ToMarket courseware, 621
  - CPU, recommend for FileMaker Server, 396
  - crashes, system, 392
  - Create button, 365, 379
  - Create command, 676–77
  - Create New Data Source dialog box, 452
  - Create Records button, 366
  - creation order, 63
  - CreationDate field, 55
  - CreationTime field, 55
  - credit card authorization, 496–97
  - Credit Card Validator, 497
  - cross-platform compatibility
    - design issues, 593–95
    - and document managing, 482
  - CRT touch screens, 501
  - Crypto Toolbox plug-in, 384
  - Crystal Reports, 449
  - CTRL key, 250
  - Current\_Modifications field, 274
  - current\_node\_ID, 439
  - cursors, 285, 393
  - custom dialogs, 344–45, 383
  - Custom Field Label property, 421
  - custom labels, 420–21
  - custom menu options, 616
  - custom messages, 47–48, 401
  - custom names, 404
  - custom order, 63, 172
  - Custom Web Publishing, 640–45
    - calling scripts, 645
    - CDML tags, 643–44
    - course for, 649
    - vs. Instant Web Publishing, 625–26
    - overview, 640–41
    - planning database-driven Web sites, 644–45
    - Salinger Citation Database example, 641–43
    - and Web Security Database, 647
  - customer support, 620
  - Cut script, 317–18
  - Cycle option, 337
- ## D
- Dacons International's Menu Control plug-in, 582
  - damaged databases, 341, 385
  - Danny Goodman's AppleScript Handbook: 2nd Edition*, 669
  - Darn Good Security System, 371, 591
  - Dartmouth College, 606
  - dashes (–), 691, 693
  - data, 129–62
    - See also* fields; finding data; records; text
    - copying in portals, 134
    - data-sharing requirements, 433–36
    - ending note, 162
    - entering into container fields, 140–41
    - entry areas, 378–80
    - exporting, 159–60
    - formatting text data, 137–40
    - importing
      - from a digital camera, in Mac OS X, 156–57
      - drag and drop imports/conversions, 158
      - from Excel, 157
      - from a file, 152–56
      - file formats, 157–58
      - from a folder, 155
      - via ODBC (Open Database Connectivity), 158
      - XML, 158
    - importing via ODBC, 457–63
      - automating ODBC import, 463
      - learning SQL, 461–62
      - MySQL ODBC driver, 459
      - setting up FileMaker Pro, 459–61
      - setting up MySQL, 458
    - previewing and printing, 160–62
    - related, vs. lookups, 174–75
    - relookup, 143–44
    - replacing, 141–42
    - sorting, 149–51

- spell-checking, 151
  - working with fields, 134–36
- Data Access Companion plug-ins, 450–51
- Data checkbox, 51
- Data Designs's FaxTool, 486
- data flow, 433–34
- Data Menu, of Microsoft Excel, 454
- data source for ODBC, FileMaker Pro as, 450–57
  - configuring ODBC control panel, 451–53
  - enabling the data access companions, 450–51
  - Microsoft Excel use, 454–57
- Data Source Name, 452
- Database Cache area, 402
- Database Design Report (DDR) feature, 292–93, 578, 603
- database-driven Web sites, 644–48
- Database menu, 422
- Database Name field, 646
- database object, 671–72
- database passwords. *See* passwords
- Database Publishing Example.fp5, 671
- Database Publishing with FileMaker Pro on the Web*, 649
- database window, 17
- DatabaseNames, 258
- databases
  - See also* distributed database systems
  - advanced portal techniques, 177–83
    - many-to-many relationship, 177
    - one-to-many relationship, 178
    - setting up a join database, 178–81
  - background, 380
  - basic elements of, 12–13
  - building, 39–71
    - Calculation fields, 56–57
    - case study, 40–41
    - Container fields, 55–56
    - creating first, 41–42
    - creating text fields, 48
    - date fields, 54–55
    - define field features, 61–65
    - defining fields, 42–43
    - first layout, 65–67
    - global fields, 57–58
    - number fields, 48–49
    - repeating fields, 54
    - saving copy of, 70
    - ScriptMaker, 68–69
    - Storage options, 52–53
    - Summary fields, 58–61
    - text fields, 43–44
    - Time fields, 55
    - Validation options, 44–48
  - closing, 339, 356, 409
  - copying, 340
  - copying into FileMaker Server folder, 406–8
  - creating, 338
  - currently open, 258
  - damaged, 341, 385
  - defined, 10–12
  - duping a record, 184–85
  - hacking, 385
  - hidden portal technique, 185–86
  - highlighting records in a list view portal, 187
  - invoice database system, 169–70
  - launcher, 373
  - levels of access, 378
  - list view that is a portal, 186–87
  - lookups vs. related data, 174–75
  - maximum number hosted, 401
  - naming conventions, 565
  - number of copies of on computer, 392
  - number open, 409
  - opening, 338
  - planning, 194
  - portal setup basics, 172–74
  - portal tricks, 193
  - primary
    - duping records with related portal records intact, 184
    - hidden portal techniques, 185
    - highlighting records in a list view portal, 187
    - multikey portal to add to related database, 187
    - portal techniques, 177
    - rotating a portal, 192
    - selecting a portal row to data-enter a line item, 191
    - sorting a portal, 185
    - stacking portal fields on, 184
  - publishing with QuarkXPress and InDesign, 678–82
  - recovering damaged databases, 341,

- 385
- relationship between, 167–69
- relationship setup, 170–72
- renaming, 441
- rotating a portal, 192
- selecting a portal row to data-enter a line item, 191–92
- setting up lookups, 175–76
- sharing, 387–415
  - See also* FileMaker Server
  - functionality limitations, 393–94
  - logging on as guest, 389
  - no hosted files in Hosts dialog, 390–91
  - opener databases, 389–90
  - optimizing database sharing performance and best practices, 391–93
  - other ways to see available hosted databases, 391
  - overview, 387
  - reasons for, 387–88
  - setting up small network, 394
- size of, returning, 246
- sorting portals, 185
- stacking portal fields, 184
- structure of
  - frequency of changes to, 435
  - permanently preventing modification of, 616
- system security, 362
- using a multikey portal, 187–91
- what it is, 8–10
- of your friends, 164–67
- DataDirect Technologies, 466
- Datavations, 483
  - FMC-Calendar, 491
  - FMC-GeoMap, 495
  - Microsoft Office Integration Kit, 494
- Date Created option, 456
- date fields, 54–55
- Date Format dialog, 106
- date functions, 225–27
- Date, Modification checkbox, 50
- Date(month, day, year) function, 225
- dates
  - on computer, 244
  - how stored, 199
  - inserting current, 323
  - represented by text, 217
- DateToText( date) function, 225
- David Haney Enterprises, 472
- Day(date) function, 225
- DayName(date) function, 226
- DayofWeek(date) function, 226
- DayofYear(date) function, 226
- dbMailer plug-in, 484
- DDE (Dynamic Data Exchange) command, 353–54
- DDH Software, Inc., 429
- DDR (Database Design Report) feature, 292–93, 578, 603
- Debug target, 551
- debugging, 267–70
  - plug-ins, 551–53
  - scripts, 288–92
- Decorte, Wim, 5
- Decrease Quantity button, 190
- default button, 26
- default containment, 675
- Default layout theme, 78
- default password, 30–31
- default printer, 252
- DefaultFilePath property, 710, 711
- DefaultFileSpec file, 515
- define field features, 61–65
- Define Fields dialog, 43, 63, 153, 343, 674
  - Define Fields option, 420
  - Define Groups dialog, 365
  - Define Passwords dialog, 365
  - Define Relationships, 170, 306, 343
  - Define Scripts dialog box, 280–82
  - Define Value Lists button, 367
  - Define Value Lists dialog, 343
- defined fields, 23
- defining fields, 42–43
- definitions, 9, 10–12, 74–75
- degrees, converting radians to, 236
- Degrees(number) function, 236
- Delete All Records option, 423
- Delete button, 64, 170, 365
- Delete Layout option, 121
- Delete Record checkbox, 427
- Delete Record option, 423
- Delete Records button, 366
- deleting
  - find requests, 327
  - layout parts, 79
  - portal rows, 327–28
  - records, 131, 132–34, 423
  - all, 330

- permission to, 646
  - related records, 171
  - scripts for, 327, 366
  - security considerations, 380
- relationships, 170
- scripts, 281, 283
- tabs, 139
- text, 318–19
- deploying distributed systems, 439
- Descending order field, 172
- description box, 29
- design considerations, 580–84
  - cross-platform design issues, 593–95
  - multi-user design issues, 587–92
- design document, 576–78
- design functions, 257–62
  - DatabaseNames, 258
  - FieldBounds(dbname, layoutname, fieldname), 258
  - FieldIDs(dbname, layoutname), 258–59
  - FieldNames(dbname, layoutname), 259
  - FieldRepetitions(dbname, layoutname, fieldname), 259
  - FieldStyle(dbname, layoutname, fieldname), 259
  - FieldType(dbname, fieldname), 260
  - GetNextSerialValue(dbname, fieldname), 260
  - LayoutIDs(dbname), 260
  - LayoutNames(dbname), 260
  - RelationIDs(dbname), 260
  - RelationInfo(dbname, relationname), 261
  - RelationNames(dbname), 261
  - ScriptIDs(dbname), 261
  - ScriptNames(dbname), 261
  - ValueListIDs(dbname), 261
  - ValueListItems(dbname, value list), 261
  - ValueListNames(dbname), 262
- Design Layouts button, 366
- design time, defined, 708
- Desktop
  - overwriting handheld, 421
  - preventing from being foremost application, 392
- Detail View 2 layout, 129–30
- Developer Extras folder, 610
- Developer Tool, 382
- development conventions, 557–67
  - ASCII characters 32–126, 559
  - database naming conventions, 565
  - field conventions, 560–61
  - layout conventions, 562–63
  - overview, 557–58
  - reasons for using, 558–59
  - relationship conventions, 563–64
  - script conventions, 566–67
  - value list conventions, 561–62
- development team, being part of, 607–8
- diagrams, workflow, 577, 578
- Dial Phone script, 347–48
- dialing, 26–29
- Dialog Director, 519
- Dialog Magic plug-in, 384, 527–28
- dialogs, custom, 345–46, 383
- dictionaries, for spelling, 342
- dictionary of commands and objects, 670
- digital asset managers, 498–99
- digital cameras, importing images into MAC computers, 156
- directColumn function, 465
- Directory Service, 391
- Directory Service tab, 406
- Disconnect from FileMaker Server When Idle command, 368
- Disconnect Idle Guests option, 401
- Disk K/sec statistics, 409
- display dialog command, 690–92
- distributed database systems
  - defined, 430–31
  - deploying on laptops, 430–33
  - hidden complexities of, 436–45
    - conflict detection and resolution, 438
  - deployment/installation, 439
  - maintaining modification triggers, 437–38
  - serial numbers/key fields, 436–37
  - setting up simple synchronization scheme, 440–45
  - SyncDeK, 445
  - updating database structure, 440
- distributing solutions, 617–22
- Div function, 220
- divide operator (/), 200
- Divider layouts, 99
- DM-Password function, 528

- do menu command, 678, 687
  - do not copy option, 176
  - do script command, 677, 687
  - DoAppPreferences message, 537
  - Doc Builder, 580
  - document managers, 478–83
  - Document Object, 715–22
    - methods, 716–22
    - overview, 715
    - properties, 715–16
  - Document Preferences, 29–32, 342
  - documentation, 620
    - See also* comments
    - database systems, 603–5
    - testing, 618
  - Documents Object, 713–15
  - documents, opening in another application, 355
  - Documents pointer, 709, 711
  - DoExternal message, 538
  - DoFMScript(Scriptname) method, 717
  - Don't copy contents if empty checkbox, 176
  - Done button, 280, 365
  - DopeWars, 502
  - dots per inch (DPI), 646
  - Download.com, 620
  - downloading
    - Filemaker Server, 395
    - plug-ins, 263–64
  - downloads, distributing solutions via, 619
  - DPI (dots per inch), 646
  - drag and drop, 135
    - imports, 158
    - text, 21
  - drivers, for ODBC (Open Database Connectivity), 449–50, 452, 466
  - DSN Name option, 459
  - Dunning, Brian, 5, 491, 492, 622
  - duping records, 184–85
  - Duplicate button, 64, 170, 283
  - Duplicate Layout option, 99, 121
  - Duplicate Records option, 421, 423
  - Duplicate Request command, 147
  - duplicates symbol (!), 146
  - duplicating
    - records, 131, 132–34
    - relationships, 170
    - scripts, 281, 283
  - Dynamic Data Exchange (DDE) com-
    - mand, 353–54
- ## E
- EasyAccounting, 472
  - eAuthorize, 496–97
  - eBase, 473–74
  - ecKnowledge, 466
  - Edit/Browse screens, 591
  - Edit button, 170
  - Edit in list view option, 424
  - Edit in form view option, 425
  - Edit menu, 130
  - Edit menu, of FileMaker Mobile, 425
  - Edit Records button, 366
  - Edit Relationship dialog, 170–71
  - Edit Scripts button, 366
  - Edit User Dictionary, 151, 342
  - editing
    - relationships, 170
    - scripts, 281
  - Editing Only command, 367
  - Editing script steps, 317–19
  - EFP API. *See* External Function Plug-in (EFP) Application Programming Interface (API)
  - elements, 671
  - Else script, 299
  - email
    - applications/plug-ins, 483–85
    - script for sending, 349–50
  - Email Address Extractor plug-in, 485
  - Email Archiver, 484
  - embedding objects, 117–18
  - emergency plan, 363
  - empty fields, 242
  - emulating other software. *See* integrating with and emulating other software
  - Enable Debugger option, 553
  - Enable drag and drop text selection option, 135
  - enabled plug-in, 28–29
  - encrypted passwords, 381–82
  - End If script, 299
  - End Loop script, 300
  - Enter Browse Mode command, 69
  - Enter Browse Mode script, 309
  - Enter button, 147
  - Enter Find Mode script, 309–11
  - Enter Liquid Data button, 378
  - Enter Preview Mode script, 311
  - entity relationship diagrams, 167, 577

- envelopes, 90
- equal to symbol (=), 145
- equals (=) operator, 200
- equations. *See* calculations
- erasing. *See* deleting
- Erickson, Jason, 5
- error checking, and document managing, 482
- error checking/Set Field routine, 588
- error handling, in AppleScript, 676
- error messages
  - error numbers for, 302–4
  - overriding and creating own, 301–4
  - when downloading plug-ins, 263–64
  - when script statement is executed, 244–45
  - while FileMaker Server is opening database, 703
- error trapping, 588–90
- ErrorRecords global text field, 589
- ESC key, 280, 301
- estimating projects, 578–80
- Event Viewer, 405
- Events folder, 678
- Events plug-in, 521–23
- Exact function, 207
- exact match symbol (=), 145
- Excel spreadsheet, 157, 454–57, 494
- Execute SQL script, 354, 465
- Existing validation, 45
- Exit Application script, 356
- Exit Loop If script, 300
- Exit Record script step, 591
- Exit script, 297
- exiting records, 328
- expert advice, 383–84
- Exp(number) function, 219–20
- export data, 158
- Export Records access privilege, 390, 647
- Export Records button, 366
- Export Records script step, 515
- exporting
  - data, 159–60
  - records, 332–33, 366, 647
    - access privilege, 390
    - script for, 515
  - XML, 160
- expression operator expression, 199
- expressions, 198
- Extend Found Set command, 148
- extending ScriptMaker scripts with AppleScript commands. *See* ScriptMaker, extending scripts with AppleScript commands
- Extend(non-repeating field) function, 232–33
- extensions, file
  - FileMaker Pro extension, adding or removing, 616
  - naming, 594–95
- external executables, 355
- External( ) function, 539
- External Function Plug-in (EFP) Application Programming Interface (API), 533
  - features of, 537
  - obtaining, 534–35, 554
  - plug-in API messages, 537–38
  - and remote control, 706
  - supported functionality, 535
  - unsupported functionality, 535–36
- External Functions, 262–66
  - defining, 545
  - External(“FMSAUC-FindPlugin”, “plug-in filename”) function, 263
  - External(“FMSAUC-SaveAs-MacBin”, “:FileMaker Extensions:Mac OS plug-in name”) function, 264
  - External(“FMSAUC-SaveVersion”, “version string | plug-in name”) function, 264
  - External(“FMSAUC-UpdatePlugin”, “file to be downloaded”) function, 263–64
  - External(“FMSAUC-Version”, 0) function, 262–63
  - External(“Web-ClientAddress”, 0) function, 265
  - External(“Web-ClientIP”, 0) function, 265
  - External(“Web-ClientName”, 0) function, 265
  - External(“Web-ClientType”, 0) function, 265
  - External(“Web-ToHTML”, text value) function, 266
  - External(“Web-ToHTTP”, text value) function, 266
  - External(“Web-Version”, 0) func-

- tion, 265
- parameters of, 507–8
- viewing, 198
- external scripts, nested, 287–88
- EZxslt, 483, 661

## F

- FastTrack Schedule, 598
- faux dialog box, 519
- faxing applications/plug-ins, 485–87
- FaxNow, 486–87
- FaxTool, 486
- Feature String plug-in, 543, 544
- Fetch Chunk Size option, 453
- FHandle parameter, 550
- Field Borders dialog, 107–8
- Field button, 308
- field content match symbol (==), 146
- field count, 62
- Field Format dialog, 108
- Field labels option, 425
- field list, 198
- Field Name box, 63
- Field name column, 62
- Field Options option, 424
- field references, 203
- field report, 577
- Field Script script, 523
- Field type area, 63
- Field type column, 62
- FieldBounds(dbname, layoutname, fieldname) function, 258
- FieldIDs(dbname, layoutname) function, 258–59
- FieldNames(dbname, layoutname) function, 259
- FieldRepetitions(dbname, layoutname, fieldname) function, 259
- fields, 134–36, 673
  - See also* data; records
  - adding, 105
  - adding to portals, 115
  - alignment of, 424
  - borders of, 107–8
  - columns of, resizing, 423
  - constant, 231, 561
  - contents of, 240–42, 245
  - conventions for, 560–61
  - coordinates of on layout, 258
  - display of, 337
  - empty, 242

- formatting of, 108, 259
- IDs of, 258–59
- index for, 52, 322, 383
- for layout building, 104–8
- moving, 423
- names of, 63, 245, 259
- overwriting data of, 319–21, 323
- referencing in calculations, 198
- related, sorting, 149
- repeating, 232–33
  - current repetition of, 254
  - parsing, 693–94
- replacing contents of, 330–31
- serial numbers for, 260
- sorting, 150
- spelling in, 341
- taking user to next field, 308
- taking user to previous field, 309
- taking user to specified field, 307–8
- type of, 63
- validation of, 381
- width of, 424

- FieldStyle(dbname, layoutname, field-name) function, 259
- FieldType(dbname, fieldname) function, 260
- file cabinet icon, 389
- File Name field, 543
- File Open Cache option, 453
- File Sharing dialog box, 389
- FileBooks Link, 476–77
- FileMaker Advisor* magazine, 399, 477–78, 618
- FileMaker-CGI mailing list, 649
- FileMaker Developer Tool, 610–17
  - adding or removing FileMaker Pro extension, 616
  - creating stand-alone runtime solution, 611–14
  - debugging scripts with, 289–90
  - Kiosk mode, 614–15
  - permanently prevent modification of database structure, 616
  - renaming files and update internal links, 615–16
  - using custom menu options for About, Help, or Scripts menu, 616
  - what it is, 610
- FileMaker Mobile, 417–46
  - deploying distributed databases on

- laptops, 430–33
- determining data-sharing requirements, 433–36
- distributed systems, hidden complexities of, 436–45
  - conflict detection and resolution, 438
  - deployment/installation, 439
  - maintaining modification triggers, 437–38
  - serial numbers/key fields, 436–37
  - setting up simple synchronization scheme, 440–45
  - SyncDeK, 445
  - updating database structure, 440
- overview, 418
- setting up, 419–21
- synchronizing, 419–29
  - with handheld computers, 428–29
  - multi-user databases, 425–28
- technical specifications, 418
- FileMaker Pro
  - closing, script for, 356
  - comparison with other database programs, 576
  - explanation of, 13–14
  - extension for, adding or removing, 616
  - help application, 34–36
  - launching, 14–16
- FileMaker Pro Explorer example, 662–64
- FileMaker Pro Format/Font menu, 139
- FileMaker Pro Scripts folder, 685, 687
- FileMaker Pro Type Library, 711
- FileMaker Pro Unlimited, 651–66
  - and ColdFusion, 665
  - cost of, 656
  - and Java/JDBC, 662–64
  - and PHP, 664–65
- Web Server Connector
  - configurations, 653–55
  - configuring and administering, 656–57
  - costs, 655–56
  - installing, 653
  - monitoring traffic, 658
  - security, 657–58
  - what it is, 652–53
  - and XML/XSL, 658–61
- FileMaker Pro Web Publishing Security Guidelines*, 647
- “FileMaker Professional Training Foundation Series” courses, 648
- FileMaker Server, 395–414, 425
  - and Applescript, 701–3
  - computer for, 655
  - configuring, 399–406
    - on Mac, 400
    - overview, 399
    - on Red Hat Linux, 400
    - server preferences, 400–406
    - on Windows, 399–400
  - configuring to allow plug-in updates, 512
  - Console, 399–400
  - downloading, 395
  - installing and optimizing, 395–99
  - overview, 395–96
  - recommend hardware, 396–97
  - recommend operating system, 397
  - recommend software, 397–98
  - scheduling automatic tasks, 412–13
  - setup, 372
  - software for, 656
  - starting, 406–12
    - copying databases into FileMaker Server folder, 406–8
    - local administration, 410
    - performance monitoring, 410–12
    - remote administration, 408–10
    - stopping, 408
  - “FileMaker Server Best Practices,” 399
- FileMaker Solution Framework, 473, 582
- FileMaker Solutions Alliance (FSA), 553, 606–7
- FileMaker System/Extensions folder, 439
- FileMaker Web Development* training CD, 648
- FileMaker’s help system, 157
- files
  - compressing, 399, 619
  - defined, 10–12
  - formats of, 157–58
  - importing data from, 152–53
  - renaming, 615–16
  - sharing, 392, 407

- storing, 513
  - temporary, 393
  - zipping, 619
- Files preferences tab, 401–2
- Files statistics, 409
- Files tab, 409
- file\_version field, 440
- filtered references, 692–93
- filtering, 455
- financial functions, 233–35
- Find Records option, 423
- Find/Replace dialog, 143, 343
- Finder, controlling, 698–701
- Finder Scripts folder, 685
- finding data
  - with AppleScript, 692–93
  - based on stored set of criteria, 313–14
  - deleting, 327
  - in FileMaker Mobile, 423
- Find button
  - in FileMaker Mobile, 423
  - and Perform Find, 147
- Find mode, 144, 148
  - creating new find request in, 326–27
  - deleting find request in, 327
  - switching user into, 309–11
- modifying last find, 148
- multiple find requests, 147
- number of currently defined find requests, 254–55
- and replacing, 142–43
- Request menu commands, 147–48
- undoing changes to find requests, 328
- using find symbols, 147
- using Omit, 147

- First option, 305, 307
- First\_Name field, 273
- FirstName field, 518
- flat-database method vs. related database method, 165–67
- FlorPlan.fp5 database, 503
- flow diagrams, 577, 578
- Flush cache every setting, 402
- Flush Cache to Disk script, 355–56
- flush cache to disk script, 646
- “FM” icon, 389
- “FM Robots White Paper.pdf,” 463
- FMBK-RepeatString function, 533, 546–51
- FMC-Calendar, 491
- FMC-GeoMap, 495
- FMFatLoader.c file, 547
- FMForums community, 606
- FMmailer, 484
- FMOptional.c file, 547
- FMP Mass Mailer, 484
- FMP Speedometer, 401
- FMP Speedometer 1.2, 287
- FMP-to-XML Generator, 661
- FMPTraining.com, 649
- FMSAUC-FindPlugin function, 512, 513
- FMSAUC-SaveVersion function, 513
- FMSAUC-UpdatePlugin function, 512
- fmserver.conf file, 512
- fmSQL tool, 466
- fmSTRUCTURES, 466
- FMSync, 429
- FMTemplate.c file, 547
- FMTemplate.CW6.mcp file, 541
- FMTemplate.CW8.mcp file, 541
- FMWebschool, 5
- FMWSC.log, 658
- FMX\_MemoryError, 550
- FMX\_SetHandleSize, 550
- folders, importing, 155–56
- Folders tab, 409
- Font option, 424
- fonts, 103
  - cross-platform design issues, 593–94
  - in FileMaker Mobile, 422
  - in interface design, 583
  - for MAC, 139
  - for Windows, 139
- footer part, 81, 94
- foreign key, 168–69
- forks, 513
- Form View options, 425
- Format/Font menu, 139
- Format output using the current layout radio buttons, 159
- Format property, 420
- formats, replicating, 104
- formatting text data, 137–40
- .fp5 extension, 403
- fraction of total of values, 61
- friends, databases of, 164–67
- From Index command, 135
- From Last Record command, 136
- FromAddress field, 529

Front option, 126  
 FSA (FileMaker Solutions Alliance), 553, 606–7  
 FTP sites, 499–500  
 FTPit, 500  
 FullName property, 709, 711, 716, 717  
 Function Junction, 492  
 function list, 198  
 functionality requirements, 575  
 Function(parameters), 204  
 functions, 204–7
 

- See also* aggregate functions; date functions; design functions; external functions; financial functions; logical functions; number functions; repeating functions; status functions; summary functions; text functions; time functions; trigonometric functions
- and parameters, 204–6

 FV(payment, interest rate, periods) function, 234

**G**

gChart field, 524  
 gComputerShopName field, creating, 58–59  
 gCounter field, 519, 520, 531  
 gCurrentFile field, 516  
 General Application Preferences option, 20–22, 135  
 General Controls control panel, 392  
 General Info tab, 175  
 General tab, 92, 388  
 Genesis Accounting, 471–72  
 Genesis Business Operating Environment (Genesis BOE), 471–72  
 Get Details button, 409  
 Get External Data option, 454  
 Get Info dialog, 402  
 Get Info option, 393  
 getColumn function, 465  
 getField(field) function, 240–42  
 GetIndParam( ) function, 549–50  
 GetNextSerialValue function, 615  
 GetNextSerialValue(dbname, field-name) function, 260  
 GetParamsFromIndToEnd( ), 550  
 GetRepetition(repeating field, number) function, 233  
 getRow function, 465  
 GetSummary(summary field, break field) function, 231–32  
 gExternal field, 513, 514  
 gFileList field, 516  
 gFolderPath field, 516  
 GIFs, 646  
 gIncrementAt field, 519  
 g\_last\_sync field, 442  
 global fields, 57–58, 381–82, 531, 591
 

- prefixes for, 560
- values set by guest computer, 394

 Global Find command, of Palm OS, 424  
 Global Optimizations panel, 552  
 gMaxLevel field, 519  
 gNewPassword, field, 528  
 Go Players Database, 503  
 go to command, 677  
 Go to Field script, 307–8  
 Go to Layout command, 69  
 Go to Layout script, 304–5  
 Go to Next Field script, 308  
 Go to Portal Row script, 307  
 Go to Previous Field script, 309  
 Go to Record option, 423  
 Go to Record/Request/Page script, 305  
 Go to Related Record script, 306  
 Go to ScriptMaker button, 290  
 gOldPassword field, 528  
 gOriginalPassword field, 528  
 GoToMYPC, 407, 605  
 gPlugin field, 519, 524, 529, 531  
 gPluginReceptical field, 516  
 gPrinter field, 533  
 gProgressMessage field, 519  
 graphic format dialog, 107  
 graphic rulers, 124, 138  
 graphics
 

- centralizing in main menu database, 586
- cross-platform design issues, 594
- entering into container fields, 140–41
- within fields, 392
- importing folder with, 156
- importing into MAC computers, 156
- inserting, 324–25
- in interface design, 583, 584–85
- for layout elements, 392
- publishing directly from container

- field, 645–46
  - size of, 646
  - store compatible, 30
- greater than operator (>), 200
- Greater Than or Equals operator (>= \_), 200
- greater than symbol (>), 145
- gRecordNumber field, 184
- Group command, 125
- group heading scripts, 566–67
- groups
  - setting up, 369–70
  - that current user is member of, 247
- Groups button, 365
- gSalespersonXSales fields, 524, 525
- guests
  - connected to FileMaker Server, 409
  - logging on as, 389
  - preferences, 400–401
- Guests statistics, 409
- Guests tab, 409
- Guide To Secure FileMaker Design, The*, 385

## H

- hacking databases, 385
- Halt script, 297–98
- Halvorson, Michael, 707, 722
- hand icon, 285
- HandBase, 429
- handheld computers, synchronizing with, 428–29
- Handheld Fields window, 420
- Handheld overwrites desktop option, 421
- hang up command, 26
- hard drive
  - amount of data written to, 409
  - recommend for FileMaker Server, 396
- hardware
  - recommend for FileMaker Server, 396–97
  - required for Web Server Connector, 655
  - for Web publishing, 626–27
- Harum-Alvarez, Albert, 4
- header, 74, 80
- Header and Footer Information dialog, 84
- header part, 94
- headless, server, 361

- Help menu, 34–37
- Help script, 612
- help system, 157, 343, 603–4
- hidden tags, 646
- Hide option, 335
- hiding
  - applications, 700
  - databases, 646
  - records, 313
- Hierarchical portal, 193
- highlighting records in a list view portal, 187
- Hive, The, 489
- horizontal pixels, 255–56
- host, that current database resides on, 247
- hosted code libraries, 551
- hosted databases, 391
- hosting companies, 648
- Hosts dialog, 389–90, 404, 603
  - no hosted files in, 390–91
  - opening, 343
- HotSync button, 421
- Hour(time) function, 227–28
- HTML (HyperText Markup Language), 658–59
- HTTP, 499–500
- hyperlinks, opening, 348–49
- HyperText Markup Language (HTML), 658–59

## I

- icons, 113
- IDE (Integrated Development Environment), 534
- Idle message, 538
- iDo Script Scheduler, 463, 688, 701
- IDs
  - centralizing in main menu database, 586
  - codes for, 574
  - field, 258–59
  - layout, 260
  - relationship, 260
  - script, 261
  - value list, 261
- If function, 240
- If script, 298–99, 520
- Igloo button, 599
- ignoring controlling statement, 693
- Image field, 516

- images. *See* graphics
- iMailer, 485
- Import Action box, 153
- Import button, 462
- Import Field Mapping dialog box, 462
- Import Master button, 427
- Import Options dialog, 154, 601
- Import Records script step, 462, 515
- importing
  - data
    - from a digital camera, in Mac OS X, 156–57
    - drag and drop imports/conversions, 158
    - excel, 157
    - file formats, 157–58
    - from files, 152–56
    - from folders, 155
    - via ODBC (Open Database Connectivity), 158
    - XML, 158
  - data, via ODBC, 457–63
    - automating ODBC import, 463
    - learning SQL, 461–62
    - MySQL ODBC driver, 459
    - setting up FileMaker Pro, 459–61
    - setting up MySQL, 458
  - folders, 155–56
  - Microsoft Excel workbook, 157
  - records, 332
  - scripts, 281–82, 585
  - XML, 158
- In Range, 46
- In Sync, defined, 432
- Include in global find option, 424
- Indent options, 138
- InDesign, 678–82
- index fields, 52, 383
- index number, 714
- Index option, 36
- indexed values, 322
- Init message, 537
- initial scripts, 375
- Initial Security page, 657
- Insert Calculated Result script, 321–22
- Insert Current Date script, 323
- Insert Current Time script, 323–24
- Insert Current User Name script, 324
- Insert from Index script step, 322
- Insert menu command, 135
- Insert Movie script, 324
- Insert Object script, 325–26
- Insert Picture dialog, 113
- Insert Picture script, 324
- Insert Picture script step, 515
- Insert QuickTime script, 325
- Insert Text script, 321
- inserting
  - calculated results, 321–22
  - date, 323
  - graphics, 324–25
  - movies, 140, 324, 325
  - objects, 141, 325–26
  - pictures, 140
  - QuickTime, 140
  - replacement text, 214–15
  - text, 321
  - time, 323–24
  - user name, 324
- Installer VISE, 619
- installing
  - database systems, 599–603
  - distributed systems, 439
  - FileMaker Server, 395–99
  - plug-ins, 508
  - solutions, 619
  - Web Server Connector, 653
- InstallShield, 619
- instant messaging, 485
- Instant Web Publishing, 625–26
- Instant Web Publishing box, 647
- Int function, 220
- Integrated Development Environment (IDE), 534
- integrating with and emulating other software
  - accounting software, 475–80
  - accounting solutions, 470–75
  - bar coding software, 500–501
  - calendar/scheduling software, 487–91
  - cash registers and point of sale systems, 500
  - digital asset managers, 498–99
  - document managers, 478–83
  - email applications/plug-ins, 483–85
  - faxing applications/plug-ins, 485–87
  - FTP and HTTP, 499–500
  - games, 501–4
  - Macromedia Flash, 497–98
  - mapping software, 494–95
  - overview, 469–70

- PDF creation software, 495–96
- smart card and credit card authorization, 496–97
- touch screen monitors, 501
- interest rates, 234–35
- interface
  - choosing, 581–84
  - defined, 9
  - testing, 618
- internal links, updating, 615–16
- International Sort option, 453
- Internet
  - remote user dial-in capabilities, 436
  - security for access of, 362
- interviews, client, 570–73
- Int(number) function, 220
- Intuit's Quicken, 475–76
- invalid date symbol (?), 146
- inverse tangent, 235
- invoice database system, 169–70
- Invoice.fp5, 175
- InvoiceLineItem.fp5 field, 175
- IP addresses, 390, 391
  - being processed by Web Companion, 265
  - multiple, 404
  - in scripts, 287
- IPNetMonitor, 390
- IsEmpty(field) function, 242
- ISO FileMaker Magazine, 591
- ISO Productions, 554
- Isolutions, Inc, 497
- IsValid(field) function, 242
- IT environment description, 572–73
- IT staff, and synchronization/replication automation, 434–35
- Item ID Verification List report, 576
- Item(variant) property, 714, 715

## J

- J-Plug-in, 664
- Java, and FileMaker Pro Unlimited, 662–64
- JDBC (Java Database Connectivity), 662–64
- JFile, 429
- JIF file format, 475
- join database, 178–81
- JPEGs, 646
- junction database, 178

## K

- key fields, 436–37, 560
- key serial numbers, 601
- keyboards shortcuts, 685
- Ki Biz System, 473
- kiosk mode, 614–15, 617
- Knight, David, 287
- Knight, Stephen K., 5
- Knight's Tour, 503
- knowledge required (before reading this book), 4
- Koudelka, Honza, 5
- Kubica, Chris, 4, 6

## L

- Langer, Maria, 649
- language of operating system, 247
- laptops, deploying distributed databases on, 430–33
- Lasso Dynamic Markup Language (LDML), 665
- Lasso Professional, 448, 665
- Last option, 305, 307
- Last\_Name field, 273
- LastName field, 518
- Last(repeating field) function, 233
- Lateral Think Inc., 5
- LaunchDev.fp5 database, 451
- launcher databases, 373
- launching FileMaker, 14–16
- lay CDML tag, 645
- Laycock, Jim, 5
- Layout/Field Inaccessibility's Effect on Your Database's Functionality command, 371
- Layout mode, 67, 75, 90–91, 118–19
- layout objects, 99–100, 116
- layout report, 577
- Layout/Report screen, 83
- Layout/Report wizard, 90
- Layout Setup option, 91–94, 121
- LayoutIDs(dbname) function, 260
- LayoutNames(dbname) function, 260
- layouts, 65–67, 672–73
  - access privileges, 247
  - Application Preferences option, 22–23
  - building, 73–127
    - arrange menu, 125–27
    - buttons, 115–17

- creating, 75–78
  - envelopes, 90
  - fields, 104–8
  - layout menu, 121–23
  - layout objects, 99–100
  - lines, 112
  - list view, creating, 83–87
  - mailing labels, 87–90
  - OLE objects, 117–18
  - part definition dialog, 82–83
  - parts for, 78–81
  - pictures, 113
  - portals, 114–15
  - rectangles, rounded rectangles
    - and ovals, 112
  - replicating objects, 103–4
  - sliding and printing, 118–21
  - summary reports, 94–99
  - table view, 90–94
  - themes, creating, 78
  - tools for, 100–103
  - value lists, 108–12
  - view menu, 123–25
  - what it is, 74–75
- conventions for, 562–63
- coordinates of fields on, 258
- copying, 585
- drop-down menu for, 19
- formats of fields on, 259
- going to specified layout, 304–5
- IDs for, 258–59, 260
- list of in specified database, 260
- menu for, 75, 121–23
- names of, 248–49, 259
- parts of, 74, 79
- printing current, 316–17
- switching, 31
- theme of, 77, 78
- tools for, locking, 22–23
- total number of, 248
- LCD-type touch screens, 501
- LDAP directory server, 406
- LDAP (Lightweight Directory Access Protocol) Server, 391
- LDML (Lasso Dynamic Markup Language), 665
- leading grand summary layout part, 80
- Learn to Program with Visual Basic 6*, 707, 712, 722
- Left(text, number) function, 208–9
- LeftWords(text, number of words) function, 209
- Length(text) function, 209
- Lesaux Media Services company, 385
- Less Than operator (<), 200
- Less Than or Equals operator (>= \_), 200
- less than symbol (<), 145
- Life \$uccess Institute
  - Barcodet, 501
  - Schedula Professional, 489
- Lightweight Directory Access Protocol (LDAP) Server, 391
- Lilly standards, 575
- Line Items database, 191
- Line Items tab, 175
- lines for layouts, 112
- Link Document button, 480
- linking an object, 117–18
- links
  - opening, 348–49
  - updating, 118, 326, 615–16
- Linux, FileMaker Server on, 397, 400
- List View, 83–87
  - in FileMaker Mobile's Options menu, 424
  - in handheld computers, 418
  - that is a portal, 186–87
- literal text symbol (""), 146
- Ln(number) function, 236
- local administration, of FileMaker Server, 410
- Local Data Access Companion FileMaker Pro plug-in, 450–51
- location, selecting, 27
- Lock first column option, 424
- lock objects, 126
- locking issues, record, 587–91
- log files, 405
- Log option, 454
- Log tab, 377
- Log Usage Statistics option, 405
- logarithms, 236
- Log.fp5 database, 464
- logging, controlling FileMaker Server's, 404–5
- logging on
  - to "Darn Good Security System," 388
  - as guest, 389
- Logging tab, 404–5
- logical functions, 238–42
- Logical operators, 199–201

- Login Magic feature, 384
- Log(number) function, 236
- Logo field, 56
- Logon scripts, 374–75
- looked-up value checkbox, 51, 174
- Lookup dialog, 175–76
- Lookup\_Key field, 274
- lookups
  - vs. related data, 174–75
  - setting up, 175–76
- Loop script, 299–300
- LoopMax field, 531, 532
- loops, 681
- LotItem MySQL database, 461
- “lotitem” table option, 461
- LotItem.fp5 database, 459, 461, 462
- lowercase letters, 209
- Lower(text) function, 209

**M**

- Mac Academy, 648
- Mac OS X Server software, 656
- Mac Plus icon, 389
- Mac Warehouse catalog, 619
- MacBinary format, 264
- MacFlow, 578
- Macintosh operating system
  - allocating increased memory to FileMaker Pro, 393
  - configuring FileMaker Server on, 400
  - file storage of, 513
  - FileMaker Server on, 397
  - fonts, 139
  - importing images from digital camera, 156
  - inserting movies, 140
  - sending AppleScript commands to applications, 352–53
  - starting FileMaker Server on, 407
- MacOS Merge Settings Panel, 542
- MacProject Pro, 598
- Macromedia
  - ColdFusion, 448, 665
  - Flash, 497–98
- MacSQL, 458
- MacWinDefs.h file, 543, 544, 545, 551
- Mail Agent plug-in, 485
- mailing labels, 87–90
- main menu, 376
- MainMenu.fp5 database, 585–87, 612
- Mainstay's MacFlow and WinFlow, 578
- Maintain Facility Codes button, 378
- Majic Solutions Limited's MajicFax plug-in, 487
- MajicFax plug-in, 487
- Make command, 550
- many-to-many relationship, 177
- mapping software, 494–95
- MapQuest, 494
- margins, setting with Text Ruler, 139
- marketing, 618–19
- master node, defined, 431
- Matching Names option, 153
- matching records, 154
- Mathemaesthetics's Resorcerer graphical resource editor, 554
- max CDML tag, 646
- Max Text Length option, 453
- Max(field . . . ) function, 229–30
- Maximize option, 335
- Maximize performance checkbox, 404
- Maximum number of files to host field, 401
- Maximum number of simultaneously connected guests field, 401
- maximum of values, 60
- memory
  - Application Preferences option, 23–25
  - increasing to FileMaker Pro, 393
  - recommend for FileMaker Server, 397
- Memory tab, 393
- menu bar, 18
- Menu Control plug-in, 582
- menu-driven interface, 582
- Menu.fp5 database, 389, 463
- MenuMagic features, of SecureFM plug-in, 582
- menus
  - custom menu options, 616
  - do menu command, 678
- merge field, 88–89, 101
- merge (.mer) file, 155
- messages
  - of plug-in API, 537–38
  - prompting user with, 344–45
  - sending
    - to all users connected to FileMaker Server, 409
    - automatically, 413

- MetaDataMagic, 294
- methods
  - ActiveX automation, 708
  - of Documents Object, 714–15, 716–22
- Metrowerks CodeWarrior, 534
- Metrowerks CodeWarrior folder, 541
- Metrowerks CodeWarrior IDE is, 554
- Microsoft
  - See also* ActiveX
  - Access 2002, 576
  - Active Server Pages (ASP), 448
  - Excel spreadsheet, 157, 454–57, 494
  - Office integration, 483, 494
  - Project, 597–98
  - Query tool, 456
  - SQL Server, 449, 576
  - Visio tool, 578
  - Visual Basic (VB), 706
  - Visual SourceSafe, 607
  - Visual Studio, 534, 554
  - Windows Terminal Services, 414
  - Word, 483, 604
  - Microsoft Visual Basic 6.0: Deluxe Learning*, 722
  - Microsoft Visual Basic 6.0 Professional Step By Step*, 707, 722
  - Middle(text, start, size) function, 210, 213
  - MiddleWords(text, starting word, number of words) function, 210
  - Mind Your Own Business (MYOB) Group, 477–78
  - MindVision’s Installer VISE, 619
  - Min(field . . . ) function, 230
  - MiniCalendar tool, 490
  - Minimize option, 335
  - minimizing databases, 646
  - Minimum and Preferred Size settings, 402
  - minimum of values, 60
  - minus (–) operator, 200
  - Minute(time) function, 228
  - Mobile Companion plug-in, 419, 421
  - mobile computing. *See* FileMaker Mobile
  - Mobile Settings dialog box, 419, 421
  - ModDate field, 442
  - mode, current, 249
  - mode pop-up menu, 18
  - modems
    - Application Preferences option, 25–26
    - commands, 25–26
    - security for, 362
  - Modification Date, Time or Name checkbox, 50
  - modification of database structure, preventing, 616
  - modification triggers, 437–38
  - modifier keys, 250
  - Modify Last Find script, 314–15
  - modifying
    - last find, 148
    - layout parts, 79
    - tabs, 139
  - Mod(number, divisor) function, 220
  - ModTime field, 442
  - modularizing scripts, 287–88
  - monitoring
    - performance, 410–12
    - traffic, 658
  - monitors, touch screen, 501
  - MonkEmail plug-in, 485
  - Month(date) function, 226
  - MonthName(date) function, 226
  - Move button, 283
  - movies, inserting, 140, 324, 325
  - moving
    - fields, in FileMaker Mobile, 423
    - scripts, 283
  - Moyer Group, 665
  - multi-user databases
    - number representing multi-user status, 250–51
    - synchronizing, 425–28
  - multi-user design issues, 587–92
  - multi-user radio buttons, 390
  - Multi-User setting, 388
  - multi-user status, 339–40
  - multikey portal, 187–88
  - multiple input parameters, 536
  - multiple records, 313
  - multiple users, 575
  - multiply operator (\*), 200
  - MYOB (Mind Your Own Business) Group, 477–78
  - MYOB Plus, 477–78
  - MyPlugin file, 541
  - MySQL
    - manual for, 461
    - obtaining, 457

## N

- Name, Modification checkbox, 50
- Name( ) property, 709, 711
- naming
  - databases, 435, 565, 594–95
  - fields, 558, 560–61
  - files, 594–95
  - layouts, 562–63
  - relationships, 563–64
  - scripts, 282, 566–67
  - value lists, 561–62
- natural logarithms, 236
- navigation, 132, 183
- Navigation script steps, 304–11
  - Enter Browse Mode script, 309
  - Enter Find Mode script, 309–11
  - Enter Preview Mode script, 311
  - Go to Field script, 307–8
  - Go to Layout script, 304–5
  - Go to Next Field script, 308
  - Go to Portal Row script, 307
  - Go to Previous Field script, 309
  - Go to Record/Request/Page script, 305
  - Go to Related Record script, 306
- negative numbers, 224
- nested external scripts, 287–88
- NetmailR, 485
- network/IT environment description, 572–73
- Network K/sec statistics, 409
- network protocols, 22, 391, 398
- networking, 594, 617
- “Networking Filemaker Pro: A Quick Guide,” 394
- Networking tab, 404
- networks
  - recommend for FileMaker Server, 396
  - security, 361
  - setting up small networks, 394
  - traffic of, 646
- New button, 170–71, 423
- <New Data Source> option, 454
- New Database dialog, 21
- New Database Query option, 454
- New Layout/Report dialog, 75, 121
- New Layout/Report wizard, 95
- New Millennium Communications, 384
  - Dialog Magic plug-in, 527–28
  - Genesis Business Operating Environment (Genesis BOE), 471–72
  - MetaDataMagic, 294
  - SecureFM plug-in, 537, 582
- New Record option, 423
- new records, 423
- New script, 338
- \_NewEnum property, 713, 715
- Next option, 305, 307
- nodes, defined, 431
- non-modal windows, 535
- None command, 367
- nonzero calculation results, 298
- nonzero values, 199
- Normal command, 367
- Not Empty validation, 45
- not equal operator (<>≠), 200
- Not operator, 201
- Note feature, 418
- notebook computers. *See* laptops
- Notes fields, 107, 420, 518
- Notes\_ContactID relationship, 518
- NPV(payment, interest rate) function, 234
- NULL, 714
- number data type, 218
- number fields, 48–51
- Number Format dialog, 105
- number functions, 219–25
  - Abs(number), 219
  - Exp(number), 219–20
  - Int(number), 220
  - Mod(number, divisor), 220
  - NumToText(number), 221
  - Random, 221–22
  - Round(number, precision), 222–24
  - Sign(number), 224
  - Sqrt(number), 224
  - Truncate(number, precision), 224–25
- number of words in text, 219
- Number option, 453
- numbers
  - absolute value of, 219
  - chopping off extra digits, 224–25
  - negative, 224
  - positive, 224
  - random, 221–22
  - returning as text string, 221
  - rounding, 222–24
  - whole number portion of, 220

NumToText(number) function, 221

## O

oAzium

Charts, 493

Events plug-in, 463, 683, 688

Smart Card, 496

object effects, 102–3, 105, 114, 117

object formats, replicating, 104

Object Grids option, 127

Object Linking and Embedding (OLE),

55, 117–18, 140–41, 706

object links, 118

Object menu, 141

object model, 670, 671–75

object size palette, 124–25

Object Size window, 138

Object\_Demo.exe file, 718

objects

ActiveX automation, 707

adding, 117

defined, 74

exposed to external programs via

ActiveX automation, 708–13

inserting, 141, 325–26

ODBC FileMaker Pro Driver Setup dialog box, 452

ODBC (Open Database Connectivity), 447–68

benefits of, 448–49

ClickQuery tool, 466

common problems with, 463–64

compatibility issues, 559

drivers for, 449–50, 466

ecKnowledge, 466

execute SQL script step, 464–65

FileMaker Pro as data source for, 450–57

configuring ODBC control panel, 451–53

enabling the data access companions, 450–51

Microsoft Excel use, 454–57

fmSQL tool, 466

importing data into FileMaker Pro via, 158, 457–63

automating ODBC import, 463

learning SQL, 461–62

MySQL ODBC driver, 459

setting up FileMaker Pro, 459–61

setting up MySQL, 458

origin of, 448

SQL plug-in, 465

what it is, 448

ODBC/the Data Access Companion

plug-ins, 450

OK button, 283

Old English Pro, 504

OLE (Object Linking and Embedding), 55, 117–18, 140–41, 706

Omit checkbox, 147

Omit Multiple script, 313

Omit Record script, 313

omitted records, showing, 312–13

OmniGraffle, 578

one character symbol (@), 146

one-to-many relationship, 168, 178

Onegasoft's Pro Help, 604

online help system builders, 603–4

online payment, 620

online resources, 606

Open Application Preferences script, 342

Open Define Fields script, 343

Open Define Relationships script, 343

Open Define Value Lists script, 343

Open Dictionary command, 697

Open Dictionary option, 670

Open Document Preferences script, 342

Open File button, 409

Open Find/Replace script, 343

Open Help script, 343

Open Hosts script, 343

Open Remote dialog, 388

Open Remote dialog box, 392

Open Remote dialog using option, 388

Open Remote option, 389

Open script, 338

Open ScriptMaker script, 344, 686

Open Sharing script, 344

Open URL script, 348–49

opener databases, 389–90

opening

Application Preferences, 342

applications, script for, 355

databases, 338

Define Fields dialog, 343

Define Relationships dialog, 343

Define Value Lists dialog, 343

Document Preferences, 342

Find/Replace dialog, 343

help system, 343

- Hosts dialog, 343
  - ScriptMaker dialog, 344
  - scripts, 383
  - Sharing dialog, 344
  - URLs, 348–49
  - Open(name, password) method, 714, 715, 717
  - operating system
    - language of, 247
    - recommend for FileMaker Server, 397
    - version number of, 256
  - operator buttons, 198
  - operators, 198, 199–202
  - optimizing
    - database sharing performance, 391–93
    - FileMaker Server, 395–99
  - OPTION key, 250
  - Options box, 283
  - Options button, 64, 455
  - Options column, 62
  - Options menu, 422, 424, 425
  - Or operator, 201
  - ORDER BY SQL clause, 453
  - ORDER BY tab, 461
  - Organizer Pro, 579–80
  - organizing scripts, 282
  - OSA Menu (Mac OS 9 System Extension), 685–86
  - OSA Menu's Universal Scripts folder, 701
  - ovals, 112
  - Override Data Entry Warnings button, 366
  - Override field's language for sort option, 150, 172
  - overwriting
    - field data, 322, 323
    - of handheld by desktop (and vice-versa), 421
  - OzCh-Init, 526
  - OzCh-Options function, 526
- P**
- Page Margins option, 123
  - page number, being printed or previewed, 251
  - page setup, 160–61, 316
  - Palm PCs. *See* FileMaker Mobile
  - paragraph constant (§) operator, 200, 202
  - paragraph formats, 137
  - parameters, 204, 204–6
  - ParamParser.c file, 550
  - Parent pointer, 709, 711, 713, 715, 717
  - parentheses, 202
  - parse, defined, 207
  - parsing repeating fields, in AppleScript, 693–94
  - part boundary, 78
  - Part Definition dialog, 82–83
  - part label, 78
  - part setup, 97
  - parts for layout building, 78–81
  - Password Administrator security solution, 384
  - Password field, 530
  - passwords, 171, 362
    - administrative, 575
    - changing, 339, 367, 382
      - button for, 367, 528
      - dialog for, 528
      - script for, 339
    - encryption, 375, 382
    - general notes, 368
    - length and content, 574
    - lost, 385
    - for remote administration, 403, 647
    - and runtime solutions, 617
    - setting up, 364–68
  - Passwords dialog box, 528
  - Paste command, 696
  - Paste script, 318
  - Paste Special option, 135
  - pasting data, 135, 696
  - Path property, 716, 717
  - paths, of front-most database, 245–46
  - PatternCount(text, search string) function, 210–11
  - Pause checkbox, 309
  - Pause option, 283
  - Pause/Resume Options dialog box, 297
  - Pause/Resume script, 296–97
  - Pause Script script step, 291
  - pausing scripts, 296–97
  - payment, collecting, 620
  - PC computers, security for, 361
  - PCAnywhere, 407, 605
  - PDAs, synchronizing with, 428–29
  - PDF Autopilot, 495–96
  - PDF creation software, 495–96

PDF user manuals, 604–5  
 PDFWriter, 532  
 Perform AppleScript script, 352–53, 684–85, 697  
 perform auto-enter options box, 601  
 Perform Find command, 147  
 Perform Find/Replace script, 319  
 Perform Find script, 313–14  
 Perform script, 296  
 Perform without dialog box, 462  
 performance monitoring of FileMaker Server, 410–12  
 Performance Monster, 287  
 performance optimization, of database sharing, 391–93  
 Perry, Bruce W., 669  
 Personal Data Assistants, synchronizing with, 428–29  
 phone, dialing, 347–48  
 Phone Lookup option, 425  
 Photo field, 678  
 PHP, 664–65  
 phpMyAdmin tool, 458  
 physical security, 361  
 PI function, 237  
 PI constant/function, 202  
 pictures, 113  
 pictures, inserting, 140  
 pipe character (`|`), 508, 539  
 Planet Payment, 496  
 planning
 

- relational database system, 194
- scripts, 287–88
- security, 361–64

 platforms
 

- returning number representing, 251–52
- starting FileMaker Server on various, 407
- of user accessing Web Companion, 265

 Plug-in Settings property, 421  
 plug-ins, 505–55
 

- See also* External Function Plug-in (EFP) Application Programming Interface (API)
- 24U's Preferences+Globals plug-in, 531–32
- Auto Update plug-in, 262, 511–14
- Change Printer plug-in, 532–33
- Charts plug-in, 523–27
- configuring, 28, 509–10
- creating
  - implementing function FMBK-RepeatString, 546–51
  - overview, 538–39
  - preparing new project, 539–46
- cross-platform design issues, 594
- Crypto Toolbox, 384
- debugging, 551–53
- defined, 28, 506
- development tools needed for, 554–55
- Dialog Magic plug-in, 384, 527–28
- downloading, 263–64
- enabling, 28–29
- Events plug-in, 521–23
- installing, 508
- limitations of, 506
- obtaining, 510
- overview, 505–8
- programming, 533–51
  - See also* plug-ins, creating
  - overview, 533–34
  - using C/C++, 534
- publicizing, 554
- resources for authors of, 553
- and runtime solutions, 617
- saving in MacBinary format, 264
- SecureFM, 375
- SMTPit plug-in, 528–30
- Troi Dialog plug-in, 519–20
- Troi File plug-in, 515–17
- Troi Text plug-in, 517–19
- Web Companion, 265
- whether to use, 508

 Plug-Ins tab, 421, 509, 647  
 PLUGIN\_PREFIX constant, 543  
 PluginRepeatString function, 545  
 PluginRepeatString.c file, 548  
 PluginVersion.c file, 547  
 plus operator (+), 200  
 PMT (principal, interest rate, term) function, 234  
 pocket PCs. *See* FileMaker Mobile  
 point of sale systems, 500  
 pointers to objects, 708–9, 712  
 Pop-Up List field, 420  
 Pop-Up menu, 109  
 Pop-Up Menu field, 420  
 PopCal, 490  
 POPit plug-in, 484, 529

- Port Setup option, 122
- Portal Setup dialog, 173
- portals, 114–15
  - copying data in, 134
  - copying related records in, 133
  - creating related records in, 132–33
  - deleting related records in, 133
  - design tips, 114–15
  - duplicating related records in, 133
  - rows
    - deleting, 327–28
    - returning number of selected or with current field, 252
    - taking user to specified row, 307
  - setup basics, 172–74
  - stacking, 190
  - techniques, 177–83, 185–86, 193
    - many-to-many relationship, 177
    - one-to-many relationship, 178
    - setting up a join database, 178–81
  - when not needed, 174
- Portrait mode, 285
- POS Direct, 500
- Position function, 208, 212–13, 269
- positive numbers, 224
- PostgreSQL, 458
- power operator (^), 200
- power supply, 393
- Powerball Pro, 503
- PowerPC code fragment, 547
- predictability, in interface design, 583
- PreFab Player, 687
- preferences
  - centralizing in main menu database, 586
  - for FileMaker Mobile, 424
  - setting, 20–29
    - dialing option, 26–29
    - general preferences, 20–22
    - layout option, 22–23
    - memory option, 23–25
    - modem option, 25–26
- Preferences+Globals plug-in, 531–32
- prefix (modem command), 25–26
- prefixes, in field names, 560
- prerequisites, 4
- presentation to client, 576–78
- preview, copying into a field, 162
- Preview mode, 67, 90, 160, 311
- Preview Now button, 455
- previewing data, 160–62
- Previous option, 305, 307
- price. *See* costs
- primary database
  - duping records with related portal records intact, 184
  - hidden portal techniques, 185
  - highlighting records in a list view portal, 187
  - list view that is a portal, 186
  - multikey portal to add to related database, 187
  - portal techniques, 177
  - rotating a portal, 192
  - selecting a portal row to data-enter a line item, 191
  - sorting a portal, 185
  - stacking portal fields, 184
- primary keys, 49, 168
- Print dialog, 161
- Print Records button, 366
- Print script, 316–17
- Print Setup, 160–61, 315
- printed user manuals, 604–5
- printer, default, 252
- printing, 118–21, 160–62
  - cross-platform design issues, 593
  - current layout or report, 316–17
  - preserving print settings in scripts, 315–16
  - scripts, 281
- PrintToPDF, 495
- Pro Help, 604
- processors, recommend for FileMaker Server, 397
- Product Description Field, 190
- Product.fp5 field, 175
- Production Entry System button, 378
- Productive Computing
  - Calendar Popup plug-in, 490–91
  - Change Printer plug-in, 532–33
- Professional Data Management
  - J-Plug-in, 664
  - SQL Plug-in, 465
- professional developer, becoming, 606–8
- Programming Microsoft Visual Basic 6.0*, 722
- programming plug-ins, 533–51
  - See also* plug-ins, creating
  - overview, 533–34

- using C/C++, 534
- Progress Bar, of Troi Dialog plug-in, 520
- Prohibit Modification of Value checkbox, 51
- Project Builder, 534
- project management, 569–608
  - cross-platform design issues, 593–95
  - database system design considerations, 580–84
  - documenting database systems, 603–5
  - estimating projects, 578–80
  - initial client interview, 570–73
  - installing database systems, 599–603
  - multi-user design issues, 587–92
  - overview, 569–70
  - presentation to client, 576–78
  - rapid development techniques, 584–87
  - remote maintenance of database systems, 605–6
  - requirements document, 573–75
  - scheduling tools, 597–98
  - testing database systems, 599
  - timed expiration (time bomb) feature, 595–96
  - universal back button, 596
- proper name capitalization, 213–14
- Proper(text) function, 213–14
- properties
  - ActiveX automation, 707–8
  - Document Object, 715–16
- Properties button, 420
- Properties dialog box, 399, 403
- Protolight Software company, 384
- publicizing plug-ins, 554
- publish( ) subroutine, 682
- PV(payment, interest rate, periods) function, 234–35

## Q

- QA Tester, 599
- QB Converter, 477
- QIF file format, 475
- QuarkXPress, 678–82
- queries, defined, 9
- Query Wizard dialog box, 454–55
- Quick-Time tutorials, 648
- QuickBooks, 476–77
- Quicken, 475–76
- QuicKeys, 585, 687, 688

- QuickTime, 140–41
- Quit Application script, 356
- Quit button, 718
- Quit( ) method, 710, 711

## R

- RAD (rapid application development) tool, 662
- radians
  - converting to degrees, 236
  - returning number that given degrees are equivalent to, 237
- Radians(number) function, 237
- radio buttons, 109
- RAIC (Redundant Array of Inexpensive Computers), 652
  - configuring, 657
  - cost of, 655
- RAM
  - See also* cache
  - for database cache, 402
  - recommend for FileMaker Server, 397
- Random function, 221–22
- random numbers, 221–22
- range symbol (...), 145
- rapid application development (RAD) tool, 662
- rapid development techniques, 584–87
- RDBMS (relational database management system), 13
- read functionality, 708
- read-only fields, 420
- read-only properties, 713–14, 716, 717
- Recalc Aged Receivables script, 688–89
- Reconcile button, 427
- record-level security, 368–69, 381, 647
- Record menu, 423
- recordCount variable, 681
- Record\_ID field, 273
- recording, AppleScript, 668
- records, 130–34, 673–74
  - See also* data; fields
  - access privileges, 252–53
  - adding, 130
  - browse mode, 129–30
  - changes made to, number of, 253–54
  - checking spelling in, 341
  - copying, 328–29

- copying in portals, 133
- creating, 66, 132–33
- creating in portals, 132–33
- creating new, 326–27
- within current found set, number of, 254
- defined, 9
- deleting, 131, 132–34, 380, 423
  - all, 330
  - in Browse mode, 327
  - permission to, 646
  - in portals, 133
  - related records, 171
  - scripts for, 327, 366
  - security considerations, 380
- duplicating, 131, 133
- ending note, 162
- exiting, 328
- exporting, 332–33, 366, 647
  - access privilege, 390
  - script for, 515
- finding, 66–67, 313–14
- hiding, 313
- importing, 332
- locking, 426, 587–91
- matching, 154
- multiple, hiding, 313
- navigating with voice, 132
- number of currently in database, 253
- publishing data from current record, 678–80
- publishing data from multiple record, 680–82
- related, 306
- showing all, 312
- showing omitted records, 312–13
- sorting, 311–12
- taking user to specified records, 305
- undoing changes to, 328
- unique ID of, 253
- unlocking, 379
- unsorting, 312
- verification process, 378–79
- Records menu, 130
- Records section, 421
- Recover script, 341
- recovering damaged databases, 341
- rectangles, 112
- Red Hat Linux, configuring FileMaker Server on, 400
- Redundant Array of Inexpensive Computers. *See* RAIC (Redundant Array of Inexpensive Computers)
- Refresh button, 410
- Refresh Data script, 460, 462
- refreshing windows, 334
- registration page, 439
- related data vs. lookups, 174–75
- related database method vs. flat-database method, 165–67
- related records
  - creation of, 171
  - deleting, 171
  - sorting, 172
- related value list, 111–12
- relational database management system (RDBMS), 13
- relational databases. *See* databases
- RelationIDs(dbname) function, 260
- RelationInfo(dbname, relationname) function, 261
- RelationNames(dbname) function, 261
- relationship report, 577
- relationships
  - conventions for, 563–64
  - between databases, 167–69
  - IDs for, 260
  - returning information describing specified relationship, 261
  - setup, 170–72
  - in specified database, 261
- Release Mac FAT target, 548, 550
- Release SuperFAT target, 540, 541
- Relookup button, 289
- relookup data, 143–44
- remote administration
  - enabling/disabling, 403
  - FileMaker Server, 408–10
  - of Web Security Database, 647
- Remote Data Access Companion plugin, 450–51, 453
- remote maintenance of database systems, 605–6
- remote users, and synchronization/replication automation, 434–35, 436
- removable media, 407
- Rename files and update internal links function, 615–16
- renaming
  - databases, 441, 615
  - files, 615–16
  - scripts, 281

- Reorder Arrows, 63
- Reorder columns option, 424
- Reorderable columns options, 94
- repeat loops, 681
- <repeat\_count> parameter, 538
- repeating fields, 54
  - current repetition of, 254
  - parsing, 693–94
- repeating functions, 232–33
- repeating scripts, 299–300
- RepeatString FMPlugin, 539
- RepeatString function, 538
- RepeatStringSuperFAT.fmx file, 546
- RepeatStringTest.fp5, 550
- Repetitions option, 108
- Replace Contents dialog, 141–42
- Replace data in current found set option, 153–54
- Replace script step, 295, 588, 589
- replace string, substituting search string with, 216–17
- replacement text, 214–15
- Replace(text, start, size, replacement text) function, 214–15
- replacing data, 141–42, 319
- replication, 103–4
  - automation of, 434–35, 436
  - vs. synchronization, 431–32
- report button, 284
- Report menu screen, 576
- Report Module, 575
- reporting requirements, 575
- reports, printing current, 316–17
- repositioning FileMaker Pro Window, 695–96
- Requests menu commands, 147
- required knowledge (for reading this book), 4
- requirements document, 573–75
- ResEdit application, 554
- reset button, 22
- resetting serial number values, 350–51
- Resizable columns options, 94
- Resize columns option, 424
- resizing
  - field columns, 423
  - FileMaker Pro Window, 694–95
- Resorcerer graphical resource editor, 554
- resource fork, 513
- Restore find requests checkbox, 309
- “Restore import order” box, 462
- Restore option, 335
- resuming scripts, 296–97
- Return Data to Microsoft Excel option, 456
- reusing code, 287–88
- Revert Request command, 148
- reviews, of software you've developed, 620
- Right(text, number) function, 215
- RightWords(text, number of words) function, 215
- risks, 363
- Rosenthal, Leonard, 685
- Ross, Chuck, 5, 591
- Rotate option, 126
- rotating portals, 192
- rounded rectangles, 112
- rounding numbers, 222–24
- Round(number, precision) function, 222–24
- rows, portal
  - deleting, 327–28
  - taking user to specified row, 307
- rulers
  - lines of, 124
  - text of, toggling, 336
- Run Imports\Exports on ODBC Workstation option, 463
- Run to Breakpoint button, 290
- running balance function, 475
- “Running FileMaker Pro 6 on Citrix MetaFrame XP,” 414
- “Running FileMaker Pro 6 on Windows 2000 Terminal Services,” 414
- running total checkbox, 59
- runtime, defined, 708
- Runtime Settings panel, 552
- runtime solutions
  - limitations of, 613–14
  - sharing, 403

## S

- SaleAmount field, 524
- SalespersonID field, 524
- Salinger Citation Database example, 641–43
- Sample Application and Syntax Examples folder, 669
- sample\_service-based business.qbw file, 477

- Save a Copy As script, 340
- Save( ) method, 716, 717
- Save user name and password box, 460
- Saved property, 716, 717
- saving copy of databases, 70
- Scan Data arrow buttons, 153
- scan data arrows, 601
- Schedula Professional, 489
- scheduling
  - automatic tasks, 412–13
  - software, 487–91, 597–98
- screen
  - depth of, 255
  - fitting interface to, 583
  - horizontal pixels, number of, 255–56
- script conventions, 566–67
- Script Debugger, 288–92
- Script Definition dialog, 282–83
- Script Definition window, 68
- Script Editor, 670
- script IDs, 261
- Script Menu (Mac OS X Component), 686–87
- script step, 68, 115
- script step library, 282
- ScriptIDs(dbname) function, 261
- scripting, 188
- Scripting Additions folder, 697, 698
- scripting, consistency in, 558
- ScriptMaker, 279–357
  - See also names of specific scripts; scripts*
  - Control script steps, 295–304
    - Allow User Abort script, 301
    - Else script, 299
    - End If script, 299
    - End Loop script, 300
    - Exit Loop If script, 300
    - Exit script, 297
    - Halt script, 297–98
    - If script, 298–99
    - Loop script, 299–300
    - Pause/Resume script, 296–97
    - Perform script, 296
    - Set Error Capture script, 301–4
  - extending scripts with AppleScript commands, 689–701
    - ASCII functions, 697
    - controlling Finder from FileMaker Pro, 698–701
    - overview, 689–90
    - parsing repeating fields, 693–94
    - pasting styled text from one field to another, 696
    - performing find within find without losing original request, 692–93
    - repositioning FileMaker Pro Window, 695–96
    - resizing FileMaker Pro Window, 694–95
    - Show Message vs. Display Dialog, 690–92
    - sorting while staying on same record, 692
    - string comparison with considering and ignoring, 693
    - tiling multiple windows, 694–95
  - Fields script steps, 319–22
  - Files script steps, 337–41
  - Find mode, switching user into, 309–11
  - finding records, 313–14
  - hiding records, 313
  - Insert from Last Record script steps, 323–26
  - Navigation script steps, 304–11
    - Enter Browse Mode script, 309
    - Enter Find Mode script, 309–11
    - Enter Preview Mode script, 311
    - Go to Field script, 307–8
    - Go to Layout script, 304–5
    - Go to Next Field script, 308
    - Go to Portal Row script, 307
    - Go to Previous Field script, 309
    - Go to Record/Request/Page script, 305
    - Go to Related Record script, 306
  - Open Menu Item script steps, 342–44
  - overview, 279–80
  - overwriting field data, 319–21, 323
  - performing scripts, 284–85
  - printing current layout or report, 316–17
  - Records script steps, 326–33
    - Copy All script, 329
    - Copy Record script, 328–29
    - Delete All Records script, 330
    - Delete Portal Row script, 327–28
    - Delete Record/Request script, 327
    - Duplicate Record/Request

- script, 326–27
  - Exit Record/Request script, 328
  - Export Records script, 332–33
  - Import Records script, 332
  - New Record/Request script, 326
  - Relookup Contents script, 331–32
  - Replace Contents script, 330–31
  - Revert Record/Request script, 328
- repeating scripts, 299–300
- Script Definition dialog box, 282–83
- Scripts menu, 280–82
- showing all records, 312
- showing omitted records, 312–13
- Sort/Find/Print script steps, 311–17
  - Modify Last Find script, 314–15
  - Omit Multiple script, 313
  - Omit Record script, 313
  - Page Setup script, 316
  - Perform Find script, 313–14
  - Print script, 316–17
  - Print Setup script, 315
  - Show All Records script, 312
  - Show Omitted script, 312–13
  - Sort script, 311–12
  - Unsort script, 312
- sorting records, 311–12
- Spelling script steps, 341–42
- updating links, 326
- Windows script steps, 333–37
  - Freeze Window script, 333–34
  - Refresh Window script, 334
  - Scroll Window script, 334–35
  - Set Zoom Level script, 336–37
  - Toggle Status Area script, 336
  - Toggle Text Ruler script, 336
  - Toggle Window script, 335–36
  - View As script, 337
- ScriptMaker dialog, 344
- ScriptNames(dbname) function, 261
- scripts
  - See also* AppleScript; *names of specific scripts*; ScriptMaker
  - abortion of, allowing, 301
  - adding comments to, 286
  - analyzing, tools for, 292–95
  - automating, 413
  - broken, 292
  - building, 283–84
  - calling via custom Web page, 645
  - centralizing in main menu database, 586
  - Comment scripts, 567
  - creating, 68–69
  - creating new record, 326
  - debugging, 288–92
  - deleting, 281, 283
  - deleting text, 318–19
  - duplicating, 281, 283
  - editing, 281
  - effect of access privileges on, 295
  - ending repeating scripts, 300
  - Find mode, switching user into, 309–11
  - finding records, 313–14
  - group heading scripts, 566–67
  - hiding records, 313
  - importing, 281–82, 585
  - initial, 375
  - IP addresses in, 287
  - list of in specified database, 261
  - Logon, 374–75
  - modularizing, 287–88
  - moving, 283
  - name of currently running or paused, 256
  - naming, 282
  - nested external scripts, 287–88
  - organizing, 282, 566–67
  - overwriting field data, 319–21, 323
  - pausing and resuming, 296–97
  - performing, 284–85
  - planning, 287–88
  - preserving print settings in, 315–16
  - Preview mode, switching current layout into, 311
  - printing, 281
  - printing current layout or report, 316–17
  - renaming, 281
  - repeating, 299–300
  - running, 31
  - running subscript within, 296
  - script writing best practices, 285–88
  - separator scripts, 566
  - showing all records, 312
  - showing omitted records, 312–13
  - sorting records, 311–12
  - speed optimization of, 287
  - stopping, 297–98
  - updating links, 326

- Scripts menu, 280–82, 612
- ScriptStatus( ) property, 710, 711
- scrolling
  - in FileMaker Mobile, 423
  - windows, 334–35
- sCustomers field, creating, 59
- Sea Battle, 503
- search string
  - number of occurrences within text, 210–11
  - substituting with replace string, 216–17
- searching, 148. *See also* finding data
- Seconds(time) function, 228
- Secure Sockets Layer (SSL) protocol, 647
- SecureFM plug-in, 375, 537, 582
- security, 359–86, 434
  - case studies, 372–81
    - data entry areas, 378
    - FileMaker Server setup, 372
    - initial scripts, 375
    - launcher databases, 373
    - Logon scripts, 374–75
    - main menu, 376
    - opening sequence, 374
    - password encryption, 375
    - record verification process, 378–79
  - SecureFM plug-in, 375
  - Security Administration button, 377–78
  - setup, 372
  - System Administration button, 377
  - testing other data entry areas, 379–80
  - unlocking a record, 379
- FileMaker Pro security features, 364–71
  - general password notes, 368
  - Record-Level Security, 368–69
  - setting up access privileges, 370–71
  - setting up groups, 369–70
  - setting up passwords, 364–68
- hacking FileMaker database, 385
- planning, 361–64
- recovering damaged FileMaker Pro databases, 385
- requirements for, 360, 574
  - and runtime solutions, 617
  - software tools and add-ons, 384–85
    - Web Security Database, 646–47
    - Web Server Connector, 657–58
- Security Administration button, 377–78
- security/password report, 577
- Select a Theme dialog, 78
- Select All option, 319
- Select All script, 319
- Select counters from computer option, 411
- Select Dictionaries command, 151
- Select Dictionaries script, 342
- Select entire contents option, 319, 322
- Select/perform box, 308
- Send Apple Event script, 351–52, 683–84
- Send Backward option, 126
- Send DDE Execute script, 353–54
- Send Mail script, 349–50
- Send Message button, 388, 409
- Send Message script, 355, 593
- Send Message to All button, 409
- Send to Back option, 126
- sending messages automatically, 413
- separator scripts, 566
- sequence, opening, 374
- Serial Number checkbox, 50
- serial numbers, 436–37, 601–2
  - resetting values, 350–51
  - for specified field, 260
- Server Administration plug-in, 410
- server PC, security for, 361
- Set Alignment dialog, 127
- Set/Clear Breakpoint button, 290
- Set Error Capture script, 301–4
- Set Field script step, 319–21, 588, 589, 696
- Set Layout Order dialog, 122
- Set Multi-User script, 339–40
- Set Next Serial Value script, 350–51, 602
- Set Next Step button, 290
- Set Path button, 718
- Set Rulers option, 123
- Set Sliding/Printing dialog, 118
- Set Tab Order option, 122–23
- Set Use System Formats script, 340
- setting preferences, 20–29
  - dialing option, 26–29
  - general preferences, 20–22
  - layout option, 22–23

- memory option, 23–25
- modem option, 25–26
- setting tabs, 138
- setting up
  - FileMaker Mobile, 419–21
  - security, 372
  - simple synchronization scheme, 440–45
- Setting Up Passwords feature, 364
- setup command, 25
- Setup.exe file, 718
- Shareware.com, 620
- sharing
  - databases, 387–415
    - See also* FileMaker Server
    - functionality limitations, 393–94
    - logging on as guest, 389
    - no hosted files in Hosts dialog, 390–91
    - opener databases, 389–90
    - optimizing database sharing performance and best practices, 391–93
    - other ways to see available hosted databases, 391
    - overview, 387
    - reasons for, 387–88
    - with remote users, 414
    - setting up small network, 394
  - files, 392, 407
  - runtime solutions, 403
- Sharing dialog, 344
- “Sharing Global Data Among Multiple Users,” 591
- SHIFT key, 250
- ShopKeeper FMP, 500
- Show All Records command, 69, 147
- Show All Records option, 423
- Show All Records script, 312
- Show All Records subscripts, 600
- Show Balloon option, 34
- show command, 675–76
- Show Custom Dialog script step, 291, 345–46, 519
- Show Desktop When in Background option, 392
- Show Examples script, 676
- Show menu, 125
- Show message command, 690–92
- Show Message script, 249, 291, 344–45
- Show *n* rows field, 173
- Show Omitted script, 312–13
- Show records from dropdown menu, 173
- Show vertical scroll bar checkbox, 173
- Shutdown message, 537
- Sign(number) function, 224
- simple expressions, 198–99
- simplicity, in interface design, 583
- sin of angle, 237
- Single Checkbox field, 420
- single-user database, 425
- Single User setting, 388
- Sin(number) function, 237
- size of database, 246
- sliding, 118–21
- Small Company, 4, 618
- smart card and credit card authorization, 496–97
- smart quotes, 30
- smart scripting, 188
- SmartDraw, 578
- Smile/Satimage scripting addition, 698
- Smiley, John, 707, 712, 722
- SMTPHost field, 529, 530
- SMTPit plug-in, 484, 528–30
- “So You’re Not An Accountant,” 477–78
- software
  - See also* integrating with and emulating other software
  - recommend for FileMaker Server, 397–98
  - required for Web Server Connector, 656
  - security tools, 384–85
  - updates, 621
- Sophisticated Circuits’ iDo Script Scheduler, 688
- Sophisticated Circuits’ iDo Script Scheduler, 701
- Sort by option, 456
- Sort by tapping column labels option, 424
- Sort command, 676
- Sort data when selecting column option, 94
- Sort/Find/Print script steps, 311–17
  - Modify Last Find script, 314–15
  - Omit Multiple script, 313
  - Omit Record script, 313
  - Page Setup script, 316
  - Perform Find script, 313–14

- Print script, 316–17
- Print Setup script, 315
- Show All Records script, 312
- Show Omitted script, 312–13
- Sort script, 311–12
- Unsort script, 312
- Sort Order box, 172
- Sort Order dialog box, 456
- Sort Records dialog, 84, 149
- Sort Records option, 423
- Sort script, 311–12
- sort status, 19, 256
- Sort Toggle, 63
- sorting
  - in AppleScript, 692
  - data, 149–51
  - portals, 115, 185
  - problems, 150–51
  - records, 311–12
  - related records, 172
- sounds, entering into container fields, 140–41
- Speak script, 347
- Specify button, 172, 298, 683–84
- Specify Calculation dialog, 57, 142
- Specify checkbox, 308
- Specify Field Order for Export dialog, 159
- Specify Fields dialog, 76, 419
- Specify Host option, 390, 391
- Specify menu, 305, 307
- Specify ODBC SQL Query dialog box, 462
- Specify Sort dialog, 172
- Speech Manager, 347
- speed optimization, of scripts, 287
- spell-checking data, 151
- spelling, Document Preferences, 31–32
- Spelling Options script, 342
- SQL Access Group, 448
- SQL plug-in, 465
- SQL Query Builder dialog box, 460
- SQL Query field, 461
- SQL script step, 464–65
- SQL Server, 449, 576
- SQL (Structured Query Language)
  - compatibility issues, 559
  - learning, 461–62
  - script for executing SQL statements, 354
- Sqrt(number) function, 224
- SSL (Secure Sockets Layer) protocol, 647
- stacking portal fields, 184, 190
- Standard Additions scripting addition, 698
- standard deviation of values, 60
- Standard field, 420
- Standard layout theme, 78
- standard toolbar, 18
- standards, development. *See* development conventions
- Start Up script, 390
- starting
  - Filemaker, 14–16
  - FileMaker Server, 406–12
    - copying databases into FileMaker Server folder, 406–8
    - local administration, 410
    - performance monitoring, 410–12
    - remote administration, 408–10
- State field, 48, 109–11
- State value, 420
- static Web publishing, 646
- statistics, obtaining, 409–10
- status area, 380
  - state of, 256
  - togglng, 336
- status area control, 18
- status bar, 20
- Status( CurrentRecordID ), 526
- status functions, 198, 242–57
  - Status(CurrentAppVersion), 243–44
  - Status(CurrentDate), 244
  - Status(CurrentError), 244–45
  - Status(CurrentFieldContents), 245
  - Status(CurrentFieldName), 245
  - Status(CurrentFileName), 245
  - Status(CurrentFilePath), 245–46
  - Status(CurrentFileSize), 246
  - Status(CurrentFoundCount), 246
  - Status(CurrentGroups), 246
  - Status(CurrentHighContrast), 247
  - Status(CurrentHighContrastColor), 247
  - Status(CurrentHostName), 247
  - Status(CurrentLanguage), 247
  - Status(CurrentLayoutAccess), 247
  - Status(CurrentLayoutCount), 248
  - Status(CurrentLayoutName), 248
  - Status(CurrentLayoutNumber),

- 248–49
- Status(CurrentMessageChoice), 249
- Status(CurrentMode), 249
- Status(CurrentModifierKeys), 250
- Status(CurrentMultiUserStatus), 250–51
- Status(CurrentNetworkChoice), 251
- Status(CurrentODBCError), 251
- Status(CurrentPageNumber), 251
- Status(CurrentPlatform), 251–52
- Status(CurrentPortalRow), 252
- Status(CurrentPrinterName), 252
- Status(CurrentRecordAccess), 252–53
- Status(CurrentRecordCount), 253
- Status(CurrentRecordID), 253
- Status(CurrentRecordModification-Count), 253–54
- Status(CurrentRecordNumber), 254
- Status(CurrentRepetitionNumber), 254
- Status(CurrentRequestCount), 254–55
- Status(CurrentScreenDepth), 255
- Status(CurrentScreenHeight), 255
- Status(CurrentScreenWidth), 255
- Status(CurrentScriptName), 256
- Status(CurrentSortStatus), 256
- Status(CurrentStatusArea), 256
- Status(CurrentSystemVersion), 256
- Status(CurrentTime), 256
- Status(CurrentUserCount), 256–57
- Status(CurrentUserName), 257
- Status(CurrentView), 257
- Status(CurrentWebSharing), 257
- StDev(field . . . ) function, 230
- StDevP(field . . . ) function, 230
- Step button, 289, 290
- Step Into button, 289
- Step Out button, 289
- Stolen Apple Productions
  - Doc Builder, 580
  - QA Tester, 599
- Stop Execution button, 290
- stopping
  - FileMaker Server, 408
  - scripts, 297–98
- storage options, 52–53, 197, 266–67
- store compatible graphics option, 30
- stored fields, 646
- Strict Data Type box, 45, 47
- String Commands suite, 698
- string comparison, 693
- string variables, 714
- Structured Query Language. *See* SQL (Structured Query Language)
- stuffing files, 513, 619
- Style checkboxes, 137
- style effects, 102–3, 105, 114, 117
- Style section, 108
- sub-summary layout part, 81
- Subject field, 529
- subscripts, running within scripts, 296
- Substitute (text, search string, replace string) function, 216–17
- Subsummary fields, 150
- Sum (field . . . ) function, 230–31
- Summarize by button, 159
- Summary fields, 58–61
- summary fields, 560
- summary functions, 231–32
- summary reports, 94–99
- SumText field, 518
- SumText function, 517, 518
- SumTextCalc field, 518
- SuperFAT plug-ins, 534
- SuperFAT Settings dialog box, 542
- support, 620
- Support Group, The, 287
- Sustainable Networks, 620
- Switched on Knowledge, 497–98
- Symantec’s PCAnywhere, 605
- symbols, 144, 147
- SyncDeK, 445
- synchronization
  - automation of, 434–35, 436
  - bi-directional, 432
  - vs. replication, 431–32
  - uni-directional, 432
- synchronizing FileMaker Mobile, 419–29
  - with handheld computers, 428–29
  - multi-user databases, 425–28
- sync\_status\_flag field, 442
- System Administration button, 377
- system crashes, 392
- System DSN tab, 452
- system sleep, 398

## T

- T-squares, 124
- tab-separated text format, 133

- tabbed interface, 581
- table, defined, 9, 10–12
- table view, 90–94
- Table View Properties dialog, 93–94
- Tables box, 461
- TableTurnOver.fp5 database, 503
- tabs
  - modifying and deleting, 139
  - setting, 138
  - stops, setting with Text Ruler, 139
- Tabs button, 138
- Tabs dialog, 139
- tangents, 235, 237–38
- Tan(number) function, 237–38
- Target Settings dialog box, 553
- Target Settings panel, 553
- TCP Extra, 500
- TCP/IP networking protocol, 391, 404, 436
- team of developers, being part of, 607–8
- TeamAgenda Pro Group Scheduling Software, 487–89
- Tech Rocks's eBase, 473–74
- TECSOFT, 5, 669
- telephone, dialing, 347–48
- tell statement, 671–72, 680–81
- temporary files, 393
- terminology, 450
- test scripts, 599
- testing
  - beta, 618
  - database systems, 599
  - databases on Web, 637–40
  - documentation, 618
  - interface, 618
- text
  - converting into number data type, 218
  - converting to upper case, 218
  - copying, 318
  - cutting, 317–18
  - deleting, 318–19
  - entering, 134
  - formats of, 137
  - formatting, 137–40
  - inserting, 321
  - length of, 209
  - in lowercase letters, 209
  - number of occurrences of search string within, 210–11
  - number of words in, 219
  - pasting, 318
  - pasting from one field to another, 696
  - replacement text, inserting, 214–15
  - representing dates, 217
  - returning number as string of, 221
  - “speaking,” 347
- Text blocks, 100–101
- text constant, 200, 202–3
- text expressions, 207
- text fields, 43–44, 48
- text files, importing folder with, 155–56
- Text Formatting dialog, 105
- text functions, 207–19
  - Exact(original text, comparison text), Exact(original container field, comparison container field), 207
  - Left(text, number), 208–9
  - LeftWords(text, number of words), 209
  - Length(text), 209
  - Lower(text), 209
  - Middle(text, start, size), 210
  - MiddleWords(text, starting word, number of words), 210
  - PatternCount(text, search string), 210–11
  - Position(text, search string, start, occurrence), 212–13
  - Proper(text), 213–14
  - Replace(text, start, size, replacement text), 214–15
  - Right(text, number), 215
  - RightWords(text, number of words), 215
  - Substitute(text, search string, replace string), 216–17
  - TextToDate( text ), 217
  - TextToNum( text ), 218
  - TextToTime( text ), 218
  - Trim( text ), 218
  - Upper(text), 218
  - WordCount(text), 219
- text ruler, 124, 336
- TextToDate( text ) function, 217
- TextToNum function, 208
- TextToNum( text ) function, 218
- TextToTime( text ) function, 218
- Theme Creator, 78
- Theme Monster, 78

- themes, 77, 78
- Then by option, 456
- Thorsen, Jr., John, 5
- tiling multiple windows, 694–95
- Timbuktu, 407, 605
- time
  - See also* dates
  - how stored, 199
  - inserting, 323–24
- Time Created option, 456
- Time fields, 55
- Time Format dialog, 106
- time functions, 227–28
- Time, Modification checkbox, 50
- timed expiration (time bomb) feature, 595–96
- timed out error message, 692–93
- Time(hours, minutes, seconds) function, 228
- TimeToText(time) function, 228
- title case, in field names, 560
- title footer, 81
- title header, 74, 80
- ToAddress field, 529
- Today function, 226–27, 689
- Toggle Window step, 69
- tooggling
  - status area, 336
  - text ruler, 336
  - windows, 335–36
- ToMarket courseware, 621–22
- toolbars
  - enabling/disabling access to, 346
  - standard, 18
- tools for layout building, 100–103
- total of values, 60
- touch screen monitors, 501
- track changes to data, 270–76
- traffic monitoring, 658
- trailing grand summary layout part, 81
- training courses. *See* courses
- transaction database, 178
- Transactions statistics, 409
- Translate button, 453
- traveling. *See* FileMaker Mobile
- TrFile-Launch function, 516
- trigonometric functions, 235–38
- Trim( text ) function, 218
- Troi Automatisering, 500, 553
- Troi Dialog plug-in, 482, 519, 519–20
- Troi File plug-in, 435, 480, 515–17
- Troi Graphic plug-in, 498
- Troi Number plug-in, 474–75
- Troi Text plug-in, 517–19
- Troi URL plug-in, 500
- Troi's Astro, 498–99
- Truncate(number, precision) function, 224–25
- Tucows.com, 620
- two dashes (-), 691, 693
- typing entry, 134

## U

- Uacamole!, 503
- underscore character, in Visual Basic, 713
- underscores
  - in field names, 560–61
  - in relationship names, 564
- Understanding ActiveX and OLE*, 707
- Undo script, 317
- undoing most recent action, 317
- ungroup objects, 126
- uni-directional synchronization, 432
- Uniform Resource Locators (URLs), opening, 348–49
- unique IDs, 253, 436–37
- Unique validation, 45
- universal back button, 596
- Universal Scripts folder, 685
- Unlock button, 379
- unlock objects, 126
- Unlock script, 596
- Unsort script, 312
- unsorting records, 312
- unstored calculation fields, 646
- Unzoom option, 335
- Update all Links before printing checkbox, 162
- Update Link script, 326
- Update matching records in current found set selection, 153–54
- Update Serial Numbers Part X script, 602
- UpdatePlugin function, 514
- updates, software, 621
- updating
  - database structure, 440
  - internal links, 615–16
  - links, 326
- upgrading
  - database systems, 599–603

- operating system, 397
- upper case, converting text to, 218
- Upper(text) function, 218
- URLs, opening, 348–49
- urSQL tool, 458
- Usage button, 409
- Use Auto Capitalization property, 420
- Use Counter script, 531
- Use Custom Label property, 420–21
- Use High Contrast checkbox, 247
- Use label measurement for button, 87
- Use Remote Connection box, 453
- use system formats setting, 340
- use\_\_option, 176
- User Authentication, 391
- User DSN (Data Source Name) tab, 452
- user name, 21, 324
- user profiles, 575
- user support, 620
- user's guide, testing, 618
- UserName field, 529, 530
- users
  - holding accountable, 270–76
  - name of current user, 257
  - number currently accessing data-  
base, 256–57
- USPS PostNET bar codes, 500

**V**

- Validate checkbox, 46
- Validation options, 44–48
- Value from Previous Record checkbox, 50
- value list conventions, 561–62
- value list IDs, 261
- value list report, 577
- value lists, 45–46, 108–12, 136, 149, 586
- ValueListIDs(dbname) function, 261
- ValueListItems(dbname, value list)  
function, 261
- ValueListNames(dbname) function, 262
- values
  - calculating, 59–61
  - list of available in value list, 261
- variables
  - string, 714
  - in Visual Basic (VB), 713
- VB (Visual Basic), 711–13
- verification process, record, 378–79
- version of FileMaker, 243–44
- Version property, 710, 711

- VersionTracker (VT), 554
- View as Form option, 337
- View as List option, 337
- View as Table option, 337
- View by drop-down menu, 63
- view menu, 123–25, 138
- viewer database development method, 193
- views, current, 257
- Views tab, 92
- Virtual Network Computing (VNC), 605
- Virtual Training Company (VTC), 648
- Visible property, 708, 710, 711
- Visio tool, 578
- Visual Basic (VB), 711–13
- Visual SourceSafe, 607
- Visual Studio, 534, 554
- VizMotion, 428–29
- VNC (Virtual Network Computing), 605
- voice navigation, 132
- VT (VersionTracker), 554
- VTC (Virtual Training Company ), 648

## W

- WANT\_IDLE constant, 551
- WANT\_IDLE setting, 544
- WANT\_PREFS constant, 551
- WANT\_PREFS setting, 544
- WAP (Wireless Application Protocol), 429
- Waves in Motion, 463
  - The Analyzer, 293–94
  - Charts plug-in, 523–27
  - eAuthorize, 496–97
  - Events plug-in, 521–23
  - oAzium Events plug-in, 683, 688
  - oAzium Smart Card plug-in, 496
  - Web site of, 554
- Web
  - remote user dial-in capabilities, 436
  - security for access of, 362
- Web-based payment, 620
- Web browsers, of users accessing Web  
Companion, 265
- Web color palette, 594
- Web Companion plug-in, 265
  - configuration window, 510
  - configuring, 631–36
  - IP address of user accessing, 265
  - platform and browser of user access-  
ing, 265

- state of, 257
  - version number of, 265
  - Web-like interface, 581–82
  - Web publishing, 623–50
    - case study, 627–31
    - Custom Web Publishing, 640–45
      - calling scripts, 645
      - CDML tags, 643–44
      - vs. Instant Web Publishing, 625–26
      - overview, 640–41
      - planning database-driven Web sites, 644–45
      - Salinger Citation Database example, 641–43
      - database-driven Web sites, 645–48
      - hardware and software for, 626–27
      - hosting companies, 648
      - Instant Web Publishing, 625–26
      - learning resources, 648–49
      - overview, 623–24
      - reasons for using, 624–25
      - testing database on Web, 637–40
      - Web Companion plug-in, configuring, 631–36
  - Web Security Database, 646–47
  - Web server computer, cost of, 655
  - Web Server Connector
    - configurations, 653–55
    - configuring and administering, 656–57
    - costs, 655–56
    - installing, 653
    - monitoring traffic, 658
    - security, 657–58
    - what it is, 652–53
  - Web sites
    - database-driven, 645–48
    - site for this book, 5
  - WebObjects, 664
  - WeekofYear(date) function, 227
  - WeekofYearFiscal(date, starting day) function, 227
  - What's This? option, 37
  - WHERE tab, 461
  - whole numbers, 220
  - Wilde, Ethan, 669
  - Window menu, 32–34
  - Window Resizing control, 64–65
  - windows
    - refreshing, 334
    - revealing, 700–701
    - scrolling, 334–35
    - stopping update of, 333–34
    - tooggling, 335–36
  - Windows Academy, 648
  - Windows only option, 401
  - Windows operating system
    - configuring FileMaker Server on, 399–400
    - file storage of, 513
    - FileMaker Server on, 397
    - fonts, 139
    - inserting objects on, 141
    - inserting QuickTime, 140
    - starting FileMaker Server on, 407
    - Update all Links before printing checkbox, 162
  - Windows Terminal Services, 414
  - Windows' Scheduled Tasks, 463
  - WinFlow, 578
  - WinSQL tool, 458
  - WinZip, 619
  - Wireless Application Protocol (WAP), 429
  - wireless devices, integration with, 429
    - [with data anything ] parameter, 677
  - WooF plug-in, 664
  - Word integration, 483
  - Word's Manual template, 604
  - WordCount(text) function, 219
  - words in text, number of, 219
  - workflow diagrams, 577, 578
  - Working Solutionz Software, 472
  - write functionality, 708
- X**
- X2Max's xmChart, 492–93
  - x86 Settings dialog box, 543
  - xmChart, 492–93
  - XML (eXtensible Markup Language)
    - benefits of, 659–60
    - comparison with HTML, 658–59
    - compatibility issues, 559
    - exporting, 160
    - and FileMaker Pro Unlimited, 658–61
    - importing, 158
    - resources, 661
  - xor (Exclusive Or) operator, 201
  - XSL (Extensible Stylesheet Language), 659

**Y**

Year(date) function, 227

YourFMPServer\_Admin database, 408

**Z**

Zahradnicky, Tomas, 5

ZapThink.com, 661

zero or more characters symbol (\*), 146

zipping files, 619

zooming, 19, 335, 336–37