

Index

Symbols

- `-=` (operator) 28
- `=` (operator) 28
 - defining 324
- `&t`
 - in labeling 90
- ...
 - in menu entries 108
- `[]` see index operator
- `>>` (operator)
 - defining 325
- `<<` see serialization operators
- `<` (operator) 407
- 16-bit integer
 - signed see `qint16`
 - unsigned see `quint16`
- 32-bit integer
 - signed see `qint32`
 - unsigned see `quint32`
- 64-bit integer
 - signed see `qint64`
 - unsigned see `quint64`
- 8-bit integer
 - signed see `qint8`
 - unsigned see `quint8`

A

- about box 117, 173
 - modal 118
- `abs()` 422
- absolute value
 - determining 422
- abstract classes 211
- accelerator 107
 - vs. shortcut 109
- `accept()` (slot) 71, 162
- access control
 - for objects 63
- accessibility 209
- `AccessibleDescriptionRole`
 - in Interview 209
- `AccessibleTextRole`
 - in Interview 209
- action see `QAction`
- Action Editor
 - of the Designer 108
- Active-X components 47
- ActiveQt 47
- addition operator
 - `QMultiHash` 411
 - `QMultiMap` 408
- `addStretch()` 148
- `addWidget()` 30, 32, 34, 144, 145
 - in `QGridLayout` 148
 - with splitters 150
 - with stacked layouts 157
- algorithms 412–422
 - binary search 416–418
 - copy 415–416
 - heap sort 413
 - search 414–418
 - sort see sorting
- aligning
 - `DisplayRole` data 209
 - on a grid see `QGridLayout`
 - horizontally see `QHBoxLayout`, 145
 - text 105
 - vertically see `QVBoxLayout`
 - widgets in `QSplitter` 150

- alpha blending 311
- alpha channel 274, 297
- alpha transparency 312
- alternating background color
 - in tables 233
- Amarok 264
- ampersand see `&t`
- animation
 - in SVG 302
- anti-aliasing 277
- apparent crashes 186
- `append()` 394
- application
 - calling 29
 - determining name of 169
 - generating with `qmake` 28
 - without GUI 44
 - quitting 36
- Aqua style 88
- Arabic characters 40
- ARGB32 297, 310
- arranging
 - on a grid see `QGridLayout`
 - horizontally see `QHBoxLayout`
 - vertically see `QVBoxLayout`
 - widgets 29
- artifacts
 - due to opaque resizing 151
- ASCII 114
- `assert()` see assertions
- assertions 390–391
- assignment operator
 - defining 324
- Assistant 47–48
- start page 59

- use as documentation browser 43, 46
- asynchronous device 328, 330
- at() 229
- attaching
 - elements to a list 400
- attributes
 - of an XML element 369, 371
- autoDefault (property) 87

- B**
- background color
 - alternating (in tables) 233
 - in views 209
- backslashes
 - in regular expressions 70
- backward compatibility
 - with Qt3 *see* Qt3Support
- base class 56
 - details in class documentation 60
- Bezier curve 309
- Bidi 156–157
- bidirectional languages *see* Bidi
- binary number
 - converting to string 72
- binary search
 - in sorted containers 416–418
- blind persons
 - alternative description for 209
- blocking calls
 - with `waitForDisconnected()` 341
 - with `waitForReadyRead()` 329, 341
- breadth-first search 404
- Buddy 90
- buffer 318, 323, 404
- button
 - honoring style guide for 83
 - push *see* `QPushButton`
 - radio *see* `QRadioButton`
 - tool *see* tool button
- ByteArray *see* `QByteArray`

- C**
- callback functions 35
- Cancel button 162
- canceled
 - program in case of error *see* `qFatal()`
- casting
 - of objects *see* `QObject::cast`
 - primitive data types 325
 - for `QKeyEvent` 193
 - for `QTimerEvent` 189
- CDATA *see* `QDomCDATASection`
- centering text 202
- central widget 92, 101, 363
- `cerr` 386, 387
- changing size
 - opaque 151
- channel
 - with RSS 356
- characters
 - counting 123
 - replacing 123
- checkbox 234–237
 - in front of actions *see* `QAction`, `Selectable`
- checking inputs *see* validator
- `CheckStateRole` 234
 - in Interview 209
- child objects
 - and automatic memory management 31
- Chinese characters 40
- circle, drawing 278
- class
 - documentation 59
 - name 92
- clear mode 314
- `clicked()` (signal) 36
- clip region 308
- clipboard 201–205
- clipping 280, 307–308, 315
- closing windows automatically 62
- CMYK 274
- `Code::Blocks` 52
- collapsible widgets 150
- color *see* `QColor`
 - available options 272
 - for DisplayRole data 209
 - predefined *see* `GlobalColor` (enumerator)
 - selection dialog *see* `QColorDialog`
 - transparent 272
- color gradient
 - linear 288, 310
 - radial 287
- color palette 298
 - defining your own 276
- color spaces
 - CMYK *see* CMYK
 - HSV *see* HSV
 - RGB *see* RGB
- coloring in `QPixmap` 277
- column numbers
 - in the `QGridLayout` 34
- combo box 214
 - editable 247
- command-line program
 - with Qt 44
 - running 328
- comment lines
 - removing in a file 320
- comments
 - reading out from XML documents *see* `QDomComment`
- comparing
 - list contents 419
 - objects 290
 - `QStringList` with `QVector<QString>` 419
- comparison operator 409
- compatibility
 - with Qt3 *see* Qt3Support
- compiler
 - affecting length of compiling 44
- compiling
 - Qt 23, 259
 - a Qt program 27–29
 - a Visual Studio project 29
- compositing
 - Porter-Duff 310–315
- composition operators 310
- `.config` 136
- CONFIG (qmake variable) 386
- configuration dialog 161

- implementation in KDE 157
 - with QStackedLayout 34
 - configure 23
 - connection
 - closing 336
 - delayed *see* queued connections
 - connectSlotsByName() 97
 - const
 - as argument type 71
 - correctness 400
 - declaration of get methods 325
 - and inheritance 227
 - iterator 396, 412
 - const char * 387
 - as reason for crashing 388
 - const_cast 247
 - consumer-producer pattern 342–345
 - container *see* Tulip
 - content handler
 - registering with QXmlSimpleReader 365
 - for SAX *see* QXmlContentHandler
 - contents
 - reading out of a vector 401
 - context
 - in translations 51, 377, 380
 - control *see* widget
 - element *see* widget
 - conversion
 - QPixmaps in QImages 297
 - converting
 - to local 8-bit encoding *see* toLocal8Bit()
 - to Unicode *see* fromLocal8Bit()
 - coordinate system
 - of the grid layout 34
 - scaling 292
 - transforming *see* QMatrix
 - coordinates
 - storing *see* QPoint
 - copying container areas 415–416
 - counting identical elements 418
 - Courier 106
 - cout 386
 - crash
 - apparent 186
 - due to const char * 388
 - during Interview programming 225
 - due to invalid indices 225
 - only in the release version 392
 - when using Designer-generated classes 93
 - critical errors
 - defining *see* qCritical()
 - critical messages *see* error, dialog
 - _CRT_ERROR
 - generating 388
 - cursor (database) 395
 - custom widget 99
 - Cyrillic characters 40
- D**
- data structures
 - filling 420
 - thread-dependent 345–347
 - database *see* QSql module
 - drivers 258
 - support 42, 43, 45
 - temporary 265
 - dataChanged() (signal) 229, 237
 - datastream *see* QDataStream
 - date details *see* QDate
 - DB2 database driver 258
 - DBus 43, 47
 - deadlock 344
 - debug libraries
 - generating in Windows 28
 - installing in Unix 28
 - debug version
 - for an application 64
 - generating 28
 - debugging 385–392
 - your own model 227
 - debugging functions
 - changing output of *see* message handler
 - Qt-dependent 386
 - DecorationRole
 - in Interview 209
 - default button 68, 87
 - setting 69
 - default size
 - defining *see* sizeHint()
 - delegate 210, 228, 245–247
 - for database queries 267
 - QItem 234
 - DELETE statement (SQL) 262
 - deleting QObject-based objects 336
 - demarshalling 322
 - demo programs
 - included 58
 - deserializing 322
 - Designer 48–49, 81–100
 - Action Editor 108
 - deleting widgets 82
 - enabling dock window mode 81
 - file format 49
 - Property Editor 56, 109
 - Resource Editor 58, 99
 - working with view classes 214–216
 - Designer-generated file *see* ui files
 - destination mode 311
 - DestinationAtop mode 313
 - DestinationIn mode 312
 - DestinationOut mode 312, 314
 - DestinationOver mode 311
 - device
 - asynchronous 328, 330
 - dialog *see* QDialog
 - closing 71
 - color selection *see* QColorDialog
 - creating with Designer 82
 - for critical messages *see* error, dialog
 - editor *see* Designer
 - file selection *see* QFileDialog
 - hiding *see* hide()
 - for information *see* QMessageBox
 - as main window 62
 - for messages *see* QMessageBox
 - modal 161–162
 - non-modal 163–164, 176

- print *see* `QPrintDialog`
- for questions *see* question dialog
- ready-made 166–184
- semi-modal 164
- vs. status bar 124
- for uncritical messages *see* information dialog
- for warnings *see* warning dialog
- your own file selection 214–221
- dictionary *see* `QMap`
- dimensions
 - setting *see* `setGeometry()`
 - storing *see* `QSize`
- direct connections 347
- Direct Object Model *see* DOM
- directory
 - default icon 330
 - listing contents 332
 - operations *see* `QDir`
 - selecting 178
- directory hierarchy
 - presenting 212–214
- DisplayRole
 - font type 209
 - in Interview 209, 224
 - text alignment 209
 - text color 209
- division
 - by zero 388
- DLLs
 - of the Qt debug libraries 28
- DNS name resolution *see* `QHostInfo`
- dock window 101, 130–136
- dock window mode
 - enabling in Designer 81
- Document Object Model *see* DOM
- document type
 - determining from XML files 369
- documentation 47
 - browser *see* Assistant
 - start page 59
 - on the Web 59
- DOM 43, 45, 353, 366–373
 - element *see* `QDomElement`
 - nodes *see* `QDomNode`
 - SVG manipulation 46, 301
- dotted lines 295
- double 423
- double buffering 282
 - switch off 283
- drag and drop 194–201, 323
 - bug in Qt 4.1.2 245
 - of images 194
 - implementing in models 241–245
- drawing
 - with Qt 271–317
 - re-~ a widget 296
 - re-~ the screen 280
 - on widgets 280–283
 - drawing path *see* Painter paths
- drop actions
 - types 244
- DTD
 - handling in SAX *see* `QXmlDTD-Handler`
- dynamic text
 - generating 124
- dynamic_cast 248
- E**
- ECMA script
 - in SVG 301
- editor
 - Kate 55
 - widget *see* `QTextEdit`
- EditRole
 - in Interview 209, 225
- element-based views 251–255
- ellipse
 - drawing 278, 295
 - filling with pattern 295
- ellipsis in menu entries 108
- embedded databases 264
- embedded version 20
- emit (signal designator) 78
- empty lines
 - removing in a file 320
- empty space
 - removing at the beginning and end of line 322
- encapsulation 95, 96
- Enter key *see* Return key
- enum 105
- enumeration types
 - alignment 105
 - CheckState 209
 - DockWidgetFeatures 131
 - EchoMode 181
 - format 297
 - orientation 224
 - policy 146
 - SocketError 340
- environment
 - influencing ~ of a process 328
- environment variable
 - influencing ~ of a process 319, 329
 - LANG 329
 - QT_FATAL_WARNINGS 388
 - QT_NO_DEBUG_OUTPUT 386
 - QT_NO_WARNING_OUTPUT 388
 - reading out ~ of a process 329
- error
 - critical *see* `qCritical()`
 - dialog 173
 - fatal *see* `qFatal()`
 - issuing 387–388
 - linker 392
 - in multiple inheritance 97
 - non-integrated layouts 67
 - searching for *see* debugging
 - staticMetaObject 65
 - unknown signals or slots 64
 - unresolved signals or slots 79
 - unresolved symbols 65, 79
 - vtbl-linker error message 392
- error handler
 - registering with `QXmlSimpleReader` 365
 - for SAX *see* `QXmlErrorHandler`
- error messages
 - issuing 174
- error source
 - with `QMap` usage 405
- Esc key 162

- assigning 168
- /etc/xdg 136
- event filter 190, 247
- event handler 35, 97, 186–190
 - for drag and drop 202
 - for dropping 199
- event listener 35
- event loop 26, 31, 185–186, 320
 - ending 26, 36
 - for non-graphic programs 44
 - programming 332
 - starting in dialogs 162
 - for threads 350–352
- events 35, 185–201
 - occurring when dropping 198–199
 - in threads 352
 - triggering manually 188
- example (directory) *see* example programs
- example programs
 - included 58
- exclusive Or *see* XOR
- exec() 26, 162
- Extended Markup Language *see* XML
- F**
- fabs() 422
- factory method 153
- fatal error
 - defining *see* qFatal()
- father *see* parent widget
- Fifo container *see* QQueue
- file
 - access 320–322
 - default icon 330
 - dialog *see* QFileDialog
 - format *see* format
 - open 113, 320
 - restricting selection to directories 178
 - save *see* saveFile()
 - selecting individual 175
 - selecting several 177
- FILE pointer 113, 320, 322
- file selection dialog *see* QFileDialog
- your own 214–221
- filename
 - selecting 178
- fill() 420
- filling data structures *see* qFill()
- filtering 212
- filtering data in models 231
- of datasets 234
- Firefox
 - non-modal dialogs 164
- flicker
 - avoiding *see* double buffering
 - screen 283
- floating dock windows 133
- floating number *see* floating-point types
- floating-point inputs *see* getDouble()
- floating-point types
 - in Qt 423
- font metrics *see* QFontMetrics
- font selection dialog *see* QFontDialog
- font type
 - changing 106, 251, 253
 - for DisplayRole data 209
- FontRole
 - in Interview 209, 251
- fopen() 113
- for loop 394–396
- foreach 151, 411–413
 - and QDomList 370
- foreign key relations
 - resolving 266
- forever 341
- forking 337
- format
 - images 297
 - QDataStream 323
 - QImage 297
 - RSS 355
 - translation sources 377
- format strings
 - for debug functions 386
 - in debug output 386
- FORMS (qmake variable) 49
- forward declaration 63, 122
- fractions
 - entering *see* getDouble()
- frame shape 85
- free text
 - reading in 181
- freedesktop.org 43
- fromLocal8Bit() 330, 331
- FTP *see* QFtp
 - client 45
- G**
- GCC
 - undefined symbols 65
 - unresolved symbols 79
 - for Windows 52
- get method 56
- getDouble() 180
- getInteger() 179
- GIF support 23
- GlobalColor (enumerator) 272
- GNOME 83
- Google Earth 19
- GPL
 - version for Windows 52
- gradient
 - linear 288, 310
 - radial 287
- graphics
 - integrating 57
 - MIME encoding 195
 - scaling 100
- graying
 - actions 129
- grid layout *see* QGridLayout
- groups
 - of actions 128
 - in configuration files 138
- GUI
 - avoiding locking 332, 337
 - design via mouse click *see* Designer
 - editor *see* Designer
 - thread 338
- GUI classes
 - integrating 43
 - not integrating 43

- H**
- handle 34
- handler
 - classes for SAX 355–361
 - for events *see* event handler
- handles 125
 - adjusting 153
- hanging
 - because images are too large 305
- hash table 409–411
- hash value
 - calculating 410
- hash-based amounts 411
- hash-based sets 412
- hasNext() 397
- hasPrevious() 397
- header columns
 - for table and tree views 211, 233
- header file 26, 43
 - adding to projects 106
 - multiply included *see* include guards
- HEADERS (qmake directive) 64, 106
- heap
 - generating objects on 32
 - with threads 337
- heap sort 413
- Hebrew characters 40, 156
- height
 - reading out ~ of splitter widgets 151
 - setting *see* setGeometry()
- help
 - browser *see* Assistant
 - longer help text 110, 129
- hexadecimal number
 - checking as input value 70
 - converting to string 72
- hide() 304
- home directory
 - determining 176
- horizontally
 - aligning 145
 - arranging *see* QHBoxLayout
- host name 333
- HSV 273
 - color selection dialog 275
- HTML 354, 367
 - centering text 202
 - in QMessageBoxes 171, 390
 - for tables 226
 - in tooltips 226
- HTTP *see* QHTTP
 - client 45
- I**
- I/O 317–336
- icon bar *see* toolbar
- icons 125
 - for input/output operations 330
 - in Interview 209
 - selecting for actions 127, 129
 - selecting for message boxes 167
 - standard 330
 - in the status bar 121
- identity matrix *see* unit matrix
- images *see* graphics
- implicit sharing 40, 412
- include guards 62, 104
- index operator 229, 400
 - access to QListedList 401
 - access to QVector 402
 - with QHash 409
 - with QMap 408
 - vs. value() 405, 409
- individual preferences *see* user scope
- infinite loop
 - with forever 341
- info box *see* QMessageBox
 - on the program 117, 173
- information dialog 171–172
- inheritance
 - multiple *see* multiple inheritance
 - sequence 97
- input
 - checking 70
 - dialogs *see* QDialog
 - fields for line-by-line input *see* QLineEdit
 - restricting 70
- input/output interfaces 317–336
 - opening 319
- input/output operations
 - icons for 330
- INSERT statement (SQL) 262
- installation path
 - defining for Qt 24
- integer inputs *see* getInteger()
- integer types
 - in Qt 422
- integer values
 - accepting *see* getInteger()
 - checking during input 70
 - converting strings to 72, 73
- inter-process communication 337
- InterBase
 - database driver 258
- internationalization 375–381
- interprocess communication 322
- intersection
 - forming 412
- Interview 207–255
 - and database access 258, 265–270
- introspection 97
- invisible widgets
 - causes of 67
- IP addresses 333
- IPv6 333
- isNull() 176
- ISO 8859-1 114
- ISO Latin 1 114
- item 207, 251
 - cloning 254
 - sorting 255
- item-based display 207
- iterator 394–398
 - immutable 396
 - Java-style 396–398, 404
 - mutable 396
 - for QMap 405
 - for QQueue 404
 - for QStack 404
 - STL-style 395–396
 - unchangeable 396

- J**
- JavaScript in SVG 301
 - JUnit 46
- K**
- Kate 55
 - KDE
 - Amarok 264
 - implementation of configuration dialogs 157
 - media URL 200
 - non-modal dialogs 164
 - QMimeData with several URLs 200
 - Run dialog 164
 - style 88
 - KDevelop 53
 - key binding
 - application-wide 109
 - keyboard usage 107
 - Konqueror
 - Hebrew 156
- L**
- label *see* QLabel
 - labeling text 85
 - landscape (print format) 306
 - LANG (environment variable) 329
 - languages oriented from right to left *see* Bidi
 - layout
 - adding widgets to *see* addWidget()
 - automatic *see* layout system
 - grid *see* QGridLayout
 - horizontal *see* QHBoxLayout
 - inserting other layouts into 149–150
 - manual 141–143
 - nested 65–68, 149–150
 - removing in Designer 84
 - stretch 67, 83
 - vertical *see* QVBoxLayout
 - layout system 29, 141–161
 - advantages 31
 - LCD display *see* QLCDNumber
 - lettering *see* labeling text
 - adjusting for labels 86
 - libQtCore_debug.so 28
 - library
 - generating with qmake 28
 - LiFo container *see* QStack
 - lightweight processes *see* threads
 - line drawing *see* QPen
 - line edit *see* QLineEdit
 - line numbers
 - in the QGridLayout 34
 - line wrap
 - preventing 106
 - removing 123
 - Linguist 49–51, 376–378
 - linker
 - frequent errors 392
 - problems with undefined ~ symbols 104
 - problems with unresolved ~ symbols 79
 - Linux
 - printing large images 305
 - list view 157–159, 210
 - without Interview *see* QListWidget
 - selecting column from the model 227
 - string-based 207, 221
 - lists *see* QList
 - changeable iterators 396
 - filling 420
 - linked *see* QLinkedList
 - QQueue *see* QQueue
 - QStringList *see* QStringList
 - QVector *see* QVector
 - swapping values 420
 - your own 400
 - locale 188
 - determining 378
 - forcing default 331
 - forcing standard 329
 - localization
 - of an application 49
 - of images 58
 - influence on the layout 143
 - of shortcuts 110, 127
 - loopback interface
 - using 336
 - release 49, 376
 - ls, calling as external program 332
 - lupdate 49, 376, 377
 - recording entries outside classes 381
- M**
- Mac OS X
 - .plist files 136
 - project files 53
 - Qt installation 23
 - special features of qmake 53
 - storing settings 137
 - macros
 - foreach *see* foreach
 - forever *see* forever
 - NDEBUG 390
 - platform-dependent 389
 - Q_ASSERT 390, 392
 - Q_ASSERT_X 391, 392
 - Q_CHECK_PTR 391–392
 - Q_FOREACH 412
 - Q_UNUSED 223
 - Q_WS_MAC 389
 - Q_WS_QWS 389
 - Q_WS_WIN 389
 - Q_WS_X11 389
 - QT_TR_NOOP 381
 - Magic Number 326
 - main widget 26
 - central widget 105
 - creating with Designer 82
 - separating page list from 153
 - size grip 118
 - status bar 118
 - main window *see* main widget class *see* QMainWindow
 - MainActor 19
 - make 29
 - Makefile
 - generating with qmake 28
 - Makefile.DebugPackage 28
 - Makefile.ReleasePackage 28
 - marshalling 322
 - matrix
 - inverse 291

- singular 291
- maxima
 - determining 290, 421
- maximum size
 - setting 151
- memory
 - allocating 391
 - bottleneck 391
- memory management 31–33
 - automatic 31, 68
 - of item classes 251
- menu bar 101
 - adding in Designer 107–108
 - inserting actions into 127
- menu entry
 - clicking 112
 - defining font 129
- menu separator 108
- message bus 43, 47
- message dialog *see* QMessageBox
- message handler 388
 - installing 389
- message window *see* QMessageBox
- meta-object compiler *see* moc
- MFC 47
- Microsoft
 - SQL server database driver 258
 - styleguide 169
 - Visual Studio *see* Visual Studio
 - Windows *see* Windows (Microsoft)
- MIME type
 - for the clipboard 201
 - for drag and drop 194–195, 242
 - your own 194
- MinGW 24, 52
- minima
 - determining 290, 421
- minimum size
 - defining 289
 - setting 143, 145, 150
- moc 56–57, 64, 79, 392
 - problems 392
 - and RTTI 248
- moc_file 56
- modal dialogs *see* dialog, modal
- modality of a dialog 162
- model 208
 - for database usage 265–270
 - making writable 227
- model-view concept *see* Interview
- monitor
 - flicker 283
- monospaced font
 - setting 106
- Motif 47
- mouse
 - events triggered by *see* QMouseEvent
 - wheel 293, 296
- mousePressEvent() 295
- moving *see* translation
- Mozilla-like splitter handle 153
- multiple inheritance
 - of Designer-generated interfaces 95
 - restrictions 97
- multiple selection of files 216
- mutable iterator 396
- mutex 342
- MySQL 45
 - database driver 258
 - establishing connection 260
 - making queries 261
 - problems with stored procedures 263
- N**
- name
 - of a class created in Designer 92
 - determining an application's 169
 - resolution 333
- namespace
 - Qt 105
- NDEBUG (macro) 390
- network
 - integrating ~ support 43, 332
 - programming 42, 45, 332–336
- new operator 31
- newsfeed 356
- next() 397
- nmake 29
- note
 - yellow *see* tooltip
- number() 72, 73
- O**
- object cast *see* qobject_cast
- objectName (property) 92
- objects
 - counting equal 418
 - generating on the stack 32, 33
 - hierarchy of 31–33
 - names of 85
 - serializing 322–328
 - tree structure of 31
- ODBC database driver 258
- OK button 162
- Online help *see* documentation
- opaque 273, 274
 - resizing 151
- OpenGL support 42, 45
- OpenSUSE
 - installing SQL support 259
- operators
 - = 28
 - = 28, 324
 - << *see* serialization operators
 - addition ~ for associative arrays 411
 - addition ~ for dictionaries 408
 - addition ~ for QMap 408
 - assignment 399
 - comparison 409
 - composition 310
 - copy 399
 - defining assignment 324
 - defining serialization 325
 - index 229, 405, 408, 409
 - less than 405–407
 - new 31
 - operator==() 409
 - operator>>() 325
 - operator<() 405, 406, 413
 - operator<<() 325
 - serialization 387
- Or
 - exclusive *see* XOR

- orientation enumerator 224
- overwriting
 - areas in data structures *see* `qFill()`
- P**
- page bar
 - separating from main widget 153
- page margins
 - taking into account when printing 306
- paint event 280, 283
 - forcing 296
- paintbrush *see* `QBrush`
- Painter paths 280, 309–310, 314
- `paintEvent()` 280–282
- palette *see* color palette
- parent widget 30
- PDF
 - generating 306
- `peekNext()` 397
- `peekPrevious()` 397
- pen *see* `QPen`
- phrasebook
 - for translations 377
- pie chart 283
- Plastique style 88
- .plist files
 - generating 136
- plugins
 - for database driver 259
- PODs in Qt 325, 422
- pointer
 - between two elements 396
 - checking validity of 391–392
 - deleting in lists 418
- polygon *see* `QPolygon`
- Porter-Duff 310
- porting
 - Qt 3 programs to Qt 4 46
- Portland project 175
- position
 - defining for a widget 152
 - setting for a widget *see* `setGeometry()`
- Post-It note *see* tooltip
- PostgreSQL 45
 - database driver 259
 - integrating drivers 260
- preferences
 - saving 136–140
 - system-wide *see* system scope
 - user-defined *see* user scope
- preview
 - in the Designer 88
- `previous()` 397
- print dialog *see* `QPrintDialog`
- print interface *see* `QPrinter`
- `printf()` 385, 386, 388
- printing 302, 305–307
- .pro file *see* project file
- problems with moc 392
- processes
 - controlling 328–332
 - starting 319, 328–332
- processing logic
 - separating from GUI 74–76
- program crash *see* crash
- program names
 - defining application-wide 137
 - determining 169
- progress bar
 - during a download 119
 - in the status bar 121
- project creation *see* `qmake`
- project file
 - generating with `qmake` 27
 - integrating Designer files 49
 - integrating GUI descriptions 49
 - for Mac OS X 53
 - for Microsoft Visual Studio 52
 - specifying Qt libraries to be linked 43
 - for Xcode 53
- properties 56, 85
 - in class documentation 60
 - of `QAction` 109–110
 - of `QMessageBox` 166
 - of `QSplitter` 150
 - of `QTextEdit` 106
 - querying 56, 85
 - setting 56, 85
 - size of 143, 150
 - of views 216
- Property Editor 56, 85, 109
- proxy 333
- proxy model 231, 270
 - designing 237–241
- public (objects) 63
- `push_back()` 394
- Q**
- `Q_ASSERT` (macro) 390, 392
- `Q_ASSERT_X` (macro) 391, 392
- `Q_CHECK_PTR` (macro) 391–392
- `Q_FOREACH` (macro) 412
- `Q_INT64_C()` (macro) 423
- `Q_OBJECT` (macro) 63, 64, 104
- `Q_UNUSED` (macro) 223
- `Q_WS_MAC` (macro) 389
- `Q_WS_QWS` (macro) 389
- `Q_WS_WIN` (macro) 389
- `Q_WS_X11` (macro) 389
- `QAbstractButton` 42, 87
- `QAbstractItemDelegate` 245
- `QAbstractItemModel` 211, 266
- `QAbstractItemView` 211
- `QAbstractListModel` 211
- `QAbstractProxyModel` 212, 231
- `QAbstractScrollArea` 211
- `QAbstractSocket` 318, 333
- `QAbstractTableModel` 211
- `QAction` 108–110, 126–128
 - choose icon 109
 - grouped 128
 - select icon 127, 129
 - selectable 128
 - shortcuts 110
 - signal when clicking 112
 - tooggling 126, 129
- `QActionGroup` 128
- `qApp` 112
- `QApplication` 26
 - base class for 44
 - and `QDesktopWidget` 304
 - `quit()` 36
 - `translate()` *see* `translate()`
- `QAssistantClient` 46
- `qBound()` 421
- `QBoxLayout` 42, 145

- QBrush 277
 - defining color 277
 - tiled pattern 295
- QBuffer 318, 323, 361, 404
 - setting read position to beginning 365
- QButtonBox 83
- QByteArray 114, 139, 318
- QCheckBox
 - in the Qt inheritance hierarchy 42
- QClipboard 201–205
- QColor 40
 - in the Qt inheritance hierarchy 42
- QColorDialog 275–276
- QComboBox *see* combo box
- qCopy() 415
- qCopyBackward() 415
- QCoreApplication 44, 320, 338
- qCount() 418
- qCritical() 386–388
- QDataStream 243, 322–327
 - defining version of the format 323, 326
 - reading in line by line 331
- QDate 179, 189
- qDebug() 152, 386–388, 390
 - displaying database errors 261
- qDeleteAll() 399, 418
- QDesktopWidget 304
- QDialog 161–184
 - avoiding bloating 164
 - classes inherited from ~ as main window 62
 - extensions 164
- QDir 176
- QDirModel 212–214
 - overloaded index() method 213
- QDomCDATASection 370
- QDomComment 370
- QDomDocument 366, 367, 370
- QDomDocumentFragment 371
- QDomDocumentType 369
- QDomElement 366, 369, 370
- QDomNode 367
- QDomText 370
- qEqual() 419
- QErrorMessage 174
- qFatal() 386, 388, 390
- QFile 113, 318, 320–322
- QFileDialog 113, 175–178
 - flags 175
- qFill() 420
- qFind() 414
- QFont 182
- QFontDialog 182–183
- QFontMetrics 288
- QFrame 41, 42
- QFtp 333
- QGridLayout 33–34, 148–149, 303, 362
 - addWidget() 34
 - column numbers 34
 - coordinate system 34
 - with Designer 84
 - line numbers 34
 - in the Qt inheritance hierarchy 42
- QHash 283, 409–411
- qHash() 409
- QHBoxLayout 33
 - in Designer 84
 - in the Qt inheritance hierarchy 42
- QHeaderView 211
- QHostAddress 333
- QHostInfo 333
- QHttp 333, 350, 361, 363
- QIcon 127
- QImage 40, 297–300
 - composition modes 310–315
 - converting in QPixmap 297
- QInputDialog 179–182
- qInstallMsgHandler() 389
- qint16 422
- qint32 422
- qint64 422
- qint8 422
- QIntValidator 70
- QIODevice 317–320, 322
 - network subclasses 333
 - opening 319
- QItemDelegate 210, 228, 234, 245
- QItemSelectionModel *see* selection model
- QLabel
 - aligning text 105
 - assigning shortcuts 90
 - displaying pixmap 197, 278
 - displaying strings 38
 - markup 102
 - properties 85
 - in the Qt inheritance hierarchy 41
 - setAlignment() 105
 - setNum() (slot) 38
 - setPixmap() 197, 277
 - setText() 38, 56, 124
 - setting image 197, 278
 - setting new value 38
 - setting text 56, 85, 124
 - text (property) 56
 - text() 56
- QLayout 42, 143–144
 - addLayout() 67
 - addStretch() 68
 - in the Qt Designer 84
- QLCDNumber 186
- QLinearGradient 288, 310
- QLineEdit
 - changing input 73
 - EchoMode enumerator 181
 - restricting input 70
 - setValidator() 70
 - textChanged() (Signal) 71
 - textChanged() (signal) 234
- QLinkedList 398, 401
 - access via index operator 401
- QList 398–402
 - as base class for QQueue 404
 - mutable iterator 396
- QListView 210
- QListWidget 157, 251
- QListWidgetItem 157, 330, 332
- QLocale 378
- qlonglong 423
- qLowerBound() 417–418
- QMainWindow 101–140, 362
 - setCentralWidget() 105
- qmake 27–29, 51–56, 392

- choosing Qt libraries to be linked 43, 257
- FORMS variable 49, 91
- generating application with 28
- generating library with 28
- generating Makefile with 28
- HEADERS directive 106
- help when inheriting from QObject 64
- including an SQL module 257
- integrating Designer files 49, 91
- libraries to be linked by default 43
 - and moc 56
 - QT variable 43
 - RESOURCES directive 57
 - SOURCES directive 28, 106
 - special features on Mac OS X 53
 - special features on Windows 28
 - TEMPLATE directive 28, 106
 - TRANSLATIONS directive 376
- QMAKEFLAGS (environment variable) 28
- QMap 404–407
- QMapIterator 405
- QMatrix 290–295
- qMax() 290, 421
- QMenu 127
- QMessageBox 116, 166–173, 390
 - modal 118, 168
- QMimeData 194
- qMin() 290, 421
- QModelIndex 208, 218, 219
- QMouseEvent 186
- QMultiHash 411
- QMultiMap 407–408
- QMutableListIterator 396
- QMutex 342
- QMutexLocker 344
- QNetworkProxy 333
- QObject 39–40
 - and automatic memory management 68
 - connect() 36, 38
 - deleting ~-based objects 336
 - deriving from 104
 - inherited classes 31
 - inheriting from 39, 63–65
 - and moc 56
 - property() 56
 - setProperty() 56, 85
 - tr() *see* tr()
 - qobject_cast 247
 - QPaintDevice 276, 302
 - QPainter 276–278, 280, 282–290
 - QPainterPath *see* Painter paths
 - QPen 277
 - defining color 277
 - defining thickness 277
 - drawing dotted line 295
 - QPixmap
 - converting in QImage 297
 - extracting from data stream 200
 - filling with color 277
 - making screenshots 304
 - vs. QImage 297
 - QPoint 278
 - floating-point variants *see* QPointF
 - QPointF 279
 - QPolygon 279, 308
 - defining smallest possible rectangle 279
 - floating-point variants *see* QPolygonF
 - QPolygonF 279
 - qPrintable() 328, 387
 - QPrintDialog 302, 306
 - QPrinter 276, 302, 305–307
 - QProcess 319, 328–332
 - asynchronous usage 330–332
 - synchronous usage 329
 - QProxyModel 212, 231
 - QPushButton 35
 - clicked() signal 36
 - clicking on 36
 - converting to a toggle button 166
 - default button 87
 - in the Qt inheritance hierarchy 42
 - setDefault() 69
 - size policy 144
 - QQueue 342, 395, 404
 - QRadioButton
 - in the Qt inheritance hierarchy 42
 - qrc file 57
 - qreal 423
 - QRect 278–279
 - floating-point variants *see* QRectF
 - moving 288
 - shrinking 280
 - QRectF 279
 - QRegExpValidator 70
 - QRgb 272, 275
 - QSet 411–412
 - QSettings 136, 151
 - QSize 278
 - floating-point variants *see* QSizeF
 - QSizeF 279
 - QSizeHint 209
 - QSlider 38
 - set value 38
 - setValue() (slot) 38
 - value change *see* valueChanged() (Signal)
 - valueChanged() *see* valueChanged() (Signal)
 - qSort() 413
 - QSortFilterProxyModel 231, 232
 - QSpinBox 38, 180
 - set value 38
 - setValue() (slot) 38
 - value change *see* valueChanged() (Signal)
 - valueChanged() *see* valueChanged() (Signal)
 - QSplitter *see* splitter
 - QSplitterHandle 153
 - QSqlDatabase 260
 - QSqlError 261
 - QSqlQuery 261
 - QSqlRecord 262
 - QSqlRelationalDelegate 245, 267

- QSqlRelationalTableModel 266, 268
 problems in Qt 4.1 270
 QSqlTableModel 265–266, 268
 qStableSort() 413
 QStack 403–404
 QStackedLayout *see* stacked, layout
 QStackedWidget *see* stacked, widget
 QStandardItemModel 212, 247, 249–250, 356, 357, 365
 QStatusBar 118
 addPermanentWidget() 121
 addWidget() 120
 clearMessage() (slot) 120
 showMessage() (slot) 120
 QString 40
 arg() 123
 checking if it is empty 182
 converting 8-bit text to/from *see* fromLocal8Bit()
 converting to number values 72
 internal encoding 114
 outputting via cout 328
 in the Qt inheritance hierarchy 42
 QStringList 395
 comparing with QVector<QString> 419
 QStringListModel 212, 221
 QStyle 330
 QSvgRenderer 301
 QSvgWidget 301
 qSwap() 420
 Qt
 contents of individual libraries 42
 German translation sources 380
 information box about 173
 installing 23
 open source edition for Windows 24
 size 42
 source code 23
 QT (qmake variable) 43, 257, 301, 332, 354
 Qt 4.0 42
 Qt 4.1 43
 Qt 4.2 43
 Qt Assistant *see* Assistant
 Qt Designer *see* Designer
 Qt Linguist *see* Linguist
 Qt Solutions 47
 Qt-3 classes 46
 Qt3Support 43, 46
 QT_FATAL_WARNINGS (environment variable) 388
 QT_NO_DEBUG_OUTPUT (environment variable) 386
 QT_NO_WARNING_OUTPUT (environment variable) 388
 QT_TR_NOOP (macro) 381
 QTableView 211
 QTableWidget 251, 253
 QtCore 42, 44, 332
 debug variations 28
 QTcpServer 333, 338
 QTcpSocket 40, 318, 333, 334, 340
 QtDBus 43, 47
 QtDebug 387
 QTemporaryFile 318
 QTestLib 43, 46
 QTextBrowser 349, 361
 QTextCodec 114
 QTextDocument 123
 redo 117
 undo 117
 QTextEdit 106, 115, 142
 open new document 116
 preventing line wrap 106
 setDocument() 116
 setting font type 106
 size policy 144
 text format 114
 undo *see* QTextDocument
 QtGlobal 386
 QtGui 42, 44–45
 QThread *see* threads
 QThreadStorage 345–347
 QTime 188
 QTimer 334, 350
 snapshot timer 304
 QTimerEvent 188, 189
 QtNetwork 42, 45, 332
 QtOpenGL 42, 45
 QTranslator 378, 379
 QTreeView 210
 QTreeWidget 251, 252
 QSql 43, 45, 257–270
 displaying database errors 261
 establishing connection 260
 making queries 261
 model for Interview 265–270
 temporary database 265
 QtSvg 43, 46
 QtXml 43, 45, 353–373
 QUdpSocket 318, 333
 question dialog 169–171
 vs. information dialog 171
 questions
 asking 169
 queued connections 347, 348
 queues *see* QQueue
 quint16 423
 quint32 423
 quint64 423
 quint8 423
 quit() 26, 36, 112
 qulonglong 423
 qUpperBound() 417–418
 QUrl 195, 364
 converting to file path 200
 QValidator 70
 QVariant 135, 200
 converting into native data types 138
 converting to a string 366
 QVBoxLayout 30, 144–145
 addWidget() *see* addWidget()
 creating in Designer 84
 in the Qt inheritance hierarchy 42
 QVector 401–402
 filling 420
 QVector<QPoint> 279
 QWaitCondition 342
 qWarning() 341, 388
 QWidget 304
 as a basis for all control ele-

- ments 40
 - and layout 141, 143
 - resize() 105
 - setWindowTitle() 69, 105
 - QXmlContentHandler 355, 356
 - QXmlDefaultHandler 355–361
 - QXmlDTDHandler 355
 - QXmlEntityResolver 355
 - QXmlErrorHandler 355, 356
 - QXmlInputSource 365
 - QXmlLexicalHandler 355
 - QXmlSimpleReader 365
- R**
- rcc 57–58
 - reading
 - from right to left *see* Bidi
 - rectangle *see* QRect
 - redo 117
 - reference system
 - fixed 280, 281
 - reflection 97
 - Registry
 - create path 136
 - saving application data 136
 - regular expressions
 - allowing during filtering 234
 - in Qt 70
 - in validators 70
 - reject() (slot) 71, 162
 - relational databases *see* QSql
 - module
 - release version
 - generating 28
 - repaint 280
 - resize() 143
 - resizeEvent() 143
 - Resource Editor *see* Designer
 - resource file 109
 - resources
 - choosing icons for actions from 109
 - compiler *see* rcc
 - external 57–58, 99
 - file 57
 - localization of images 58
 - RESOURCES (qmake directive) 57
 - restricting the view to specific
 - datasets *see* filtering
 - retranslateUi() 92
 - Return key
 - assigning 168
 - RGB
 - vs. CMYK 274
 - color selection dialog *see* QColorDialog
 - right alignment 145
 - roles 135
 - AccessibleDescriptionRole 209
 - AccessibleTextRole 209
 - CheckStateRole 209, 234
 - DecorationRole 209
 - DisplayRole 209, 224
 - EditRole 209, 225
 - FontRole 209, 251
 - SizeHintRole 209
 - StatusTipRole 209
 - TextAlignmentRole 209
 - TextColorRole 209
 - ToolTipRole 209, 225, 251
 - UserRole 209
 - WhatsThisRole 209
 - root element
 - determining in XML files 369
 - rotation 293
 - of the coordinate system 295
 - RSS parser 355–361
 - RTTI 248
- S**
- saveFile() 115
 - saveFileAs() 115
 - saving
 - a file *see* saveFile()
 - splitter positions 151
 - under new name *see* saveFileAs()
 - SAX 45, 353–366
 - default handler *see* QXmlDefaultHandler
 - scaling 292
 - screen
 - redrawing 280
 - screen size
 - and stretch factors 153
 - screenreader 209
 - screenshot 302–305
 - scroll wheel 293, 296
 - search
 - in sorted containers 416–418
 - for specific datasets *see* filtering
 - in unsorted containers 414–415
 - SELECT queries (SQL) 262
 - displaying results 267
 - selectable entries *see* checkbox
 - selection model 217
 - selectionMode (property) 216
 - semi-modal dialogs *see* dialog separator
 - in menus 108
 - sequential connections 318
 - serialization 322, 387
 - serialization operators 387
 - defining 325
 - set difference 411
 - set method 56
 - set object *see* QSet
 - set operations 411
 - setGeometry() 141
 - setUpUi() 92, 111
 - sharing
 - implicit 40, 412
 - shearing 293
 - shortcuts 109
 - assigning with Designer 90
 - for labels *see* Buddy
 - window-wide 107
 - show() 163, 164
 - side-effects
 - in debug instructions 392
 - signal
 - binding to slots by name convention 97
 - declaring 77
 - sending 78
 - SIGNAL() 36
 - signals and slots 35
 - connecting with Designer 88
 - number of arguments 39

- sequence of function call 38
 - with thread usage 347–350
 - simplified() 123
 - singleshot timer 304
 - size
 - changing 87
 - defining fixed 281
 - fixing 142
 - saving a window's 139
 - storing *see* QSize
 - size grip
 - for main windows 118
 - size hint
 - providing a *see* sizeHint()
 - size policy 144, 146
 - sizeHint() 143, 289
 - for SVG files 301
 - SizeHintRole
 - in Interview 209
 - Skype 19
 - slider *see* QSlider
 - slot 36
 - binding to signals by name convention 97
 - declaring 71–72
 - SLOT() 36
 - socket
 - communication via 318, 334, 338
 - Socks 5 333
 - sorting 212, 413–414
 - data in models 231
 - items in view widgets 255
 - with QMap 405
 - sorting indicator
 - in tree views 233
 - source mode 311
 - SourceAtop mode 313
 - SourceIn mode 312
 - SourceOut mode 312
 - SourceOver mode 311
 - SOURCES (qmake directive) 28, 106
 - spacer 82
 - in Designer 82
 - spaces
 - distributing with stretches 67, 83
 - removing from beginning and end of string 123
 - spin box *see* QSpinBox
 - splitter 34, 130, 150–157
 - defining size of ~ widgets 151
 - saving position of 151
 - SQL databases
 - support in Qt *see* QSql
 - SQLite 45
 - compiling support 259
 - database driver 259
 - integrating drivers 260
 - using 264–265
 - stack
 - generating objects on 33
 - stacked
 - layout 34, 157–160
 - widget 157
 - stacks *see* QStack
 - standard connection (database) 260
 - standard locale
 - forcing 329, 331
 - standard output
 - directing output to 321
 - Standard Template Library *see* STL
 - standard widgets
 - manipulating 99
 - standard-error output *see* stderr
 - static_cast 189, 193
 - status bar 101, 110, 114, 118–124
 - data to be displayed in Interview 209
 - normal message 119, 120
 - permanent message 120, 121
 - temporary message 119, 120
 - status line *see* status bar
 - status tip
 - setting 127
 - StatusTipRole
 - in Interview 209
 - stderr 386
 - STL
 - compatibility with Qt 393
 - iterators 395–396
 - stored procedures 263
 - and SQLite 264
 - stretch 67, 83, 152
 - stretch factor 146–148
 - in the QGridLayout 148
 - and screen size 153
 - in the splitter layout 152
 - string
 - converting to numbers 72, 73
 - with dynamic elements 124
 - list *see* QStringList
 - objects *see* QString
 - reading 181
 - string-oriented connections 318
 - strings
 - selecting 181
 - style 88, 330
 - styleguide
 - on headers in question dialogs 169
 - Microsoft 169
 - sub-tree
 - inserting XML into 372
 - SVG 43, 46, 300–302
 - Basic 301
 - file loading 301
 - supported profiles 46
 - Tiny 301
 - swapping
 - values 420
 - Sybase Adaptive Server
 - database driver 259
 - synchronous processes 329
 - system scope
 - for preferences 136, 137
 - system time *see* time
- T**
- tab order 192
 - tab sequence 48, 87, 89
 - tab-completion 245
 - table layout *see* QGridLayout
 - table view
 - of data 211
 - of SQL tables 265–266
 - without Interview *see* QTableWidget
 - tabulator *see* tab sequence
 - tags 366

- tar archive
 - listing contents 328
 - TEMPLATE (qmake directive) 28, 106
 - temporary data
 - storing 318
 - temporary database 265
 - temporary directory
 - determining 176, 319
 - temporary file 318
 - temporary memory 404
 - test cases 43, 46
 - Testing
 - inverted Layouts 157
 - text
 - color for DisplayRole data 209
 - document *see* QTextDocument
 - dynamically generating 124
 - editor 101, *see* QTextEdit
 - files for Unix and Windows 114
 - window for messages *see* QMessageBox
 - TextAlignmentRole
 - in Interview 209
 - textChanged() (Signal) 73
 - textChanged() (signal) 234
 - TextColorRole
 - in Interview 209
 - threads 40, 337–352
 - synchronizing 341–345
 - working with QSettings 136
 - tiled pattern 295
 - time
 - current system 188
 - determining 333
 - time object *see* QTime
 - timer 188, 189, 295
 - signal call after timeout 335
 - timeserver 336
 - title bar *see* window title
 - tooggling
 - actions 126, 133
 - dock windows 133
 - via QPushButton 166
 - toInt() 72, 73
 - toLocal8Bit() 328
 - tool button 214
 - toolbar 101, 125–126
 - adding in the Designer 109
 - tooltip 110, 209, 251, 360
 - setting for actions 129
 - ToolTipRole
 - in Interview 209, 225, 251, 360
 - top-level widget 86, 162
 - tr() 50, 105, 376
 - dynamic text parts 123
 - transactions (database) 264
 - transformation matrix 290
 - translate() 50
 - translation 288, 291
 - of applications to other languages 49, 375–378
 - context *see* context
 - of the coordinate system 295
 - sources 377
 - TRANSLATIONS (qmake directive) 376
 - transparency
 - as color 272
 - of pixels 297
 - traversing 395
 - tree structure
 - of Qt classes 31
 - tree view 210
 - of SQL tables 265
 - without Interview *see* QTreeWidgetItem
 - tree-based algorithms 404
 - Tulip 393–423
 - type conversion
 - with signal/slot connections 38
 - types
 - PODs 325, 422
 - Qt-specific 422
 - typewriter font *see* monospaced font
- U**
- Ubuntu
 - installing SQL support later on 259
 - problems with qmake 27
 - uchar 423
 - UDP 318
 - ui files
 - format 49
 - integrating in projects 91–97
 - uic 49, 92
 - uint 423
 - ulong 423
 - undo 117
 - stack 117
 - undocumented features
 - event filter 247
 - Unicode 40, 114
 - converting local 8-bit encoded data to 330, 331
 - union 135
 - of sets 412
 - unit matrix 291–292
 - unit tests 43, 46
 - Unix
 - behavior of qFatal() 388
 - unsigned char
 - short form 423
 - unsigned int
 - short form 423
 - unsigned long
 - short form 423
 - unsigned short
 - short form 423
 - UPDATE statement (SQL) 262
 - URL *see* QUrl
 - usability
 - accelerators 107
 - arranging menu bar entries 126
 - avoiding bloated dialogs 164
 - defining the default button 87
 - with drag and drop 197
 - headers in question dialogs 169
 - localizing shortcuts 110
 - non-modal dialogs 163
 - push buttons for information dialogs 171
 - status message vs. dialog 124
 - stretch factor and screen size 153
 - tab sequence 89
 - when using QMessageBox 116

- yes-no questions 170
 - use case
 - consumer/producer 342–345
 - user input *see* input
 - user interface compiler *see* uic
 - user scope
 - for preferences 136, 137
 - UserRole
 - in Interview 209, 360, 366
 - ushort 423
 - UTF-8 *see* Unicode
- V**
- validator 70
 - value ranges
 - of floating-point types 423
 - of integer types 422
 - value()
 - vs. index operator 405, 409
 - valueChanged() (Signal) 38
 - values
 - limiting 421
 - vector *see* QVector
 - graphics with SVG *see* SVG
 - vendor details
 - defining application-wide 137
 - version control 28
 - vertically arranging a layout *see* QVBoxLayout
 - view 208
 - background color 209
 - editing entries 246
 - element-based without model 251
 - restricting to specific datasets 234
 - selectable entries *see* checkbox
 - view widgets *see* element-based views
 - viewMode (property) 216
 - viewport 211
 - Visual Studio 51, 52
 - compiling a Qt application with 29
 - Visual Studio project
 - compiling 29
 - generating from qmake project
- W**
- file 27
 - WA_QuitOnClose 62
 - wait condition 342–344
 - warning dialog 172
 - warnings 388
 - webserver
 - asynchronous communication with *see* QHttp
 - What's This? help 110, 129, 209
 - WhatsThisRole in Interview 209
 - whitespace 123
 - whole number *see* integer types
 - widget 29
 - adding to a layout *see* addWidget()
 - changing properties in the Designer 48
 - changing size 105
 - collapsible 150
 - creating with Designer 82
 - drawing on 280, 283
 - removing in the Designer 48
 - your own 42
 - width
 - reading out ~ of splitter widgets 151
 - setting *see* setGeometry()
 - wildcard
 - using when filtering 234
 - window
 - changing size 87, 105, 118
 - dockable *see* dock window
 - for messages *see* QMessageBox
 - saving size 139
 - window title
 - setting 69, 86, 105
 - Windows (Microsoft)
 - behavior of qFatal() 388
 - development environment for open source projects 52
 - forking 337
 - GPL version 52
 - line end of text files 114
 - message handler for 389
 - open source edition 24
 - platform-specific extensions 47
 - Registry *see* Registry
 - special features of qmake 28
 - text encoding 114
 - Windows-XP style 88
 - words
 - counting 123
 - worker threads 347
 - working directory
 - changing to 332
 - determining 176
 - writing
 - allowing in a model 227
 - WYSIWYG GUI editor *see* Designer
- X**
- X11
 - and QImage 297
 - Xcode 53
 - XHTML 354, 367
 - XML 42, 43, 45, 301, 353–373
 - determining document type 369
 - determining root element 369
 - integrating support for 43
 - parser 45
 - reading files 367
 - reading out attributes 369
 - translation source format 377
 - XOR 410
 - mode 314
 - Xt 47
- Y**
- yellow note *see* tooltip
 - yes-no questions 170
- Z**
- zero
 - division by 388
 - object 200
 - zero string
 - checking for *see* isNull()